

## 8 LITERATURVERZEICHNIS

- Abo, T., Inamoto, S., & Ohtsubo, E. (1991). Specific DNA binding of the TraM Protein to the *oriT* region of plasmid R100. *J.Bacteriol.* 173, 6347-6354.
- Andersson, S.G.E., Zomorodipour, A., Andersson, J.O., Sicheritz-Pontén, T., Alsmark, U.C.M., Podowski, R.M., & Kurland, C.G. (1998). The genome sequence of *Rickettsia prowazekii* and the origin of mitochondria. *Nature* 396, 133-140.
- Bachmann, B.J. (1972). Pedigrees of some mutant strains of *Escherichia coli* K12. *Bacteriol.Rev.* 36, 525-557.
- Balzer, D. (1993). Lokalisierung, Nukleotidsequenz und Genorganisation von IncP- Transferregionen. Dissertation, Freie Universität Berlin.
- Balzer, D., Pansegrouw, W., & Lanka, E. (1994). Essential motifs of relaxase (TraI) and TraG protein involved in conjugative transfer of plasmid RP4. *J.Bacteriol.* 176, 4285-4295.
- Balzer, D., Ziegelin, G., Pansegrouw, W., Kruft, V., & Lanka, E. (1992). KorB protein of promiscuous plasmid RP4 recognizes inverted sequence repetitions in regions essential for conjugative plasmid transfer. *Nucleic Acids Res.* 20, 1851-1858.
- Bordo, D. & Argos, P. (1991). Suggestions for "safe" residue substitutions in site-directed mutageneses. *J.Mol.Biol.* 217, 721-729.
- Boyer, H.W. & Roulland-Dussoix, D. (1969). A complementation analysis of the restriction and modification of DNA in *Escherichia coli*. *J.Mol.Biol.* 41, 459-472.
- Byrd, D.R. & Matson, S.W. (1997). Nicking by transesterification: the reaction catalysed by a relaxase. *Mol.Microbiol.* 25, 1011-1022.
- Cabezón, E., Lanka, E., & de la Cruz, F. (1994). Requirements for mobilization of plasmids RSF1010 and ColE1 by the IncW plasmid R388: *trwB* and RP4 *traG* are interchangeable. *J.Bacteriol.* 176, 4455-4458.
- Cabezón, E., Sastre, J.I., & de la Cruz, F. (1997). Genetic evidence of a coupling role for the TraG protein family in bacterial conjugation. *Mol.Gen.Genet.* 254, 400-406.
- Cavalli-Sforza, L.L., Lederberg, J., & Lederberg, E.M. (1953). An infective factor controlling sex compatibility in *E. coli*. *J.Gen.Microbiol.* 8, 89-103.
- Censini, S., Lange, C., Xiang, Z., Crabtree, J.E., Ghiara, P., Borodovsky, M., Rappuoli, R., & Covacci, A. (1996). *cag*, a pathogenicity island of *Helicobacter pylori*, encodes type I-specific and disease-associated virulence factor. *Proc.Natl.Acad.Sci.USA* 93, 14648-14653.
- Chandler, P.M. & Krishnapillai, V. (1974). Phenotypic properties of R factors of *Pseudomonas aeruginosa*: R factors readily transferable between *Pseudomonas* and the Enterobacteriaceae. *Genet.Res.Camb.* 23, 239-250.
- Christie, P.J., Ward, J.E., Jr., Gordon, M.P., and Nester, E.W. (1989). A gene required for transfer of T-DNA to plants encodes an ATPase with autophosphorylating activity. *Proc.Natl.Acad.Sci.USA* 86, 9677-9681.

- Citovsky, V., Guralnick, B., Simon, M.N., & Wall, J.S. (1997). The molecular structure of *Agrobacterium* VirE2-single stranded DNA complexes involved in nuclear import. *J.Mol.Biol.* 271, 718-727.
- Clewell, D.B. & Gawron-Burke, C. (1986). Conjugative transposons and the dissemination of antibiotic resistance in *Streptococci*. *Annu.Rev.Microbiol.* 40, 635-659.
- Cole, S.P., Lanka, E., & Guiney, D.G. (1993). Site-directed mutations in the relaxase operon of RP4. *J.Bacteriol.* 175, 4911-4916.
- Covacci, A., Telford, J.L., Giudice, G.D., Parsonnet, J., & Rappuoli, R. (1999). *Helicobacter pylori* virulence and genetic geography. *Science* 284, 1328-1333.
- Datta, N. (1985). Plasmids as organisms. In *Plasmids in bacteria*. D.R. Helinski, S.N. Cohen, D.B. Clewell, D.A. Jackson, & A. Hollaender, eds. (New York: Plenum Press), pp. 3-16.
- Datta, N., Hedges, R.W., Shaw, E.J., Sykes, R.B., & Richmond, M.H. (1971). Properties of a R factor from *Pseudomonas aeruginosa*. *J.Bacteriol.* 108, 1244-1249.
- Disqué-Kochem, C. & Dreiseikelmann, B. (1997). The cytoplasmic DNA-binding protein TraM binds to the inner membrane protein TraD in vitro. *J.Bacteriol.* 179, 6133-6137.
- Dubnau, D. (1997). Binding and transport of transforming DNA by *Bacillus subtilis*: the role of type-IV pilin-like proteins - a review. *Gene* 192, 191-198.
- Eisenbrandt, R., Kalkum, M., Lai, E.-M., Lurz, R., Kado, C.I., & Lanka, E. (1999). Conjugative pili of IncP plasmids and the Ti plasmid T-pilus are composed of cyclic subunits. *J.Biol.Chem.* 274, 22548-22555.
- Franke, A.E. & Clewell, D.B. (1981). Evidence for a chromosome-borne resistance transposon (Tn916) in *Streptococcus faecalis* that is capable of "conjugal" transfer in the absence of a conjugative plasmid. *J.Bacteriol.* 145, 494-502.
- Frost, L.S., Ippen-Ihler, K., & Skurray, R.A. (1994). Analysis of the sequence and gene products of the transfer region of the F sex factor. *Microbiol.Rev.* 58, 162-210.
- Fulbrook, P.D., Elson, S.W., & Slocombe, B. (1970). R-factor mediated β-lactamase in *Pseudomonas aeruginosa*. *Nature* (London) 226, 1054-1056.
- Fürste, J.P., Pansegrau, W., Frank, R., Blöcker, H., Scholz, P., Bagdasarian, M., & Lanka, E. (1986). Molecular cloning of the plasmid RP4 primase region in a multi-host-range tacP expression vector. *Gene* 48, 119-131.
- Fürste, J.P., Pansegrau, W., Ziegerlin, G., Kröger, M., & Lanka, E. (1989). Conjugative transfer of promiscuous IncP plasmids: interaction of plasmid-encoded products with the transfer origin. *Proc.Natl.Acad.Sci.USA* 86, 1771-1775.
- Grahn, A.M., Haase, J., Bamford, D.H., & Lanka, E. (1999). Components of the RP4 conjugative transfer apparatus form an envelope structure bridging inner and outer membranes of donor cells: implications for related macromolecule transport systems. submitted
- Grahn, A.M., Haase, J., Lanka, E., & Bamford, D.H. (1997). The assembly of a functional phage PRD1 receptor depends on 11 genes of the IncP plasmid mating pair formation complex. *J.Bacteriol.* 179,
- Guiney, D.G., Hasegawa, P., & Davis, E. (1984). Plasmid transfer from *Escherichia coli* to *Bacteroides fragiles*: differential expression of antibiotic resistance phenotypes. *Proc.Natl.Acad.Sci.USA* 81, 7203-7206.
- Guiney, D.G. & Lanka, E. (1989). Conjugative transfer of IncP Plasmids. In *Promiscuous plasmids of Gram-negative bacteria*. C.M. Thomas & F.C.H. Franklin, eds. (London: Academic Press Inc.), pp. 27-56.

- Haase, J., Grahn, A.M., Bamford, D.H., & Lanka, E. (1997). The DNA transfer apparatus encoded by plasmid RP4: Localization of essential transfer components in cell fractions of *E.coli*. *J.Bacteriol.* 179, 5728-5735.
- Haase, J., Kalkum, M., & Lanka, E. (1996). TrbK, a small cytoplasmic membrane lipoprotein, functions in entry exclusion of the IncP $\alpha$  plasmid RP4. *J.Bacteriol.* 178, 6720-6729.
- Haase, J. & Lanka, E. (1997). A specific protease encoded by the conjugative DNA transfer system of IncP and Ti plasmids is essential for pilus synthesis. *J.Bacteriol.* 179, 5728-5735.
- Haase, J., Lurz, R., Grahn, A.M., Bamford, D.H., & Lanka, E. (1995). Bacterial conjugation mediated by plasmid RP4: RSF1010 mobilization, donor-specific phage propagation, and pilus production require the same Tra2 core components of a proposed DNA transport complex. *J.Bacteriol.* 177, 4779-4791.
- Hanahan, D. (1983). Studies on transformation of *Escherichia coli* with plasmids. *J.Mol.Biol.* 166, 557-580.
- Hayes, W. (1953). Observations on a transmissible agent determining sexual differentiation in *E. coli*. *J.Gen.Microbiol.* 8, 72-88.
- Heinemann, J.A. & Sprague, G.F., Jr. (1989). Bacterial conjugative plasmids mobilize DNA transfer between bacteria and yeast. *Nature (London)* 340, 205-209.
- Hingorani, M.M. & O'Donnell, M. (1998). Toroidal proteins: running rings around DNA. *Current Biology* 8, R83-R86
- Holmes, D.S. & Quigley, M. (1981). A rapid boiling method for the preparation of bacterial plasmids. *Anal.Biochem.* 114, 193-197.
- Hwang, I., Cook, D.M., & Farrand, S.K. (1995). A new regulatory element modulates homoserine lactone-mediated autoinduction of Ti plasmid conjugal transfer. *J.Bacteriol.* 177, 449-458.
- Innis, M.A., Gelfand, D.H., Sninski, J.J., & White, T.J. (1990). PCR protocols: A guide to Methods and Applications (New York: Academic Press).
- Jannasch, H.W., Wirsen, C.O., Molyneaux, S.J., & Langworthy, T.A. (1992). Comparative physiological studies on hyperthermophilic archaea isolated from deep-sea hot vents with emphasis on *Pyrococcus* strain GB-D. *Appl.Environ.Microbiol.* 58, 3472-3481.
- Karimova, G., Pidoux, J., Ullmann, A., & Ladant, D. (1998). A bacterial two-hybrid system based on a reconstituted signal transduction pathway. *Proc.Natl.Acad.Sci.USA* 95, 5752-5756.
- Kim, S.R. & Komano, T. (1997). The plasmid R64 thin pilus identified as a type IV pilus. *J.Bacteriol.* 179, 3594-3603.
- Kopchick, J.J., Cullen, B.R., & Stacey, D.W. (1981). Rapid analysis of small nucleic acid samples by gel electrophoresis. *Anal.Biochem.* 115, 419-423.
- Krause, S., Bárcena, M., Pansegrouw, W., Lurz, R., Carazo, J.M., & Lanka, E. (1999). Sequence related protein export NTPases encoded by the conjugative transfer region of RP4 and by the *cag* pathogenicity island of *Helicobacter pylori* share similar hexameric ring structures. submitted
- Kunkel, T.A. (1985). Rapid and efficient site-specific mutagenesis without phenotypic selection. *Proc.Natl.Acad.Sci.USA* 82, 488-492.
- Lahue, E.E. & Matson, S.W. (1988). *Escherichia coli* DNA helicase I catalyzes a unidirectional and highly processive unwinding reaction. *J.Biol.Chem.* 263, 3208-3215.

- Laurenzio, L.D., Frost, L.S., Finlay, B.B., & Paranchych, W. (1991). Characterization of the *oriT* region of the IncFV plasmid pED208. *Mol.Microbiol.* 5, 1779-1790.
- Lämmli, U.K. (1970). Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature (London)* 227, 680-685.
- Lederberg, J. & Tatum, E.L. (1946). Gene recombination in *Escherichia coli*. *Nature (London)* 158, 558-558.
- Lessl, M., Balzer, D., Lurz, R., Waters, V.L., Guiney, D.G., & Lanka, E. (1992). Dissection of IncP conjugative plasmid transfer: definition of the transfer region Tra2 by mobilization of the Tra1 region in *trans*. *J.Bacteriol.* 174, 2493-2500.
- Lessl, M., Balzer, D., Weyrauch, K., & Lanka, E. (1993). The mating pair formation system of plasmid RP4 defined by RSF1010 mobilization and donor-specific phage propagation. *J.Bacteriol.* 175, 6415-6425.
- Lessl, M. & Lanka, E. (1994). Common mechanisms in bacterial conjugation and Ti-mediated T-DNA transfer to plant cells. *Cell* 77, 321-324.
- Lessl, M., Pansegrau, W., & Lanka, E. (1992). Relationship of DNA-transfer-systems: essential transfer factors of plasmids RP4, Ti and F share common sequences. *Nucleic Acids Res.* 20, 6099-6100.
- Lowbury, E.J.L., Kidson, A., Lilly, H.A., Ayliffe, G.A., & Jones, R.J. (1969). Sensitivity of *Pseudomonas aeruginosa* to antibiotics: emergence of strains highly resistant to carbenicillin. *Lancet* 2, 448-452.
- Lowry, O.H., Rosebrough, N.J., Farr, A.L., & Randall, R.J. (1951). Protein measurement with the folin phenol reagent. *J.Biol.Chem.* 193, 265-175.
- Mandel, M. & Higa, A. (1970). Calcium-dependent bacteriophage DNA infection. *J.Membr.Biol.* 53, 159-162.
- Marabini, R., Masegosa, I.M., San Martín, M.C., Marco, S., Fernández, J.J., de la Fraga, L.G., Vaquerizo, C., & Carazo, J.M. (1996). Xmipp: an image processing package for electron microscopy. *J.Struct.Biol.* 116, 237-240.
- Mazodier, P., Petter, R., & Thompson, C. (1989). Intergeneric conjugation between *Escherichia coli* and *Streptomyces* species. *J.Bacteriol.* 171, 3583-3585.
- Messing, J. (1983). New M13 vectors for cloning. *Methods Enzymol.* 101, 20-78.
- Miller, J.F., Lanka, E., & Malamy, M.H. (1985). F factor inhibition of conjugal transfer of broad-host-range plasmid RP4: requirement for the protein product of pif operon regulatory gene pifC. *J.Bacteriol.* 163, 1067-1073.
- Motallebi-Veshareh, M., Balzer, D., Lanka, E., Jagura-Burdzy, G., & Thomas, C.M. (1992). Conjugative transfer functions of broad-host-range plasmid RK2 are coregulated with vegetative replication. *Mol.Microbiol.* 6, 907-920.
- Mullis, K.B. & Faloon, F.A. (1987). Specific synthesis for DNA *in vitro* via a polymerase-catalyzed chain reaction. *Methods Enzymol.* 155, 335-350.
- Novick, R.P., Clowes, R.C., Cohen, S.N., Curtiss III, R., Datta, N., & Falkow, S. (1976). Uniform nomenclature for bacterial plasmids: a proposal. *Microbiol.Rev.* 40, 168-189.
- Okamoto, S., Toyoda-Yamamoto, A., Ito, K., Takebe, I., & Machida, Y. (1991). Localization and orientation of the VirD4 protein of *Agrobacterium tumefaciens* in the cell membrane. *Mol.Gen.Genet.* 228, 24-32.
- Panicker, M.M. & Minkley, E.G., Jr. (1992). Purification and properties of the F sex factor TraD protein, an inner membrane conjugal transfer protein. *J.Biol.Chem.* 267, 12761-12766.

- Pansegrouw, W., Balzer, D., Kruft, V., Lurz, R., & Lanka, E. (1990). *In vitro* assembly of relaxosomes at the transfer origin of plasmid RP4. Proc.Natl.Acad.Sci.USA 87, 6555-6559.
- Pansegrouw, W., Krause, S., Lurz, R., de la Cruz, F., & Lanka, E. (1999). Enzymology of type IV macromolecule secretion systems: The conjugative transfer regions of plasmids RP4 and R388 and the *cag* pathogenicity island of *Helicobacter pylori* encode structurally and functionally related NTP-hydrolases. submitted
- Pansegrouw, W. & Lanka, E. (1996a). Enzymology of DNA transfer by conjugative mechanisms. Prog.Nucleic.Acid.Res.Mol.Biol. 54, 197-251.
- Pansegrouw, W. & Lanka, E. (1996b). Mechanisms of initiation and termination reactions in conjugative DNA processing. Independence of tight substrate binding and catalytic activity of relaxase (TraI) of IncP $\alpha$  Plasmid RP4. J.Biol.Chem. 271, 13068-13076.
- Pansegrouw, W., Lanka, E., Barth, P.T., Figurski, D.H., Guiney, D.G., Haas, D., Helinski, D.R., Schwab, H., Stanisich, V.A., & Thomas, C.M. (1994). Complete nucleotide sequence of Birmingham IncP $\alpha$  plasmids: compilation and comparative analysis. J.Mol.Biol. 239, 623-663.
- Pansegrouw, W., Schröder, W., & Lanka, E. (1993). Relaxase (TraI) of IncP $\alpha$  plasmid RP4 catalyzes a site-specific cleaving-joining reaction of single-stranded DNA. Proc.Natl.Acad.Sci.USA 90, 2925-2929.
- Pansegrouw, W., Ziegelin, G., & Lanka, E. (1988). The origin of conjugative IncP plasmid transfer: interaction with plasmid-encoded products and the nucleotide sequence at the relaxation site. Biochim.Biophys.Acta 951, 365-374.
- Pansegrouw, W., Ziegelin, G., & Lanka, E. (1990). Covalent association of the *traI* gene product of plasmid RP4 with the 5'-terminal nucleotide at the relaxation nick site. J.Biol.Chem. 265, 10637-10644.
- Possot, O. & Pugsley, A.P. (1994). Molecular characterization of PulE, a protein required for pullulanase secretion. Mol.Microbiol. 12, 287-299.
- Rashkova, S., Spudich, G.M., & Christie, P.J. (1998). Characterisation of membrane and protein interaction determinants of the *Agrobacterium tumefaciens* VirB11 ATPase. J.Bacteriol. 179, 583-591.
- Rees, C.E.D. & Wilkins, B.M. (1990). Protein transfer into the recipient cell during bacterial conjugation: studies with F and RP4. Mol.Microbiol. 4, 1199-1205.
- Rivas, S., Bolland, S., Cabezón, E., Goni, F.M., & de la Cruz, F. (1997). TrwD, a protein encoded by the IncW plasmid R388, displays an ATP hydrolase activity essential for bacterial conjugation. J.Biol.Chem. 272, 25583-25590.
- Salmond, G.P.C. (1994). Secretion of extracellular virulence factors by plant pathogenetic bacteria. Annu.Rev.Physiol. 32, 181-200.
- Salyers, A.A., Shoemaker, N.B., Stevens, A.M., & Li, L.-Y. (1995). Conjugative transposons: an unusual and diverse set of integrated gene transfer elements. Microbiol.Rev. 59, 579-590.
- Sambrook, J., Fritsch, E.F., & Maniatis, T. (1989). Molecular cloning: a laboratory manual (Cold Spring Harbor, N.Y.: Cold Spring Harbor Laboratory Press).
- Sandkvist, M., Bagdasarin, M., Howard, S.P., & DiRita, V.J. (1995). Interaction between the autokinase EspE and EspL in the cytoplasmic membrane is required for extracellular secretion in *Vibrio cholerae*. EMBO J. 14, 1664-1673.
- Sanger, F., Nicklen, S., & Coulson, A.R. (1977). DNA sequencing with chain-terminating inhibitors. Proc.Natl.Acad.Sci.USA 74, 5463-5467.

- Santini, J.M. & Stanisich, V.A. (1998). Both the *fipA* gene of pKM101 and the *pifC* gene of F inhibit conjugal transfer of RP1 by an effect on *traG*. *J.Bacteriol.* 180, 4093-4101.
- Saraste, M., Sibbald, P.R., & Wittinghofer, A. (1990). The P-loop - a common motif in ATP- and GTP-binding proteins. *TIBS* 15, 430-434.
- Scherzinger, E., Kruft, V., & Otto, S. (1993). Purification of the large mobilization protein of plasmid RSF1010 and characterization of its site-specific DNA- cleaving/DNA-joining activity. *Eur.J.Biochem.* 217, 929-938.
- She, Q., Phan, H., Garrett, R.A., Alberts, S.V., Stedman, K.M., & Zillig, W. (1998). Genetic profile of pNOB8 from Sulfolobus: the first conjugative plasmid from an archaeon. *Extremophiles* 2, 417-425.
- Siegel, L.M. & Monty, K.J. (1966). Determination of molecular weights and frictional ratios of proteins in impure systems by use of gel filtration and density gradient centrifugation. Application to crude preparations of sulfite and hydroxylamine reductases. *Biochim.Biophys.Acta* 112, 346-362.
- Sigler, P.B., Xu, Z., Rye, H.S., Burston, S.G., Fenton, W.A., & Horwich, A.L. (1998). Structure and function in GroEL-mediated protein folding. *Annu.Rev.Biochem.* 67, 581-608.
- Spiess, E. & Lurz, R. (1988). Electron microscopic analysis of nucleic acids and nucleic acid-protein complexes. *Meth.Microbiol.* 20, 293-323.
- Stahl, L.E. & Binns, A.N. (1998). The conjugal intermediate of plasmid RSF1010 inhibits *Agrobacterium tumefaciens* virulence and VirB-dependent export of VirE2. *J.Bacteriol.* 180, 3933-3939.
- Stephens, K.M., Roush, C., & Nester, E. (1995). *Agrobacterium tumefaciens* VirB11 protein requires a consensus nucleotide-binding site for function in virulence. *J.Bacteriol.* 177, 27-36.
- Steven, A.C., Trus, B.L., Maizel, J.V., Unser, M., Parry, D.A.D., Wall, J.S., Hainfeld, J.F., & Studier, F.W. (1988). Molecular substructure of a viral receptor-recognition protein. The gp17 tail-fiber of bacteriophage T7. *J.Mol.Biol.* 200, 351-365.
- Strack, B. (1987). Genorganisation der Transferregion Tra1 des konjugativen Plasmids RP4. Diplomarbeit, Freie Universität Berlin
- Strack, B., Lessl, M., Calendar, R., & Lanka, E. (1992). A common sequence motif, -E-G-Y-A-T-A-, identified within the primase domains of plasmid-encoded I- and P-type DNA primases and the  $\alpha$  protein of the *Escherichia coli* satellite phage P4. *J.Biol.Chem.* 267, 13062-13072.
- Stryer, L. (1988). Biochemistry (New York: W.H. Freeman and Company).
- Thomson, V.J., Jovanovic, O.S., Pohlman, R.F., Chang, C.H., & Figurski, D.H. (1993). Structure, function, and regulation of the kilB locus of promiscuous plasmid RK2. *J.Med.Microbiol.* 175, 2423-2435.
- Thorsted, P.B., Aktar, P., Haines, A.S., Ali, N., Davidson, P., Stafford, T., Pocklington, M., Pansegrouw, W., Wilkins, B.M., Lanka, E., & Thomas, C.M. (1998). Complete sequence of the IncP $\beta$  plasmid R751: implications for evolution and organisation of the IncP backbone. *J.Mol.Biol.* 282, 969-990.
- Tomb, J.F., White, O., Kerlavage, A.R., Clayton, R.A., Sutton, G.G., Fleischmann, R.D., Ketchum, K.A., Klenk, H.P., Gill, S., Dougherty, B.A., Nelson, K., Quackenbush, J., Zhou, L., Kirkness, E.F., Peterson, S., Loftus, B., Richardson, D., Khalak, H.G., Glodek, A., McKenney, K., Fitzgerald, L.M., Lee, N., Adams, M.D., Venter, J.C., & et al. (1997). The complete genome sequence of the gastric pathogen *Helicobacter pylori*. *Nature* 388, 539-547.
- Traxler, B.A. & Minkley, E.G., Jr. (1987). Revised genetic map of the distal end of the F transfer operon: implications for DNA helicase I, nicking at *oriT*, and conjugal DNA transport. *J.Bacteriol.* 169, 3251-3259.

- Trieu-Cuot, P., Carlier, C., Martin, P., & Courvalin, P. (1987). Plasmid transfer by conjugation from *Escherichia coli* to Gram-positive bacteria. *FEMS Microbiol.Lett.* 48, 289-294.
- Turner, L.R., Lara, J.C., Nunn, D.N., & Lory, S. (1993). Mutations in the consensus ATP-binding sites of XcpR and PilB eliminate extracellular protein secretion and pilus biogenesis in *Pseudomonas aeruginosa*. *J.Bacteriol.* 175, 4962-4969.
- Turner, L.R., Olson, J.W., & Lory, S. (1997). The XcpR protein of *Pseudomonas aeruginosa* dimerizes via its N-terminus. *Mol.Microbiol.* 26, 877-887.
- Vogel, P.J., Andrews, H.L., Wong, S.K., & Isberg, R.R. (1998). Conjugative transfer by the virulence system of *Legionella pneumophila*. *Science* 279, 873-875.
- Walker, J.E., Saraste, M., Runswick, M.J., & Gay, N.J. (1982). Distantly related sequences in the  $\alpha$  and  $\beta$ -subunits of ATP synthase, myosin, kinases and other ATP-requiring enzymes and a common nucleotide binding fold. *EMBO J.* 1, 945-951.
- Wall, D. & Kaiser, D. (1999). TypeIV pili and cell motility. *Mol.Microbiol.* 32, 1-10.
- Ward, J.E., Jr., Dale, E.M., & Binns, A.N. (1991). Activity of the *Agrobacterium* T-DNA transfer machinery is affected by *virB* gene products. *Proc.Natl.Acad.Sci.USA* 88, 9350-9354.
- Watanabe, T. (1963). Infective heredity of multiple drug resistance in bacteria. *Bacteriol.Rev.* 27, 87-115.
- Waters, V.L., Strack, B., Pansegrau, W., Lanka, E., & Guiney, D.G. (1992). Mutational analysis of essential IncP $\alpha$  plasmid transfer genes *traF* and *traG* and involvement of *traF* in phage sensitivity. *J.Bacteriol.* 174, 6666-6673.
- Willetts, N. (1981). Sites and systems for conjugal DNA transfer in bacteria. In Molecular biology, pathogenicity, and ecology of bacterial plasmids. B.S. Levy, R.C. Clowes, and E.L. König, eds. (New York: Plenum Press), pp. 207-215.
- Willetts, N. & Skurray, R. (1987). Structure and function of the F factor and mechanism of conjugation. In *Escherichia coli* and *Salmonella typhimurium*. Cellular and molecular biology. F.C. Neidhardt, ed. (Washington: American Society for Microbiology), pp. 1110-1133.
- Yanisch-Perron, C., Vieira, J., & Messing, J. (1985). Improved M13 phage cloning vectors and host strains: nucleotide sequences of the M13mp18 and pUC19 vectors. *Gene* 33, 103-119.
- Zatyka, M., Jagura-Burdzy, G., & Thomas, C.M. (1994). Regulation of transfer genes of promiscuous IncP $\alpha$  plasmid RK2 - repression of Tra1 region transcription both by relaxosome proteins and by the Tra2 regulator *trbA*. *Microbiology* 140, 2981-2990.
- Zhou, X.-R. & Christie, P.J. (1997). Suppression of mutant phenotypes of the *Agrobacterium tumefaciens* VirB11 ATPase by overproduction of VirB proteins. *J.Bacteriol.* 179, 5835-5842.
- Ziegelin, G., Fürste, J.P., & Lanka, E. (1989). TraJ protein of plasmid RP4 binds to a 19-base pair invert sequence repetition within the transfer origin. *J.Biol.Chem.* 264, 11989-11994.
- Ziegelin, G., Pansegrau, W., Strack, B., Balzer, D., Kröger, M., Kruft, V., & Lanka, E. (1991). Nucleotide sequence and organization of genes flanking the transfer origin of promiscuous plasmid RP4. *DNA Seq.* 1, 303-327.
- Ziegelin, G., Scherzinger, E., Lurz, R., & Lanka, E. (1993). Phage P4  $\alpha$  protein is multifunctional with origin recognition, helicase and primase activities. *EMBO J.* 12, 3703-3708.