

BIBLIOGRAPHY

- [1] *Cyclodextrin News.* (a monthly abstracting newsletter published since 1986, dedicated exclusively to the cyclodextrin literature, production, marketing, related topics, conferences, etc.), edited and published by Cyclolab Ltd., Budapest.
- [2] IUPAC-IUB Joint Commission on Biochemical Nomenclature (JCBN) Symbols for Specifying the Conformation of Polysaccharide Chains, Recommendations 1981. *Eur. J. Biochem.*, **131**:5–7, 1983.
- [3] In D. Duchêne, editor, *Cyclodextrins and Their Industrial Uses*, Paris, 1987. Editions de Santé.
- [4] In J. L. Atwood, J. E. D. Davies, D. D. MacNicol, and F. Vögtle, editors, *Comprehensive Supramolecular Chemistry*, volume 1–11, Oxford, 1996. Pergamon.
- [5] A. Altomare, G. Cascasrano, C. Giacovazzo, A. Guagliardi, M. C. Burla, G. Polidori, and M. Camalli. SIR-92, A Program for Automatic Solution of Crystal Structures by Direct Methods; University of Bari, Italy. 1992.
- [6] T. Aree, H. Hoier, B. Schulz, G. Reck, and W. Saenger. Crystal Structure of Heptakis(2,6-di-*O*-methyl)- α -Cyclodextrin–Acetonitrile Dihydrate: a Channel Formed by Methyl Groups Harbors a Chain of Five Partially Occupied Water Sites. *Carbohydr. Res.*, **320**:120–128, 1999.
- [7] T. Aree, H. Hoier, B. Schulz, G. Reck, and W. Saenger. Crystal Structure of Octakis(2,3,6-tri-*O*-methyl)- γ -Cyclodextrin·4.5H₂O: Evidence for Conformational Flexibility of Permethylated Cyclodextrins. *Carbohydr. Res.*, **328**:399–407, 2000.
- [8] T. Aree, H. Hoier, B. Schulz, G. Reck, and W. Saenger. Erratum to “Crystal Structure of Heptakis(2,6-di-*O*-methyl)- α -Cyclodextrin–Acetonitrile Dihydrate: a Channel Formed by Methyl Groups Harbors a Chain of Five Partially Occupied Water Sites” [Carbohydrate Research 320 (1999) 120–128]. *Carbohydr. Res.*, **323**:244–253, 2000.
- [9] T. Aree, H. Hoier, B. Schulz, G. Reck, and W. Saenger. Novel Type of Thermostable Channel Clathrate Hydrate Formed by Heptakis(2,6-di-*O*-methyl)- β -Cyclodextrin·15H₂O – a Paradigm of the Hydrophobic Effect. *Angew. Chem. Int. Ed. Engl.*, **39**:897–899, 2000.
- [10] T. Aree, J. Jacob, W. Saenger, and H. Hoier. Crystal Structure of α -Cyclodextrin–Acetonitrile Hexahydrate. *Carbohydr. Res.*, **307**:191–197, 1998.

- [11] T. Aree, W. Saenger, P. Leibnitz, and H. Hoier. Crystal Structure of Heptakis(2,6-di-*O*-methyl)- β -Cyclodextrin Dihydrate: a Water Molecule in an Apolar Cavity. *Carbohydr. Res.*, **315**:199–205, 1999.
- [12] T. Aree, W. Saenger, P. Leibnitz, and H. Hoier. Erratum to “Crystal Structure of Heptakis(2,6-di-*O*-methyl)- β -Cyclodextrin Dihydrate: a Water Molecule in an Apolar Cavity” [Carbohydrate Research 315 (1999) 199–205]. *Carbohydr. Res.*, **318**:201, 1999.
- [13] T. Aree, I. Usón, B. Schulz, G. Reck, H. Hoier, G. M. Sheldrick, and W. Saenger. Variation of a Theme: Crystal Structure with Four Octakis(2,3,6-tri-*O*-methyl)- γ -Cyclodextrin Molecules Hydrated Differently by a Total of 19.3 Water. *J. Am. Chem. Soc.*, **121**:3321–3327, 1999.
- [14] M. Bée. *Quasielastic Neutron Scattering: Principles and Applications in Solid State Chemistry, Biology and Materials Science*. Adam and Hilger, Philadelphia, 1988.
- [15] H. Bender. Enzymology of the Cyclodextrins. In J. Szejtli, editor, *Proc. 1st Int. Symp. on Cyclodextrins, Budapest, 1981*, pages 77–87, Dordrecht, 1982. D. Reidel Publ. Co.
- [16] R. J. Bergeron, M. P. Meeley, and Y. Machida. Selective Alkylation of Cycloheptaamyllose. *Bioorg. Chem.*, **5**:121–126, 1976.
- [17] C. Betzel, W. Saenger, B. E. Hingerty, and G. M. Brown. Circular and Flip-flop Hydrogen Bonding in β -Cyclodextrin Undecahydrate – A Neutron Diffraction Study. *J. Am. Chem. Soc.*, **106**:7545–7557, 1984.
- [18] J. Boger, R. J. Corcoran, and J. M. Lehn. Cyclodextrin Chemistry, Selective Modification of All Primary Hydroxyl Groups of α - and β -Cyclodextrins. *Helv. Chim. Acta*, **61**, 1978.
- [19] J. Brickmann. *MOLCAD* – MOlecular Computer Aided Design, Technische Hochschule Darmstadt. 1992. The major part of the MOLCAD program is included in the SYBYL package of TRIPPOS Associates, St. Louis, USA.
- [20] J. Brickmann. Molecular Graphics – How to See a Molecular Scenario with the Eyes of a Molecule. *J. Chim. Phys.*, **89**:1709–1721, 1992.
- [21] J. Brickmann, T. Goetze, W. Heiden, G. Moeckel, S. Reiling, H. Vollhardt, and C. D. Zachmann. Interactive Visualization of Molecular Scenarios with MOLCAD/SYBYL. In J. E. Bowie, editor, *Data Visualization in Molecular Science – Tools for Insight and Innovation*, pages 83–97, Reading, Massachusetts, 1995. Addison-Wesley Publ.
- [22] J. S. Brimacombe, B. D. Jones, M. Stacey, and J. J. Willard. Alkylation of Carbohydrates Using Sodium Hydroxide. *Carbohydr. Res.*, **2**:167–169, 1966.
- [23] J. Brisson, H. Chanzy, and W. T. Winter. The Crystal and Molecular Structure of V_H-Amylose by Electron Diffraction Analysis. *Int. J. Biol. Macromol.*, **13**:31–39, 1991.
- [24] M. N. Burnett and C. K. Johnson. ORTEP-III, Thermal-Ellipsoid Plot Program for Crystal Structure Illustrations; Oak Ridge Natl. Lab. 1996.

- [25] M. R. Caira, V. J. Griffith, L. R. Nassimbeni, and B. van Oudtshoorn. Unusual ${}^1\text{C}_4$ Conformation of a Methylglucose Residue in Crystalline Permethyl- β -Cyclodextrin Monohydrate. *J. Chem. Soc., Perkin Trans. 2*, pages 2071–2072, 1994.
- [26] B. Casu, M. Reggiani, G. G. Gallo, and A. Vigevani. Conformation of O-methylated Amylose and Cyclodextrins. *Tetrahedron*, **24**:803–821, 1968.
- [27] K. K. Chacko and W. Saenger. Crystal and Molecular Structure of the Cyclohex-aamylose 7.57 Water Complex. *J. Am. Chem. Soc.*, **103**:1708–1715, 1981.
- [28] P. Charpin, I. Nicolis, F. Villain, C. D. Rango, and A. W. Coleman. β -Cyclodextrin–Potassium Hydroxide–Water (1/1/8). *Acta Crystallogr., Sect. C*, **47**:1829–1833, 1991.
- [29] P. A. Chetcuti, P. Moser, and G. Rihs. Metallacarborane Complexes as Guests for Cyclodextrins. Molecular Structure of Inclusion Complex $\text{Cs}[\text{Closo-3,3,3-(CO)}_3\text{-3,1,2-ReC}_2\text{B}_9\text{H}_{11}\cdot\alpha\text{-CD}]\cdot8\text{H}_2\text{O}$. *Organometallics*, **10**:2895–2897, 1991.
- [30] A. W. Coleman, I. Nicolis, N. Keller, and J. P. Dalbiez. Aggregation of Cyclodextrins: An Explanation of the Abnormal Solubility of β -Cyclodextrin. *J. Inclusion Phenom. Mol. Recognit. Chem.*, **13**:139–143, 1992.
- [31] F. Cramer. *Eischlussverbindungen*. Springer-Verlag, Berlin, 1954.
- [32] D. Cremer and J. A. Pople. A General Definition of Ring Puckering Coordinates. *J. Am. Chem. Soc.*, **97**:1354–1358, 1975.
- [33] V. Crupi, M. P. Jannelli, S. Magazù, G. Maisano, D. Majolino, P. Migliardo, and R. Ponterio. Raman Spectroscopic Study of Water in the Poly(Ethylene Glycol) Hydration Shell. *J. Mol. Struct.*, **381**:207–212, 1996.
- [34] M. Czugler, E. Eckle, and J. J. Stezowski. Crystal and Molecular Structure of a 2,6-Tetradeca-O- methyl- β -Cyclodextrin-Adamantanol 1:1 Inclusion Complex. *J. Chem. Soc., Chem. Commun.*, pages 1291–1292, 1981.
- [35] J. Ding, T. Steiner, and W. Saenger. Structure of the γ -Cyclodextrin 1-Propanol·17H₂O Inclusion Complex. *Acta Crystallogr., Sect. B*, **47**:731–738, 1991.
- [36] J. Ding, T. Steiner, V. Zabel, B. E. Hingerty, S. A. Mason, and W. Saenger. Neutron Diffraction Study of the Hydrogen Bonding in Partially Deuterated γ -Cyclodextrin·15.7D₂O at T = 110 K. *J. Am. Chem. Soc.*, **113**:8081–8089, 1991.
- [37] T. Dippel. *Zur Kenntnis der Protonenleitfähigkeit in wasserhaltigen Systemen*. PhD thesis, University of Stuttgart, 1991.
- [38] T. Endo, H. Nagase, H. Ueda, S. Kobayashi, and T. Nagai. Isolation, Purification, and Characterization of Cyclomaltodecaose (ϵ -Cyclodextrin, Cyclomaltoundecaose (ζ -Cyclodextrin) and Cyclomaltotriosecaose (θ -Cyclodextrin). *Chem. Pharm. Bull.*, **45**:532–563, 1997.
- [39] T. Endo, H. Nagase, H. Ueda, A. Shigihara, S. Kobayashi, and T. Nagai. Isolation, Purification, and Characterization of Cyclomaltotetradecaose (ι -Cyclodextrin, Cyclomaltopentadecaose (κ -Cyclodextrin), Cyclomaltohexadecaose (λ -Cyclodextrin) and Cyclomaltoheptadecaose (μ -Cyclodextrin). *Chem. Pharm. Bull.*, **45**:1856–1859, 1997.

- [40] T. Endo, H. Ueda, S. Kobayashi, and T. Nagai. Isolation, Purification, and Characterization of Cyclomaltododecaose (η -CD). *Carbohydr. Res.*, **269**:369–373, 1995.
- [41] J. Fitter, O. P. Ernst, T. Hauß, R. E. Lechner, K. Hofmann, and N. A. Dencher. Molecular Motions and Hydration of Purple Membranes and Disk Membranes Studied by Neutron Scattering. *Eur. Biophys. J.*, **27**:638–645, 1998.
- [42] J. Fitter, R. E. Lechner, G. Büldt, and N. A. Dencher. Internal Molecular Motions of Bacteriorhodopsin: Hydration-Induced Flexibility Studied by Quasielastic Incoherent Neutron Scattering Using Oriented Purple Membranes. *Proc. Natl. Acad. Sci. (USA)*, **93**:7600–7605, 1996.
- [43] J. Fitter, R. E. Lechner, G. Büldt, and N. A. Dencher. Temperature Dependence of Molecular Motions in the Membrane Protein Bacteriorhodopsin from QINS. *Physica B*, **226**:61–65, 1996.
- [44] J. Fitter, R. E. Lechner, and N. A. Dencher. Interaction of Hydration Water and Biological Membranes Studied by Neutron Scattering. *J. Phys. Chem. B*, **103**:8036–8050, 1999.
- [45] J. Fitter, B. Rufflé, and R. E. Lechner. FITMO-2, TOF-Data Analysing Program for NEAT. Hahn-Meitner-Institut, Berlin, Germany. 1999.
- [46] C. Folzer, R. W. Hendricks, and A. H. Narten. Diffraction Pattern and Structure of Liquid Trimethylamine Decahydrate at 5°C. *J. Chem. Phys.*, **54**:799–805, 1971.
- [47] D. French. The Schardinger Dextrins. *Adv. Carbohydr. Chem.*, **12**:189–260, 1957.
- [48] D. French, A. O. Pulley, J. A. Effenberger, M. A. Pougvie, and M. Abdullah. The Schardinger Dextrins: Molecular Size and Structure of the δ -, ϵ - ζ -, and η -dextrins. *Arch. Biochem. Biophys.*, **111**:153–160, 1965.
- [49] K. Freudenberg, G. Blomquist, L. Ewald, and K. Soff. Hydrolyse und Acetolyse der Stärke und der Schardinger-Dextrine. *Ber. Dtsch. Chem. Ges.*, **69**:1258–1266, 1936.
- [50] K. Freudenberg, H. Boppel, and M. Meyer-Delius. Beobachtungen an der Stärke. *Naturwissenschaften*, **26**:123–124, 1938.
- [51] K. Freudenberg and F. Cramer. Die Konstitution der Schardinger-Dextrine α β und γ . *Z. Naturforsch.*, **3b**:464, 1948.
- [52] K. Freudenberg, F. Cramer, and H. Plieninger. Ger. Patent 895. page 769, 1953.
- [53] K. Freudenberg and M. Meyer-Delius. Über die Schardinger-Dextrine aus Stärke. *Ber. Dtsch. Chem. Ges.*, **71**:1596–1600, 1938.
- [54] K. Freudenberg and W. Rapp. Zur Kenntnis der Stärke und der Schardinger-Dextrine. *Ber. Dtsch. Chem. Ges.*, **69**:2041–2045, 1936.
- [55] K. H. Frömming and J. Szejtli. *Cyclodextrins in Pharmacy*. Kluwer Academic Publisher, Dordrecht, 1994.
- [56] P. Fügedi and P. Nänäsi. A Convenient Method for The Alkylation of Carbohydrates. *J. Carbohydrates-Nucleosides-Nucleotides*, **8**:547–555, 1981.

- [57] T. Fujiwara, N. Tanaka, and S. Kobayashi. Structure of δ -Cyclodextrin·13·75H₂O. *Chem. Lett.*, pages 739–742, 1990.
- [58] T. Fujiwara, M. Yamazaki, Y. Tomizu, R. Tokuoka, K. Tomita, T. Matsuo, H. Suga, and W. Saenger. The Crystal Structure of a New Form of β -Cyclodextrin Water Inclusion Compound and Thermal Properties of β -Cyclodextrin Inclusion Complexes. *Nippon Kagaku Kaishi*, pages 181–187, 1983.
- [59] K. Geßler, I. Usón, T. Takaha, N. Krauß, S. M. Smith, S. Okada, G. M. Sheldrick, and W. Saenger. V-amyllose at Atomic Resolution: X-Ray Structure of a Cycloamylose with 26 Glucose Residues (Cyclomaltohexaicosose). *Proc. Natl. Acad. Sci. (USA)*, **96**:4246–4251, 1999.
- [60] M. J. Gidley and S. M. Bociek. ^{13}C CP/MAS NMR Studies of Amylose Inclusion Complexes, Cyclodextrins, and the Amorphous Phase of Starch Granules: Relationships between Glycosidic Linkage Conformation and Solid-State ^{13}C Chemical Shifts. *J. Am. Chem. Soc.*, **110**:3820–3829, 1988.
- [61] J. P. Glusker, M. Lewis, and M. Rossi. *Crystal Structure Analysis for Chemists and Biologists*. Verlag Chemie, Weinheim, 1994.
- [62] K. Harata. Crystal Structure of α -Cyclodextrin-1-Phenylethanol (1:1) Tetrahydrate. *Bull. Chem. Soc. Jpn.*, **55**:1367–1371, 1982.
- [63] K. Harata. Crystal Structure of γ -Cyclodextrin at Room Temperature. *Chem. Lett.*, pages 641–644, 1984.
- [64] K. Harata. Crystal Structures of Heptakis(2,6-di-*O*-methyl)- β -Cyclodextrin Complexes with *p*-Iodophenol and *p*-Nitrophenol. *Chem. Lett.*, pages 1641–1644, 1984.
- [65] K. Harata. Crystal Structures of Heptakis(2,6-di-*O*-methyl)- α -Cyclodextrin Complexes with Iodine and 1-Propanol. *Chem. Lett.*, pages 2057–2060, 1986.
- [66] K. Harata. Crystal Structure of Uncomplexed Hydrated γ -Cyclodextrin. *Bull. Chem. Soc. Jpn.*, **60**:2763–2767, 1987.
- [67] K. Harata. Crystal Structures of Heptakis(2,6-di-*O*-methyl)- β -Cyclodextrin Complexes with *p*-Iodophenol and *p*-Nitrophenol. *Bull. Chem. Soc. Jpn.*, **61**:1939–1944, 1988.
- [68] K. Harata. Crystal Structure of the Inclusion Complex of Hexakis(2,6-di-*O*-methyl)-Cyclomaltohexaose with 3-Iodopropionic Acid. *Carbohydr. Res.*, **192**:33–42, 1989.
- [69] K. Harata. Crystal Structures of Hexakis(2,6-di-*O*-methyl)- α -Cyclodextrin Complexes with 1-Propanol and Iodine. Evidence for the Formation of Iodine-Host Charge-Transfer Complex. *Bull. Chem. Soc. Jpn.*, **93**:2481–2486, 1990.
- [70] K. Harata. Role of Hydrogen Bond and Spacial Fitting in the Chiral Recognition by Cyclodextrins. Crystal Structure of Hexakis(2,3,6-tri-*O*-methyl)- α -Cyclodextrin Inclusion Complexes with (*R*)- and (*S*)-1-Phenylethanol. *J. Chem. Soc. Perkin Trans. 2*, pages 799–804, 1990.

- [71] K. Harata. Recent Advances in the X-Ray Analysis of CD Complexes. In J. L. Atwood, J. E. D. Davies, and D. D. MacNicol, editors, *Inclusion Compounds*, volume 5, pages 311–344, Oxford, 1991. Oxford University Press.
- [72] K. Harata. The X-Ray Structure of an Inclusion Complex of Heptakis (2,6-di-*O*-methyl)- β -Cyclodextrin with 2-Naphthoic Acid. *J. Chem. Soc., Chem. Commun.*, pages 546–547, 1993.
- [73] K. Harata. X-Ray Structure of Heptakis(2,6-di-*O*-methyl)- α -Cyclodextrin in Two Crystal Forms. *Supramol. Chem.*, **5**:231–236, 1995.
- [74] K. Harata. Crystallographic Studies. In J. L. Atwood, J. E. D. Davies, D. D. MacNicol, and F. Vögtle, editors, *Comprehensive Supramolecular Chemistry*, volume 3, pages 279–304, Oxford, 1996. Pergamon.
- [75] K. Harata, T. Endo, H. Ueda, and T. Nagai. X-Ray Structure of ι -Cyclodextrin. *Supramol. Chem.*, **9**:143–150, 1998.
- [76] K. Harata, F. Hirayama, K. Uekama, and G. Tsoucaris. Crystal Structures of β -Cyclodextrin and Heptakis (2,6-di-*O*-methyl)- β -Cyclodextrin Complexes with Car-mofur. *Chem. Lett.*, pages 1585–1588, 1988.
- [77] K. Harata, K. Uekama, and M. O. F. Hirayama. Crystal Structures of Permethylated α -Cyclodextrin Complexes with L- and D-Mandelic Acids. *Chem. Lett.*, pages 1807–1810, 1983.
- [78] K. Harata, K. Uekama, T. Imai, F. Hirayama, and M. Otagiri. Crystal Structures of Heptakis(2,3,6-tri-*O*-methyl)- β -Cyclodextrin Complexes with (*R*)- and (*S*)-Flurbiprofen. *J. Inclusion Phenom.*, **6**:443–460, 1988.
- [79] K. Harata, K. Uekama, M. Otagiri, and F. Hirayama. Crystal Structure of α -Cyclodextrin-3-Iodopropionic Acid (1:1) Complex Pentahydrate and Hexakis(2,6-di-*O*-methyl)- α -Cyclodextrin-Iodoacetic Acid (1:1) Complex Monohydrate. *Nippon Kagaku Kaishi*, pages 173–180, 1983.
- [80] K. Harata, K. Uekama, M. Otagiri, and F. Hirayama. Crystal Structure of Heptakis(2,3,6-tri-*O*-methyl)- β -Cyclodextrin-*p*-Iodophenol (1:1) Complex Tetrahydrate. *Bull. Chem. Soc. Jpn.*, **56**:1732–1736, 1983.
- [81] K. Harata, K. Uekama, M. Otagiri, and F. Hirayama. Conformation of Permethylated Cyclodextrins and the Host-Guest Geometry of their Inclusion Complexes. *J. Inclusion Phenom.*, **1**:279–293, 1984.
- [82] K. Harata, K. Uekama, M. Otagiri, and F. Hirayama. Crystal Structures of Cyclodextrin Complexes with Chiral Molecules. *J. Inclusion Phenom.*, **2**:583–594, 1984.
- [83] K. Harata, K. Uekama, M. Otagiri, and F. Hirayama. Crystal Structures of Hexakis(2,3,6-tri-*O*-methyl)- α -Cyclodextrin Complexes with (*S*)-Mandelic and (*R*)-Mandelic Acid – Chiral Recognition Through the Induced-Fit Conformational Change of the Macroyclic Ring. *Bull. Chem. Soc. Jpn.*, **60**:497–502, 1987.
- [84] K. H. F. Hirayama, , T. Imai, K. Uekama, and M. Otagiri. Crystal Structures of Permethylated β -Cyclodextrin Complexes with (*R*)-(–) and (*S*)-(+) Flurbiprofen. *Chem. Lett.*, pages 1549–1552, 1984.

- [85] L. V. Hove. Correlations in Space and Time and Born Approximation Scattering in Systems of Interacting Particles. *Phys. Rev.*, **95**:249–262, 1954.
- [86] S. Immel and F. W. Lichtenthaler. Per-O-methyl α - and β -CD: Cyclodextrins with Inverse Hydrophobicity. *Starch/Stärke*, **48**:225–232, 1996.
- [87] J. C. Irvine, H. Pringsheim, and J. McDonald. The Constitution of Polysaccharides, Part VIII. The Molecular Structure of β -Hexaamylose. *J. Am. Chem. Soc.*, **125**:942–947, 1924.
- [88] J. Jacob, K. Geßler, D. Hoffmann, H. Sanbe, K. Koizumi, S. M. Smith, T. Takaha, and W. Saenger. Strain-Induced “Band Flips” in Cyclodecaamylose and Higher Homologues. *Angew. Chem. Int. Ed. Engl.*, **37**:605–609, 1998.
- [89] J. Jacob, K. Geßler, D. Hoffmann, H. Sanbe, K. Koizumi, S. M. Smith, T. Takaha, and W. Saenger. Band-flip and Kink as Novel Structural Motifs in α -(1 \rightarrow 4)-D-glucose Oligosaccharides. Crystal Structures of Cyclodeca- and Cyclotetradecaamylose. *Carbohydr. Res.*, **322**:228–246, 1999.
- [90] M. P. Jannelli, S. Magazù, G. Maisano, D. Majolino, and P. Migliardo. Non-ideal Compressibility in Poly(Ethylene Oxide)–Water Solutions Induced by H-bond Interactions. *J. Mol. Struct.*, **322**:337–343, 1994.
- [91] G. A. Jeffrey. Water Structure in Organic Hydrates. *Acc. Chem. Res.*, **2**:344–352, 1969.
- [92] G. A. Jeffrey. Hydrate Inclusion Compounds. In J. L. Atwood, J. E. D. Davies, D. D. MacNicol, and F. Vögtle, editors, *Comprehensive Supramolecular Chemistry*, volume 6, pages 757–788, Oxford, 1996. Pergamon.
- [93] K. H. Jogun and J. J. Stezowski. Metastable Crystals of β -Cyclodextrin Complexes and the Membrane-Diffusion Model. *Nature*, **278**:667–668, 1979.
- [94] S. Kamitori, K. Hirotsu, and T. Higuchi. Crystal and Molecular Structure of the γ -Cyclodextrin–12-Crown-4 1:1 Inclusion Complex. *J. Chem. Soc., Chem. Commun.*, pages 690–691, 1986.
- [95] S. Kamitori, K. Hirotsu, and T. Higuchi. Crystal and Molecular Structure of Double Macroyclic Inclusion Complexes Composed of Cyclodextrins, Crown Ethers and Cations. *J. Am. Chem. Soc.*, **109**:2409–2414, 1987.
- [96] E. Keller. Some Computer Drawings of Molecular and Solid-State Structures. *J. Appl. Crystallogr.*, **22**:19–22, 1989.
- [97] S. Kitamura, K. Nakatani, T. Takaha, and S. Okada. Complex Formation of Large-Ring Cyclodextrins with Iodine in Aqueous Solution as Revealed by Isothermal Titration Calorimetry. *Macromol. Rapid Commun.*, **20**:612–615, 1999.
- [98] B. Klar, B. E. Hingerty, and W. Saenger. Hydrogen bonding in the Crystal Structure of α -Cyclodextrin Hexahydrate – the Use of a Multicounter Detector in Neutron Diffraction. *Acta Crystallogr., Sect. B*, **36**:1154–1165, 1980.

- [99] B. Klingert and G. Rihs. Molecular Encapsulation of Transition-Metal Complexes in Cyclodextrins. 1. Synthesis and X-Ray Crystal Structure of $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\eta^6\text{-C}_6\text{H}_6)]\text{PF}_6\cdot 2\alpha\text{-CD}\cdot 8\text{H}_2\text{O}$. *Organometallics*, **9**:1135–1141, 1990.
- [100] B. Klingert and G. Rihs. Molecular Encapsulation of Transition-Metal Complexes in Cyclodextrins. 2. Synthesis and Crystal Structures of 2:1 Adducts between $[(\eta^5\text{-C}_5\text{H}_5)_2\text{M}]\text{PF}_6$ ($\text{M} = \text{Fe}, \text{Co}, \text{Rh}$). *J. Inclusion Phenom. Mol. Recognit. Chem.*, **10**:255–265, 1991.
- [101] J. E. H. Koehler, W. Saenger, and W. F. van Gunsteren. Molecular Dynamics Simulation of Crystalline β -Cyclodextrin Dodecahydrate at 293 K and 120 K. *Eur. Biophys. J.*, **15**:211–224, 1987.
- [102] K. Koizumi, H. Sanbe, Y. Kubota, Y. Terada, and T. Takaha. Isolation and Characterization of Cyclic α -(1 \rightarrow 4)-Glucans Having Degrees of Polymerization 9–31 and Their Quantitative Analysis by High-Performance Anion-Exchange Chromatography with Pulsed Amperometric Detection. *J. Chromatogr. A*, **852**:407–416, 1999.
- [103] P. J. Kraulis. MOLSCRIPT: A Program to Produce Both Detailed and Schematic Plots of Protein Structures. *J. Appl. Crystallogr.*, **24**:946–950, 1991.
- [104] R. Kuhn and H. Trischmann. Permethylierung von Inosit und anderen Kohlenhydraten mit Dimethylsulfat. *Chem. Ber.*, **96**:284–287, 1963.
- [105] M. F. C. Ladd and R. A. Palmer. *Structure Determination by X-Ray Crystallography*. 3rd Edition, Plenum Press, New York, 1993.
- [106] R. E. Lechner. Neutron Scattering Studies of Diffusion in Solids. In F. Bénieré and C. R. A. Catlow, editors, *Mass Transport in Solids*, pages 169–226, New York, 1983. Plenum Press.
- [107] J. M. Lehn. *Supramolecular Chemistry: Concepts and Perspectives*. VCH, Weinheim, 1995.
- [108] F. W. Lichtenthaler and S. Immel. The Lipophilicity Patterns of Cyclodextrins and of Non-glucose Cyclooligosaccharides. *J. Inclusion Phenom. Mol. Recognit. Chem.*, **25**:3–16, 1996.
- [109] F. W. Lichtenthaler and S. Immel. On the Hydrophobicity Characteristics of Cyclodextrins: Computer-Aided Visualization of Molecular Lipophilicity Patterns. *Liebigs Ann. Chem.*, pages 27–37, 1996.
- [110] K. Lindner and W. Saenger. β -Cyclodextrin Dodecahydrate – Crowding of Water Molecules Within a Hydrophobic Cavity. *Angew. Chem. Int. Ed. Engl.*, **17**:694–695, 1978.
- [111] K. Lindner and W. Saenger. Crystal Structure of the γ -Cyclodextrin n-Propanol Inclusion Complexes – Correlation of α -, β -, γ -Cyclodextrin Geometries. *Biochem. Biophys. Res. Commun.*, **92**:933–938, 1980.
- [112] K. Lindner and W. Saenger. Crystal and Molecular Structure of Cyclohepta-amylose Dodecahydrate. *Carbohydr. Res.*, **99**:103–115, 1982.

- [113] K. Lindner and W. Saenger. Crystal and Molecular Structures of Cyclomaltoheptaose Inclusion Complexes with HI and with Methanol. *Carbohydr. Res.*, **107**:7–16, 1982.
- [114] K. Lindner and W. Saenger. Cyclic System of Hydrogen Bonds Structure of α -Cyclodextrin Hexahydrate, Form II – Comparison with Form I. *Acta Crystallogr. Sec. B*, **38**:203–210, 1982.
- [115] A. Lipták, P. Fügedi, Z. Szurmai, J. Imre, P. Nánási, and J. Szejtli. The Chemistry of Cyclodextrin Derivatives. In J. Szejtli, editor, *Proc. 1st Int. Symp. on Cyclodextrins, Budapest, 1981*, pages 275–287, Dordrecht, 1982. D. Reidel Publ. Co.
- [116] S. Longeville. Light and Heavy Water Dynamics. *Physica B*, **276/278**:534–535, 2000.
- [117] J. M. Maclennan and J. J. Stezowski. The Crystal Structure of Uncomplexed-Hydrated Cyclooctaamylose. *Biochem. Biophys. Res. Commun.*, **92**:926–932, 1980.
- [118] P. C. Manor and W. Saenger. Water Molecule in Hydrophobic Surroundings – Structure of α -Cyclodextrin-Hexahydrate, $(\text{C}_6\text{H}_{10}\text{O}_5)_6 \cdot 6\text{H}_2\text{O}$. *Nature*, **237**:392–393, 1972.
- [119] P. C. Manor and W. Saenger. Crystal and Molecular Structure of Cyclohexaamylose Hexahydrate, $(\text{H}_2\text{O})_2$ Inclusion Complex. *J. Am. Chem. Soc.*, **96**:3630–3639, 1974.
- [120] R. K. McMullan, W. Saenger, J. Fayos, and D. Mootz. Classification of Crystallographic Data of α -Cyclodextrin Inclusion Complexes. *Carbohydr. Res.*, **31**:37–46, 1973.
- [121] R. K. McMullan, W. Saenger, J. Fayos, and D. Mootz. Inclusion Complex Formation Constants of α -, β -, γ -, δ -, ϵ -, ζ -, η - and θ -Cyclodextrins Determined with Capillary Zone Electrophoresis. *Carbohydr. Res.*, **309**:153–159, 1998.
- [122] R. Miller, G. T. DeTitta, R. Jones, D. A. Langs, C. M. Weeks, and H. A. Hauptman. On the Application of the Minimal Principle to Solve Unknown Structures. *Science*, **259**:1430–1433, 1993.
- [123] I. Miyazawa, H. Ueda, H. Nagase, T. Endo, S. Kobayashi, and T. Nagai. Physicochemical Properties and Inclusion Complex Formation of δ -Cyclodextrin. *Eur. J. Pharm. Sci.*, **3**:153–162, 1995.
- [124] I. Miyazawa, H. Ueda, H. Nagase, T. Endo, S. Kobayashi, and T. Nagai. Physicochemical Properties and Inclusion Complex Formation of δ -Cyclodextrin. *Drug Develop. Indus. Pharm.*, **25**:951–954, 1999.
- [125] M. Nardelli. *PARST-95* - an Update to *PARST*: a System of Fortran Routines for Calculating Molecular Structure Parameters from the Results of Crystal Structure Analyses. *J. Appl. Crystallogr.*, **28**:659–659, 1995.
- [126] M. Noltemayer and W. Saenger. X-Ray Studies of Linear Polyiodide Chains in α -Cyclodextrin Channels and a Model for the Starch–Iodine Complex. *Nature*, **259**:629–632, 1976.
- [127] M. Noltemayer and W. Saenger. Structural Chemistry of Linear α -Cyclodextrin–Polyiodide Complexes. X-Ray Crystal Structures of $(\alpha\text{-Cyclodextrin})_2 \cdot \text{LiI}_3 \cdot \text{I}_2 \cdot 8\text{H}_2\text{O}$ and $(\alpha\text{-Cyclodextrin})_2 \cdot \text{Cd}_{0.5} \cdot \text{I}_5 \cdot 27\text{H}_2\text{O}$. Models for the Blue Amylose–Iodide Complex. *J. Am. Chem. Soc.*, **102**:2710–2722, 1980.

- [128] Z. Otwinowski and W. Minor. Processing of X-Ray Diffraction Data Collected in Oscillation Mode. In C. W. J. Carter and R. M. Sweet, editors, *Methods in Enzymology*, volume 276, pages 307–326, San Diego, 1997. Academic Press.
- [129] L. Pauling. The Structure of Water. In D. Hadzi, editor, *Hydrogen Bonding*, pages 1–6, New York, 1959. Pergamon Press.
- [130] R. Puliti, C. A. Mattia, and L. Paduano. Crystal Structure of a New α -Cyclodextrin Hydrate Form. Molecular Geometry and Packing Features: Disordered Solvent Contribution. *Carbohydr. Res.*, **310**:1–8, 1998.
- [131] G. Rappenecker and P. Zugenmaier. Detailed Refinement of the Crystal Structure of V_H-Amylose. *Carbohydr. Res.*, **89**:11–19, 1981.
- [132] M. V. Rekharsky and Y. Inoue. Complexation Thermodynamics of Cyclodextrins. *Chem. Rev.*, **98**:1875–1917, 1998.
- [133] W. Saenger. Environmental Effects on Molecular Structure and Properties. In B. Pullman, editor, *The Jerusalem Symposia on Quantum Chemistry and Biochemistry, VIII*, pages 265–305, Dordrecht, 1976. D. Reidel Publ. Co.
- [134] W. Saenger. Circular Hydrogen Bonds. *Nature*, **279**:343–344, 1979.
- [135] W. Saenger. Cyclodextrin Inclusion Compounds in Research and Industry. *Angew. Chem., Int. Ed. Engl.*, **19**:344–362, 1980.
- [136] W. Saenger. Nature and Size of Induced Guest Molecule Determines Architecture of Crystalline Cyclodextrin Host Matrix. *Isr. J. Chem.*, **25**:43–50, 1985.
- [137] W. Saenger, C. Betzel, B. Hingerty, and G. M. Brown. Flip-Flop Hydrogen Bonding in a Partially Disordered System. *Nature*, **296**:581–583, 1982.
- [138] W. Saenger, R. K. McMullan, J. Fayos, and D. Mootz. Crystal and Molecular Structure of the Cyclohexaamyllose–1-Propanol–4.8 Hydrate Complex. *Acta Crystallogr., Sect. B*, **30**:2019–2028, 1974.
- [139] A. Sarko and P. Zugenmaier. In A. D. French and K. C. H. Gardner, editors, *Fiber Diffraction Methods*, ACS Symp. Series No. 141, Washington, DC, 1980. American Chemical Society.
- [140] F. Schardinger. Azetongärung. *Wien Klin. Wochenschr.*, **17**:207–209, 1904.
- [141] F. Schardinger. Bacillus macerans. *Zentralbl. Bakteriol. Parasitenk. Abt. 2*, **14**:772, 1905.
- [142] F. Schardinger. Bildung kristallisierter Polysaccharide (Dextrine) aus Stärke kleister durch Mikroben. *Zentralbl. Bakteriol. Parasitenk. Abt. 2*, **29**:188–197, 1911.
- [143] J. A. Schellman. Temperature, Stability, and the Hydrophobic Interaction. *Biophys. J.*, **73**:2960–2964, 1997.
- [144] H. J. Schneider, F. Hacket, and V. Rüdiger. NMR Studies of Cyclodextrins and Cyclodextrin Complexes. *Chem. Rev.*, **98**:1755–1785, 1998.

- [145] F. Schradinger. Über thermophile Bakterien aus verschiedenen Speisen und Milch sowie über einige Umsetzungsprodukte derselben in kohlenhydrathaltigen Nährösungen, darunter kristallisierte Polysaccharide Dextrin aus Stärke. *Z. Unters. Nahr. u. Genussm.*, **6**:865–880, 1903.
- [146] G. Sheldrick. SHELX: Applications to Macromolecules. In S. Fortier, editor, *Direct Methods for Solving Macromolecular Structures*, pages 401–411, Dordrecht, 1998. Kluwer Academic Publishers.
- [147] G. M. Sheldrick. SADABS, Program for Empirical Absorption Correction of Area Detector Data; University of Göttingen, Germany. 1996.
- [148] G. M. Sheldrick. SHELXL: High-Resolution Refinement. In C. W. J. Carter and R. M. Sweet, editors, *Methods in Enzymology*, volume 277, pages 319–343, San Diego, 1997. Academic Press.
- [149] G. M. Sheldrick. SHELXS-97, Program for Crystal Structure Refinement; University of Göttingen, Germany. 1997.
- [150] K. S. Sidhu, J. M. Goodfellow, and J. Z. Turner. Effect of Molecular Shape and Electrostatic Interactions on the Water Layer Around Polar and Apolar Groups in Solution. *J. Phys. Chem.*, **110**:7943–7950, 1999.
- [151] Siemens. SAINT, Siemens Analytical X-Ray Instruments Inc., Madison, Wisconsin, USA. 1996.
- [152] Siemens. SHELXTL, Version 5.0 Siemens Analytical X-Ray Instruments Inc., Madison, Wisconsin, USA. 1996.
- [153] E. Smolková-Keulemansová. Cyclodextrins in Chromatography. In D. Duchene, editor, *Cyclodextrins and Their Industrial Uses*, pages 259–295, Paris, 1987. Editions de Santé.
- [154] E. B. Starikov, K. Bräsicke, E. W. Knapp, and W. Saenger. On the Negative Solubility Coefficient in Water of Methylated Cyclodextrins: a Theoretical Study. in preparation.
- [155] T. Steiner, F. Hirayama, and W. Saenger. Crystal Structure of Anhydrous Hexakis(2,6-di-*O*-methyl)-Cyclomaltohexaose (Dimethyl- α -Cyclodextrin) Crystallized from Acetone, and Crystallized from Hot Water. *Carbohydr. Res.*, **296**:69–82, 1996.
- [156] T. Steiner and W. Saenger. Geometry of C–H···O Hydrogen Bonds in Carbohydrate Crystal Structures. Analysis of Neutron Diffraction Data. *J. Am. Chem. Soc.*, **114**:10146–10154, 1992.
- [157] T. Steiner and W. Saenger. Crystal Structure of Anhydrous Heptakis(2,6-di-*O*-methyl)-Cyclomaltoheptaose (Dimethyl- β -Cyclodextrin). *Carbohydr. Res.*, **275**:73–82, 1995.
- [158] T. Steiner and W. Saenger. Crystal Structure of Anhydrous Hexakis(2,3,6-tri-*O*-methyl)-Cyclomaltohexaose (Permethyl- α -Cyclodextrin) Grown from Hot Water and from Cold NaCl Solutions. *Carbohydr. Res.*, **282**:53–63, 1996.

- [159] T. Steiner and W. Saenger. Channel Type Crystal Packing in the Very Rare Space Group $P4_212$ with $Z' = 3/4$: Crystal Structure of the Complex γ -Cyclodextrin–Methanol–*n*-Hydrate. *Acta Crystallogr., Sect. B*, **54**:450–455, 1998.
- [160] T. Steiner and W. Saenger. Closure of Cavity in Permethylated Cyclodextrins Through Glucose Inversion, Flipping, and Kinking. *Angew. Chem. Int. Ed. Engl.*, **37**:3404–3407, 1998.
- [161] T. Steiner, W. Saenger, G. Kearley, and R. E. Lechner. Dynamics of Hydrogen Bonding Disorder in β -Cyclodextrin Undecahydrate. *Physica B*, **156/157**:336–338, 1989.
- [162] T. Steiner, W. Saenger, and R. E. Lechner. Dynamics of Orientationally Disordered Hydrogen Bonds and of Water Molecules in a Molecular Cage: a Quasielastic Neutron Scattering Study of β -Cyclodextrin·11H₂O. *Mol. Phys.*, **72**:1211–1232, 1991.
- [163] J. J. Stezowski, K. H. Jogun, E. Eckle, and K. Bartels. Dimeric β -Cyclodextrin Complexes may Mimic Membrane Diffusion Transport. *Nature*, **274**:617–619, 1978.
- [164] G. H. Stout and L. H. Jensen. *X-Ray Structure Determination*. 2nd Edition, Wiley & Sons, New York, 1989.
- [165] J. Szejtli. *Cyclodextrins and Their Inclusion Complexes*. Akademiai Kiado, Budapest, 1982.
- [166] J. Szejtli. Dimethyl- β -Cyclodextrin as Parenteral Drug Carrier. *J. Inclusion Phenom.*, **1**:135–150, 1983.
- [167] J. Szejtli. *Cyclodextrin Technology*. Kluwer Academic Publisher, Dordrecht, 1988.
- [168] J. Szejtli. The Properties and Potential Uses of Cyclodextrin Derivatives. *J. Inclusion Phenom. Mol. Recognit. Chem.*, **14**:25–36, 1992.
- [169] J. Szejtli, E. Dosa, A. Lipták, P. N. I. Jodál, A. Neszmélyi, and L. Jánossy. Partially Methylated β -Cyclodextrin Derivatives. 1980. Hungarian Patent No. 22967.
- [170] J. Szejtli, A. Lipták, I. Jodál, P. Fügedi, P. Nánási, and A. Neszmélyi. Synthesis and Carbon ¹³C NMR Spectroscopy of Methylated β -Cyclodextrins. *Sträke*, **32**:165–169, 1980.
- [171] T. Takaha, M. Yanase, H. Takata, S. Okada, and S. M. Smith. Potato D-Enzyme Catalyzes the Cyclization of Amylose to Produce Cycloamylose, a Novel Cyclic Glucan. *J. Biol. Chem.*, **271**:2902–2908, 1996.
- [172] C. Tanford. How Protein Chemists Learned about the Hydrophobic Factor. *Protein Science*, **6**:1358–1366, 1997.
- [173] J. Teixeira, M. C. Bellissent-Funel, S. H. Chen, and A. Dianoux. Experimental Determination of the Nature of Diffusive Motions of Water Molecules at Low Temperatures. *Phys. Rev. A*, **31**:1913–1917, 1985.
- [174] J. Teixeira, M. C. Bellissent-Funel, S. H. Chen, and B. Dorner. Observation of New Short-Wavelength Collective Excitations in Heavy Water by Coherent Inelastic Neutron Scattering. *Phys. Rev. Lett.*, **54**:2681–2683, 1985.

- [175] Y. Terada, M. Yanase, H. Takata, T. Takaha, and S. Okada. Cyclodextrins are not the Major Cyclic α -1,4-Glucans Produced by the Initial Action of Cyclodextrin Glucanotransferase on Amylose. *J. Biol. Chem.*, **272**:15729–15733, 1997.
- [176] M. Teschner, C. Henn, H. Vollhardt, S. Reiling, and J. Brickmann. Texture Mapping, a New Tool for Molecular Graphics. *J. Mol. Graphics*, **12**:98–105, 1994.
- [177] T. O. Thomas and J. C. Leyte. Dynamics of Water Molecules in Glucan Solutions. *Mol. Phys.*, **91**:715–723, 1997.
- [178] R. Tokuoka, M. Abe, T. Fujiwara, K. Tomita, and W. Saenger. Crystal Structure of a β -Cyclodextrin–Ethanol–Octahydrate. *Chem. Lett.*, pages 491–494, 1980.
- [179] H. Ueda, T. Endo, H. Nagase, S. Kobayashi, and T. Nagai. Isolation, Purification, and Characterization of Cyclomaltodecaose (ϵ -CD). *J. Inclusion Phenom. Mol. Recognit. Chem.*, **25**:17–20, 1996.
- [180] H. Ueda, T. Endo, H. Nagase, S. Kobayashi, and T. Nagai. Isolation, Purification, and Characterization of Cyclomaltooctadecaose (ν -CD) and Cyclomaltononadecaose (ξ -CD). In J. J. T. Labandeira and J. L. Vila-Jato, editors, *9th Int. Symp. on Cyclodextrins, Santiago de Compostela, 1998*, pages 167–170, Dordrecht, 1999. Kluwer Academic Publishers.
- [181] K. Uekama, F. Hirayama, T. Imai, M. Otagiri, and K. Harata. Crystal and Molecular Structure of 2:2 (\pm)Flurbiprofen– β -Cyclodextrin Complex. *Chem. Pharm. Bull.*, **31**:3363–3365, 1983.
- [182] K. Uekama, F. Hirayama, T. Imai, M. Otagiri, and K. Harata. X-Ray Crystallographic Determination of the Absolute Configuration of (+)Flurbiprofen Utilizing β -Cyclodextrin Complexation. *Chem. Pharm. Bull.*, **32**:1662–1664, 1984.
- [183] K. Uekama and T. Irie. Pharmaceutical Applications of Methylated Cyclodextrin Derivatives. In D. Duchene, editor, *Cyclodextrins and Their Industrial Uses*, pages 395–439, Paris, 1987. Editions de Santé.
- [184] R. P. Veregin, C. A. Fyfe, and R. H. Marchessault. Investigation of the Crystalline “V” Amylose Complexes by High-Resolution ^{13}C CP/MAS NMR Spectroscopy. *Macromolecules*, **20**:3007–3012, 1987.
- [185] A. Villiers. Chimie organique, Sur la fermentation de la fécula par l'action du ferment butyrique. *C. R. Acad. Sci.*, **112**:536–538, 1891.
- [186] V. Zabel, W. Saenger, and S. A. Mason. Neutron Diffraction Study of the Hydrogen Bonding in β -Cyclodextrin Undecahydrate at 120 K – from Dynamic Flip-Flop to Static Homodromic Chains. *J. Am. Chem. Soc.*, **108**:3664–3673, 1986.

