

Bibliography

- [1] G. M. Ullmann and E. W. Knapp. Electrostatic computations of protonation and redox equilibria in proteins. *Eur. Biophys. J.*, 28:533–551, 1999.
- [2] A. Warshel and S. L. Russel. Calculations of electrostatic interactions in biological systems and solutions. *Q. Rev. Biophys.*, 17:118–127, 1984.
- [3] H. Nakamura. Roles of electrostatic interaction in proteins. *Q. Rev. Biophys.*, 29:1–90, 1996.
- [4] A. Warshel. Electrostatic basis of structure-function correlation in proteins. *Acc. Chem. Res.*, 14:284–290, 1981.
- [5] A. Warshel and A. Papazyan. Electrostatic effects in macromolecules: fundamental concepts and practical modeling. *Curr. Op. Struct. Biol.*, 8:211–217, 1998.
- [6] J. A. McCammon and M. E. Davis. Electrostatics in biomolecular structure and dynamics. *Chem. Rev.*, 90:509–521, 1990.
- [7] K. A. Sharp and B. Honig. Electrostatic interactions in macromolecules: theory and applications. *Ann. Rev. Biophys. Biophys. Chem.*, 19:301–332, 1990.
- [8] A. Warshel and J. Åqvist. Electrostatic energy and macromolecular function. *Ann. Rev. Biophys. Biophys. Chem.*, 20:267–298, 1991.
- [9] M. K. Gilson. Theory of electrostatic interaction in macromolecules. *Curr. Op. Struct. Biol.*, 5:216–223, 1995.
- [10] D. R. Lide, editor. *Handbook of Chemistry and Physics*, chapter 7, page 1. CRC Press, 73 edition, 1992.
- [11] A. Fersht. *Structure and Mechanism in Protein Science*, page 170. Freeman, 1999.
- [12] M. Schaefer and M. Karplus. A comprehensive analytical treatment of continuum electrostatics. *J. Phys. Chem*, 100:1578–1599, 1996.
- [13] M. Schaefer, C. Bartels, and M. Karplus. Solution conformations and thermodynamics of structured peptides: molecular dynamics simulations with an implicit solvation model. *J. Mol. Biol.*, 284:835–848, 1998.
- [14] J. Warwicker and H. C. Watson. Calculation of the electric potential in the active site cleft due to α -helix dipoles. *J. Mol. Biol.*, 157:671–679, 1982.
- [15] B. Honig and A. Nicholls. Classical electrostatics in biology and chemistry. *Science*, 268:1144–1149, 1995.

- [16] W. H. Orttung. Direct solution of the poisson equation for biomolecules of arbitrary shape, polarizability density and charge distribution. *Ann. N.Y. Acad. Sci.*, 303:22–37, 1977.
- [17] O. Axelsson and V. Barker. *Finite Element Solution of Boundary Value Problems*. Academic Press, Orlando, 1984.
- [18] D. G. Levitt. Electrostatic calculations for an ion channel. I. Energy and potential profiles and interactions between ions. *Biophys. J.*, 22:209–219, 1978.
- [19] R. J. Zauhar and R. S. Morgan. The rigorous computation of the molecular electric potential. *J. Comp. Chem.*, 9:171–187, 1988.
- [20] H. Sklenar, F. Eisenhaber, M. Poncin, and R. Lavery. *Theoretical biochemistry and molecular biophysics* (Eds: D. L. Beveridge, R. Lavery), pages 317–336. Adenine Press, New York, 1990.
- [21] Y. Nozaki and C. Tanford. The solubility of amino acids and two glycine peptides in aqueous ethanol and dioxane solutions. Establishment of a hydrophobicity scale. *J. Biol. Chem.*, 246:2211–2217, 1971.
- [22] C. Chothia. The nature of the accessible and buried surfaces in proteins. *J. Mol. Biol.*, 105:1–14, 1976.
- [23] D. Eisenberg and A. McLachlan. Solvation energy in protein folding and binding. *Nature*, 319:199–203, 1986.
- [24] T. Zhang and D. E. Koshland jr. Computational method for relative binding energies of enzyme-substrate complexes. *Prot. Science*, 5:348–356, 1996.
- [25] D. Sitkoff, K. A. Sharp, and B. Honig. Accurate calculation of hydration free energies using macroscopic solvent models. *J. Phys. Chem*, 98:1978–1988, 1994.
- [26] C. Tanford and R. Roxby. Interpretation of protein titration curves. *Biochemistry*, 11:2192–2198, 1972.
- [27] D. Bashford and M. Karplus. Multiple-site titration curves of proteins: an analysis of exact and approximate methods for their calculations. *J. Phys. Chem*, 95:9557–9561, 1991.
- [28] A. S. Yang and B. Honig. On the pH dependence of protein stability. *J. Mol. Biol.*, 231:459–474, 1993.
- [29] A. S. Yang, M. R. Gunner, R. Sompogna, and B. Honig. On the calculation of pK_a 's in proteins. *Proteins*, 15:252–265, 1993.
- [30] P. Beroza, D. A. Fredkin, M. Y. Okamura, and G. Feher. Protonation of interacting residues in a protein by a Monte Carlo method: Application to lysozyme and the photosynthetic reaction center of *rhodobacter sphaeroides*. *Proc. Nat. Acad. Sci.*, 88:5804–5808, 1991.
- [31] N. Metropolis, A. W. Rosenbluth, M. N. Rosenbluth, A. N. Teller, and E. Teller. Equation of state calculations by fast computing machines. *J. Chem. Phys.*, 21:1087–1092, 1953.
- [32] U. H. E. Hansmann. Parallel tempering algorithm for conformational studies of biological molecules. *Chem. Phys. Lett.*, 281:140–150, 1997.

-
- [33] A. Fersht. *Structure and Mechanism in Protein Science*, page 60. Freeman, 1999.
- [34] H. B. S. Haldane. *Enzymes*, page 182. Longmans, London, 1930.
- [35] S. Glasstone, K. J. Laidler, and H. Eyring. *The Theory of rate processes*. McGraw-Hill, New York, 1941.
- [36] J. Åqvist and M Fothergill. Computer simulation of the triosphosphate isomerase catalyzed reaction. *J. Biol. Chem.*, 271:10010–10016, 1996.
- [37] J. R. Knowles. Enzyme catalysis: Not different, just better. *Nature*, 350:121–124, 1991.
- [38] A. Goldblum. In *Computational approaches to biochemical reactivity*, chapter On the mechanisms of proteinases, pages 295–340. Kluwer academic publishers, Dordrecht, 1997.
- [39] L. Polgar and P. Halasz. Current problems in mechanistic studies of serine and cysteine proteinases. *Biochem. J.*, 207:1–10, 1982.
- [40] M. I. Page and W. P. Jencks. Entropic contributions to rate accelerations in enzymic and intramolecular reactions and the chelate effect. *Proc. Nat. Acad. Sci*, 68:1678–1683, 1971.
- [41] W. P. Jencks. Binding energy, specificity, and enzyme catalysis: The circe effect. *Adv. Enzymol.*, 43:219–410, 1975.
- [42] A. Fersht. *Structure and Mechanism in Protein Science*, pages 68–73. Freeman, 1999.
- [43] D. Blow. So do we understand enzyme catalysis. *Structure*, 8:77–81, 2000.
- [44] G. Naráy-Szabó, M. Fuxreiter, and A. Warshel. In G. Naray-Szabo and A. Warshel, editors, *Computational approaches to biochemical reactivity*, chapter Electrostatic basis of Enzyme catalysis, pages 237–293. Kluwer academic publishers, Dordrecht, 1997.
- [45] Arieh Warshel. *Computer Modeling of Chemical Reactions in Enzymes and Solution*. John Wiley & Sons, New York, 1991.
- [46] W. W. Bachovchin and J. D. Roberts. Nitrogen-15 nuclear magnetic resonance spectroscopy. The state of histidine in the catalytic triad of α -lytic proteases. Implications for the charge relay mechanism of peptide bond cleavage by serine proteases. *J. Am. Chem. Soc.*, 100:8041–8047, 1978.
- [47] A. A. Kossiakopf and S. A. Spencer. Direct determination of the protonation state of aspartic acid-102 and histidine-57 in the tetrahedral intermediate of the serine proteases. Neutron structure of trypsin. *Biochemistry*, 20:6462–6474, 1981.
- [48] A. Warshel and S. T. Russel. Theoretical correlation of structure and energetics in the catalytic reaction of trypsin. *J. Am. Chem. Soc.*, 108:6569–6579, 1986.
- [49] A. Warshel, G. Naray-Szabo, F. Sussman, and J. K. Hwang. How do serine proteases really work? *Biochemistry*, 28:3629–3637, 1989.
- [50] A. Warshel, F. Sussman, and J.K. Hwang. Evaluation of catalytic free energies in genetically modified proteins. *J. Mol. Biol.*, 201:139–159, 1988.

- [51] J. Åqvist and A. Warshel. Computer simulation of the initial proton transfer step in human carbonic anhydrase I. *J. Mol. Biol.*, 224:7–14, 1992.
- [52] Johan Åqvist and Arieh Warshel. Simulation of enzyme reactions using valence bond force fields and other hybrid quantum/classical approaches. *Chem. Rev.*, 93:2523–2544, 1993.
- [53] T. M. Glennon and A. Warshel. Energetics of the catalytic reaction of ribonuclease A: A computational study of alternative mechanisms. *J. Am. Chem. Soc.*, 120:10234–10247, 1998.
- [54] D. Frenkel and B. Smit. *Understanding molecular simulation*. Academic Press, San Diego, 1996.
- [55] A. R. Leach. *Molecular modelling, principles and applications*. Addison Wesley Longmann, Essex, 1996.
- [56] M. P. Allen and D. J. Tildesley. *Computer Simulation of Liquids*. Oxford university Press, Oxford, 1987.
- [57] V. Daggett. Long timescale simulations. *Curr. Op. Struct. Biol.*, 10:160–184, 2000.
- [58] Y. Duan and P. A. Kollman. Pathways to a protein folding intermediate observed in a 1-microsecond simulation in aqueous solution. *Science*, 282:740–744, 1998.
- [59] A. Warshel and M. Levitt. Theoretical studies of enzymatic reactions: Dielectric, electrostatic and steric stabilization of the carbonium ion in the reaction of lysozyme. *J. Mol. Biol.*, 103:227–249, 1976.
- [60] A. Warshel and R. M. Weiss. An empirical valence bond approach for comparing reactions in solutions and enzymes. *J. Am. Chem. Soc.*, 102:6218–6226, 1980.
- [61] U. Singh and P. A. Kollman. A combined ab initio quantum mechanical and molecular mechanical method for carrying out simulations on complex molecular systems: Applications to the $\text{CH}_3\text{Cl} + \text{Cl}^-$ exchange reactions and gas phase protonation of polyethers. *J. Comp. Chem.*, 7:718–730, 1986.
- [62] M. J. Field, P. A. Bash, and Karplus M. A combined quantum mechanical and molecular mechanical potential for molecular dynamics simulations. *J. Comp. Chem.*, 11:700–733, 1990.
- [63] R. V. Stanton, D. S. Hartsough, and J. K. M. Merz. An examination of a density functional/molecular mechanical coupled potential. *J. Comp. Chem.*, 16:113 – 128, 1995.
- [64] M. J. Field. In A. Warshel and G. Naray-Szabo, editors, *Computational Approaches to biochemical reactivity*, chapter Hybrid potentials for molecular systems in the condensed phase, pages 125–151. Kluwer, Dordrecht, 1998.
- [65] R. V. Stanton, M. Peräkylä, D. Bakowies, and P. A. Kollman. Combined *ab initio* and free energy calculations to study reactions in enzymes and solution: Amide hydrolysis in trypsin and aqueous solution. *J. Am. Chem. Soc.*, 120:3448–3457, 1998.
- [66] J. Bentzien, R. P. Muller, J. Florián, and A. Warshel. Hybrid *ab initio* quantum mechanics/molecular mechanics calculations of free energy surfaces for enzymatic reactions: The nucleophilic attack in subtilisin. *J. Phys. Chem. B*, 102:2293–2301, 1998.

-
- [67] R. W. Zwanzig. High-temperature equation of state by a perturbation method. *J. Chem. Phys.*, 22:1420–1426, 1954.
- [68] D. M. Quinn. Acetylcholinesterase: Enzyme structure, reaction dynamics and virtual transition states. *Chem. Rev.*, 87:955–979, 1987.
- [69] T. L. Rosenberry. Acetylcholinesterase. *Adv. Enzymol. Rel. Areas Mol. Biol.*, 43:103–218, 1975.
- [70] R. L. Schowen. In *Transition States of Biochemical Processes*, chapter Catalytic power and transition state stabilization, pages 77–117. Plenum, New York, 1978.
- [71] H. Froede and I. B. Wilson. Direct determination of acetyl-enzyme intermediate in the acetylcholinesterase-catalyzed hydrolysis of acetylcholine and acetylthiocholine. *J. Biol. Chem.*, 259:11010–11013, 1984.
- [72] J. L. Sussman, M. Harel, F. Frolow, C. Oefner, A. Goldman, L. Toker, and I. Silman. Atomic structure of acetylcholinesterase from *torpedo californica*: A prototypic acetylcholine-binding protein. *Science*, 253:872–879, 1991.
- [73] M. Harel, D. M. Quinn, H. K. Nair, I. Silman, and J. L. Sussman. The x-ray structure of a transition state analog complex reveals the molecular origins of the catalytic power and substrate specificity of acetylcholinesterase. *J. Am. Chem. Soc.*, 118:2340–2346, 1996.
- [74] J. P. Guthrie. Hydration of carbocyclic acids and esters. Evaluation of the free energy change for addition of water to acetic and formic acids and their methyl esters. *J. Am. Chem. Soc.*, 95:6999–7003, 1973.
- [75] A. Ordentlich, D. Barak, C. Kronman, Y. Flashner, M. Leitner, Y. Segall, N. Ariel, S. Cohen, B. Velan, and A. Shafferman. Dissection of the human acetylcholinesterase active center determinants of substrate stability. *J. Biol. Chem.*, 268:17083–17095, 1993.
- [76] T. Selwood, S. R. Feaster, M. J. States, A. N. Pryor, and D. M. Quinn. Parallel mechanisms in acetylcholinesterase-catalyzed hydrolysis of choline esters. *J. Am. Chem. Soc.*, 115:10477–10482, 1993.
- [77] A. Shafferman, C. Kronman, Y. Flashner, M. Leitner, K. Grosfeld, A. Ordentlich, Y. Gozes, S. Cohen, N. Ariel, D. Barak, M. Harel, I. Silman, J. L. Sussman, and B. Velan. Mutagenesis of human acetylcholinesterase. Identification of residues involved in catalytic activity and in polypeptide folding. *J. Biol. Chem.*, 267:17640–17648, 1992.
- [78] Z. Radić, G. Gibney, S. Kawamoto, K. MacPhee-Quigley, C. Bongiorno, and P. Taylor. Expression of recombinant acetylcholinesterase in a baculovirus system: Kinetic properties of glutamate 199 mutants. *Biochemistry*, 31:9760–9767, 1992.
- [79] Monika Fuxreiter and Arieh Warshel. Origin of the catalytic power of acetylcholinesterase: Computer simulation studies. *J. Am. Chem. Soc.*, 120:183–194, 1998.
- [80] S. T. Wlodek, J. Antosiewicz, and J. M. Briggs. On the mechanism of acetylcholinesterase: The electrostatically induced acceleration of the catalytic acylation step. *J. Am. Chem. Soc.*, 119:8159–8165, 1997.

- [81] P. H. Axelsen, M. Harel, I. Silman, and J. L. Sussman. Structure and dynamics of the active site gorge of acetylcholinesterase: Synergistic use of molecular dynamics simulation and x-ray crystallography. *Protein Science*, 3:188–197, 1994.
- [82] S. A. Bernhard and L. E. Orgel. Mechanism of enzyme inhibition by phosphate esters. *Science*, 130:625–626, 1959.
- [83] C. B. Millard, G. Kryger, A. Ordentlich, H. M. Greenblatt, M. Harel, M. L. Raves, Y. Segall, D. Barak, A. Shafferman, I. Silman, and J. L. Sussman. Crystal structures of aged phosphorylated acetylcholinesterase: Nerve agent reaction products at the atomic level. *Biochemistry*, 38:7032–7039, 1999.
- [84] D. R. Ripoll, C. H. Faerman, P. H. Axelsen, I. Silman, and J. L. Sussman. An electrostatic mechanism for substrate guidance down the aromatic gorge of acetylcholinesterase. *Proc. Nat. Acad. Sci*, 90:5128–5132, 1993.
- [85] M. K. Gilson, T. P. Straatsma, J. A. McCammon, D. R. Ripoll, C. H. Faerman, P. H. Axelsen, I. Silman, and J. L. Sussman. Open "back door" in a molecular dynamics simulation of acetylcholinesterase. *Science*, 263:1276–1278, 1994.
- [86] C. Kronman, A. Ordentlich, D. Barak, B. Velan, and A. Shafferman. The "back door" hypothesis for product clearance in acetylcholinesterase challenged by site-directed mutagenesis. *J. Biol. Chem.*, 269:27819–27822, 1994.
- [87] C. Faerman, D. Ripoll, S. Bon, Y. Le Feuvre, N. Morel, J. Massouliè, J.L. Sussman, and I. Silman. Site-directed mutants to test back-door hypothesis of acetylcholinesterase function. *FEBS Lett.*, 386:65–71, 1996.
- [88] M. L. Raves, M. Harel, Y. P. Pang, I. Silman, A. P. Kozikowski, and J. L. Sussman. Structure of acetylcholinesterase complexed with the nootropic alkaloid, (-)-huperzine a. *Nature Structural Biology*, 4:57–63, 1997.
- [89] P. J. Kraulis. MOLSCRIPT: A program to produce both detailed and schematic plots of protein structures. *J. Appl. Cryst.*, 24:946–950, 1991.
- [90] B. Rabenstein, G. M. Ullmann, and E. W. Knapp. Energetics of electron transfer and protonation reactions of the quinones in the photosynthetic reaction center of *rhodospseudomonas viridis*. *Biochemistry*, 37:2488–2495, 1998.
- [91] B. R. Brooks, R. E. Bruccoleri, B. D. Olafson, D. J. States, S. Swaminathan, and M. Karplus. CHARMM: A program for macromolecular energy, minimization and dynamics calculations. *J. Comp. Chem.*, 4:187–217, 1993.
- [92] Alexander D. MacKerell, jr., D. Bashford, M. Bellott, R. L. Dunbrack, jr., J. D. Evanseck, M. J. Field, S. Fisher, J. Gao, S. Ha, D. Joseph-McCarthy, L. Kuchnir, K. Kuczera, F. T. K. Lau, C. Mattos, S. Michnik, T. Ngo, D. T. Nguyen, B. Prodhom, W. E. Reiher III, B. Roux, B. Schlenkrich, J. C. Smith, R. Stote, J. Straub, M. Watanabe, Wiorkewicz-Kuczera J., D. Yin, and M. Karplus. All-atom empirical potential for molecular modeling and dynamics studies of proteins. *J. Phys. Chem. B*, 102:3586–3616, 1998.
- [93] Donald Bashford and Martin Karplus. pK_a 's of ionizable groups in proteins: Atomic detail from a continuum electrostatic model. *Biochemistry*, 29:10219–10225, 1990.

-
- [94] M. K. Gilson, K. A. Sharp, and B. H. Honig. Calculating the electrostatic potential of molecules in solution: Method and error assessment. *J. Comp. Chem.*, 9:327–335, 1988.
- [95] J. Antosiewicz, J. A. McCammon, and M. K. Gilson. Prediction of pH dependent properties of proteins. *J. Mol. Biol.*, 238:415–436, 1994.
- [96] J. Antosiewicz, J. M. Briggs, A. H. Elcock, Gilson M. K., and J. A. McCammon. Computing ionization states of proteins with a detailed charge model. *J. Comp. Chem.*, 17:1633–1644, 1996.
- [97] Wavefunction, Inc. Irvine, CA. SPARTAN version 4.0, 1995.
- [98] C. M. Breneman and K. B. Wiberg. Determining atom-centered monopoles from molecular electrostatic potentials. The need for high sampling density in formamide conformational analysis. *J. Comp. Chem.*, 11:361–373, 1990.
- [99] John Marelius, Karin Kolmodin, Isabella Feierberg, and John Åqvist. Q: An MD program for free energy calculations and empirical valence bond simulations in biomolecular systems. *J. Mol. Graphics. Mod.*, 16:213–225, 1999.
- [100] B. H. Besler, K. M. Merz, and P. A. Kollman. Atomic charges derived from semiempirical methods. *J. Comp. Chem.*, 11:431–439, 1990.
- [101] Gaussian, Inc., Pittsburgh, PA. GAUSSIAN 98, 1999.
- [102] F. S. Lee and A. Warshel. A local reaction field method for fast evaluation of long-range electrostatic interactions in molecular simulations. *J. Chem. Phys.*, 97:3100–3107, 1992.
- [103] G. King and Arieh Warshel. A surface constraint all-atom solvent model for effective simulations of polar solutions. *J. Chem. Phys.*, 91:3647–3661, 1989.
- [104] J. W. Essex and W. L. Jorgensen. An empirical boundary potential for water droplet simulations. *J. Comp. Chem.*, 16:951–972, 1995.
- [105] J. P. Ryckaert, G. Ciccotti, and H. J. C. Berendsen. Numerical integration of the cartesian equation of motion of a system with constraints: Molecular dynamics of n-alkanes. *J. Comput. Physics*, 23:327–341, 1977.
- [106] M. Eigen. Proton transfer, acid-base catalysis and enzymatic hydrolysis, part I: Elementary processes. *Angew. Chem. Int. Ed. Eng.*, 3:1–72, 1964.
- [107] A. Shafferman, B. Velan, A. Ordentlich, C. Kronman, H. Grosfeld, M. Leitner, Y. Flashner, S. Cohen, D. Barak, and N. Ariel. Substrate inhibition of acetylcholinesterase: Residues affecting signal transduction from the surface to the catalytic center. *EMBO J.*, 11:3561–3568, 1992.
- [108] A. Ordentlich, D. Barak, C. Kronman, N. Ariel, Y. Segall, B. Velan, and A. Shafferman. Contribution of aromatic moieties of tyrosine 133 and of the anionic subsite tryptophan 86 to catalytic efficiency and allosteric modulation of acetylcholinesterase. *J. Biol. Chem.*, 270:1082–2091, 1995.

- [109] A. Saxena, C. Viragh, D. S. Frazier, I. M. Kovach, D. M. Maxwell, O. Lockridge, and B. P. Doctor. The pH dependence of dealkylation in soman-inhibited cholinesterases and their mutants: Further evidence for a push-pull mechanism. *Biochemistry*, 37:15086–15096, 1998.
- [110] H. Froede, I. B. Wilson, and H. Kaufmann. Acetylcholinesterase: Theory of noncompetitive inhibition. *Arch. Biochem. Biophys.*, 247:420–423, 1986.
- [111] T. Szlegetes, W. D. Mallender, P. J. Thomas, and T. L. Rosenberry. Substrate binding to the peripheral site of acetylcholinesterase initiates enzymatic catalysis. Substrate inhibition arises as a secondary effect. *Biochemistry*, 38:122–133, 1999.
- [112] D. Barak, A. Ordentlich, Y. Segall, B. Velan, H. P. Benschop, L. P. A De Yong, and A. Shafferman. Carbocation-mediated processes in biocatalysts. Contribution of aromatic moieties. *J. Am. Chem. Soc.*, 119:3157–3158, 1997.
- [113] D. A. Dougherty. Cation- π -interactions in chemistry and biology: A new view of benzene, phe, tyr, and trp. *Science*, 271:163–168, 1996.
- [114] S. Jones and J. M Thornton. Principles of protein-protein interactions. *Proc. Nat. Acad. Sci*, 93:13–20, 1996.
- [115] L. Lo Conte, C. Chothis, and J. Janin. The atomic structure of protein-protein recognition sites. *J. Mol. Biol.*, 285:2177–2198, 1999.
- [116] C. J. Tsai, S. L. Lin, H. J. Wolfson, and R. Nussinov. Studies of protein-protein interfaces: A statistical analysis of the hydrophobic effect. *Protein Sci.*, 6:53–64, 1997.
- [117] T. A. Larsen, A. J. Olson, and D. S. Goodsell. Morphology of protein-protein interfaces. *Structure*, pages 421–427, 1998.
- [118] M. K. Gilson, A. Rashin, R. Fine, and B. Honig. On the calculation of electrostatic interactions in proteins. *J. Mol. Biol.*, 183:503–516, 1985.
- [119] B. H. Honig and W. L. Hubbell. Stability of salt bridges in membrane proteins. *Proc. Nat. Acad. Sci*, 81:5412–5416, 1984.
- [120] Z. S. Hendsch and B. Tidor. Do salt bridges stabilize proteins? A continuum electrostatic analysis. *Prot. Sci*, 3:211–226, 1994.
- [121] A.-S. Yang and B. H. Honig. Free energy determinants of secondary structure formation: II. antiparallel β -sheets. *J. Mol. Biol.*, 252:366–376, 1995.
- [122] V. Parseghian. Energy of an ion crossing a low dielectric membrane: Solutions to four relevant electrostatic problems. *Nature*, 221:844–846, 1969.
- [123] F. B. Sheinerman, R. Norel, and B. Honig. Electrostatic aspects of protein-protein interactions. *Curr. Op. Struct. Biol.*, 10:153–159, 2000.
- [124] D. Xu, S. L. Lin, and R Nussinov. Protein binding versus protein folding: The role of hydrophilic bridges in protein association. *J. Mol. Biol.*, 265:68–84, 1997.
- [125] L. Xiao and B. Honig. Electrostatic contribution to the stability of hyperthermophilic proteins. *J. Mol. Biol.*, 2889:1435–1444, 1999.

-
- [126] K. S. Bogan, A. A. and Thorn. Anatomy of hot spots in protein interfaces. *J. Mol. Biol.*, 280:1–9, 1998.
- [127] B. Honig and A.-S. Yang. Free energy balance in protein folding. *Adv. Protein Chem.*, 46:27–58, 1995.
- [128] M. Shapira, M. Totrov, and R. Abagyan. Prediction of the binding energy for small molecules, peptides and proteins. *J. Mol. Recognit.*, 12:177–190, 1999.
- [129] V. S. Reddy, H. A. Giesing, R. Morton, A. Kumar, C. B. Post, C. L. III Brooks, and J. E. Johnson. Energetics of quasiequivalence: Computational analysis of protein-protein interactions in icosahedral viruses. *Biochem. J.*, 74:546–558, 1998.
- [130] K. Sharp, R. Fine, and B. Honig. Computer simulations of the diffusion of a substrate to an active site of an enzyme. *Science*, 236:1460–1463, 1987.
- [131] E. D. Getzoff, D. E. Cabelli, C. L. Fisher, H. E. Parge, M. E. Viezzoli, L. Banci, and R. A. Hallewell. Faster superoxide dismutase reaction mutants designed by enhancing electrostatic guidance. *Nature*, 358:347–351, 1992.
- [132] A. H. Elcock, R. R. Gabdoulline, R. C. Wade, and J. A. McCammon. Computer simulation of protein-protein association kinetics: acetylcholinesterase-fasciculin. *J. Mol. Biol.*, 291:149–162, 1999.
- [133] B. Franco, G. Meroni, G. Parenti, J. Levilliers, L. Bernard, M. Gebbia, L. Cox, P. Maroteaux, L. Sheffield, G. A. Rappold, G. Andria, C. Petit, and A. Ballabio. A cluster of sulfatase genes on xp22.3: Mutations in chondrodysplasia punctata (cdpx) and implications for warfarin embryopathy. *Cell*, 81:15–25, 1995.
- [134] E. F. Neufeld and J. Muenzer. *The metabolic bases of inherited disease*, (Eds: C. Shriver, A. L. Beaudet, W. S. Sly, D. Valle), pages 2465–2494. McGraw-Hill, New York, 1995.
- [135] A. Ballabio and L. J. Shapiro. *The metabolic bases of inherited disease*, (Eds: C. Shriver, A. L. Beaudet, W. S. Sly, D. Valle), pages 2999–3022. McGraw-Hill, New York, 1995.
- [136] E. H. Kolodny and A. L. Fluharty. *The metabolic bases of inherited disease*, (Eds: C. Shriver, A. L. Beaudet, W. S. Sly, D. Valle), pages 2693–2741. McGraw-Hill, New York, 1995.
- [137] G. Uhlhorn-Dierks, T. Kolter, and K. Sandhoff. Wie werden Schwefelsäureester in der Natur gespalten? Eine neuartige posttranslationale Proteinmodifikation bei Sulfatasen. *Angew. Chemie*, 110:2591–2594, 1998.
- [138] T. Dierks, B. Schmidt, and K von Figura. Conversion of cysteine to formylglycine: A protein modification in the endoplasmic reticulum. *Proc. Nat. Acad. Sci*, 94:11963–11968, 1997.
- [139] L. W. Nichol and A. B. Roy. The sulfatase of ox liver. The polymerization of sulfatase A. *Biochemistry*, 4:386–396, 1965.
- [140] A. Jerfy, A. B. Roy, and H. J Tomkins. The sulfatase of ox liver. XIX. On the nature of polymeric forms of sulfatase A present in dilute solutions. *Biochim. Biophys. Acta*, 422:335–348, 1976.

- [141] A. Waheed and R.L. van Etten. The monomer-dimer association of rabbit liver aryl sulfatase A and its relationship to the anomalous kinetics. *Arch. Biochem. Biophys.*, 194:215–225, 1979.
- [142] A. Waheed and R. L. van Etten. Purification of mammalian arylsulfatase A enzymes by subunit affinity chromatography. *Int. J. Pept. Prot. Res.*, 26:362–372, 1985.
- [143] G. Lukatela, N. Krauss, K. Theis, T. Selmer, V. Gieselmann, K. von Figura, and W. Saenger. Crystal structure of human arylsulfatase A: The aldehyde function and the metal ion at the active site suggest a novel mechanism for sulfate ester hydrolysis. *Biochemistry*, 37:3654–3664, 1998.
- [144] B. L. Vallee and D. S. Auld. New perspective on zinc biochemistry: catalytic sites in multi-zinc enzymes. *Biochemistry*, 32:6493–6500, 1993.
- [145] J. E. Coleman. Structure and mechanism of alkaline phosphatase. *Annual Reviews in Biophysical and Biomolecular Structure*, 21:441–483, 1992.
- [146] R.C. Nicholls and A.B. Roy. *The Enzymes*, volume 5, pages 21–41. Academic Press, New York, 1971.
- [147] L. W. Nichol and A. B. Roy. The sulfatase of ox liver. X. Some observations on the intermolecular binding in sulfatase A. *Biochemistry*, 5:1379–1388, 1966.
- [148] J. Wyman. Linked functions and reciprocal effects in hemoglobin: A second look. *Adv. Prot. Chem.*, 19:223–286, 1964.
- [149] J. Lebowitz and M. Laskowsky. Potentiometric measurement of protein-protein association constants. Soybean trypsin inhibitor-trypsin association. *Biochemistry*, 1:1044–1055, 1962.
- [150] M. R. Mauk, P. D. Barker, and A. G. Mauk. Proton linkage of complex formation between cytochrome c and cytochrome b₅: Electrostatic consequences of protein-protein interactions. *Biochemistry*, 30:9873–9881, 1991.
- [151] M. R. Mauk, J. C. Ferrer, and A. G. Mauk. Proton linkage in formation of the cytochrome-c-cytochrome-c-peroxidase complex: Electrostatic properties of the high and low affinity cytochrome binding sites on the peroxidase. *Biochemistry*, 33:12609–12614, 1994.
- [152] H. W. T. van Vlijmen, S. Curry, M. Schaefer, and M. Karplus. Titration calculations of foot- and mouth disease virus capsids and their stability as a function on pH. *J. Mol. Biol.*, 275:295–308, 1998.
- [153] P. H. McPherson, M. Y. Okamura, and G. Feher. Light-induced proton-uptake by photosynthetic reaction centers from *rhodobacter sphaeroides* r-26. I. Protonation of the one-electron states $D^+Q_A^-$, DQ_A^- , $D^+Q_AQ_B^-$ and $DQ_AQ_B^-$. *Biochim. Biophys. Acta*, 934:309–324, 1988.
- [154] P. Beroza, D. R. Fredkin, M. Y. Okamura, and G. Feher. Electrostatic calculation of amino acid titration and electron transfer $Q_A^-Q_B \rightarrow Q_AQ_B^-$ in the reaction center. *Biophys. J.*, 68:2233–2250, 1995.
- [155] C. Tanford. Protein denaturation. Part C: Theoretical models for the mechanism of denaturation. *Adv. Prot. Chem.*, 25:1–95, 1970.

-
- [156] M. Schaefer, M. Sommer, and M. Karplus. pH-dependence of protein stability: Absolute electrostatic free energy differences between conformations. *J. Phys. Chem. B*, 101:1663–1683, 1997.
- [157] M. Laskowsky and W. R. Finkenstadt. Study of protein-protein and of protein-ligand interaction by potentiometric methods. *Methods. Enzymol.*, 26:193–227, 1972.
- [158] H. M. Berman, J. Westbrook, Z. Feng, G. Gilliland, T. N. Bhat, H. Weissig, I. N. Shindyalov, and P. E. Bourne. The protein data bank. *Nucleic Acids Research*, 28:235–242, 2000. <http://www.rcsb.org/pdb/>.
- [159] D. Bashford and K. Gerwert. Electrostatic calculations of the pK_a values of ionizable groups in bacteriorhodopsin. *J. Mol. Biol.*, 224:473–486, 1992.
- [160] D. Bashford. An object-oriented programming suite for electrostatic effects in biological molecules. In Y. Ishikawa, R. R. Oldehoeft, J. V. W. Reynders, and M. Tholburn, editors, *Scientific Computing in Object-Oriented Parallel Environments*, volume 1343 of *Lecture Notes in Computer Science*, pages 233–240. Springer, Berlin, 1997.
- [161] B. Rabenstein. KARLSBERG online manual, <http://lie.chemie.fu-berlin.de/karlsberg>. Freie Universität Berlin, 1999.
- [162] B. Schmidt, T. Selmer, A. Ingendoh, and K. von Figura. A novel amino acid modification that is defective in multiple sulfatase deficiency. *Cell*, 82:271–278, 1995.
- [163] T. Selmer, A. Hallmann, and B. Schmidt. The evolutionary conservation of a novel protein modification, the conversion of cysteine to serinsemialdehyde in arylsulfatase from *volvox carteri*. *Eur. J. Biochem.*, 238:341–345, 1996.
- [164] G.D. Lee and R.L. van Etten. Purification and properties of a homogeneous arylsulfatase A from rabbit liver. *Arch. Biochem. Biophys.*, 166:280–294, 1975.
- [165] A.B. Roy. Sulphatases, lysosomes and disease. *J. Exp. Biol. Med. Sci*, 54:111–135, 1976.
- [166] R.P. Bell and D.N. Onwood. Acid strength of the hydrates of formaldehyde acetaldehyde and chloral. *Trans. Faraday Soc.*, 58:1557–1561, 1962.
- [167] M. Recksiek, T. Selmer, T. Dierks, B. Schmidt, and K. von Figura. Sulfatases, trapping of the sulfated enzyme intermediate by substituting the active site formylglycine. *J. Biol. Chem.*, 273:6096–6103, 1998.
- [168] J. L. Kurz. The hydration of acetaldehyde. I. Equilibrium thermodynamic parameters. *J. Am. Chem. Soc.*, 89:3524–3528, 1967.
- [169] J.L. Kurz. The hydration of acetaldehyde. II. Transition state characterization. *J. Am. Chem. Soc.*, 89:3528–3537, 1967.
- [170] E. G. Sander and W. P. Jencks. Equilibria for additions to the carbonyl group. *J. Am. Chem. Soc.*, 90:6154–6162, 1968.
- [171] R. L. Stevens, A. L. Fluharty, M. H. Skokut, and H Kihara. Purification and properties of arylsulfatase A from human urin. *J. Biol. Chem.*, 250:2495–2501, 1975.

- [172] A. Waldow. Amino acid residues forming the active site of arylsulfatase A. Role in catalytic activity and substrate binding. *J. Biol. Chem.*, 274:12284–12288, 1999.
- [173] M. Štrajbl, J. Flórian, and A. Warshel. Ab initio evaluation of the potential surface for general base methanolysis of formamide: A reference reaction for studies of serine proteases. *J. Am. Chem. Soc.*, 122:5354–5366, 2000.
- [174] S. Miertus, E. Scrocco, and J. Tomasi. Electrostatic interaction of a solute with a continuum. A direct utilization of ab initio molecular potentials for the prevision of solvent effects. *Chem. Phys.*, 55:117–129, 1981.
- [175] S. Miertus and J. Tomasi. Approximate evaluations of the electrostatic free energy and internal energy changes in solution processes. *Chem. Phys.*, 65:239, 1982.
- [176] J. Florián and A. Warshel. Langevin dipoles model for ab initio calculations of chemical processes in solution: Parametrization and application to hydration free energies of neutral and ionic solutes and conformational analysis in aqueous solution. *J. Phys. Chem. B*, 101:5583–5595, 1997.
- [177] J. Florián and A. Warshel. Phosphate ester hydrolysis in aqueous solution: Associative versus dissociative mechanism. *J. Phys. Chem. B*, 102:719–734, 1998.
- [178] J. Florián, J. Åqvist, and A. Warshel. On the reactivity of phosphate monoester dianions in aqueous solution: Brønsted linear free-energy relationships do not have a unique mechanistic interpretation. *J. Am. Chem. Soc.*, 120:11524–11525, 1998.
- [179] J. Florián, M. Štrajbl, and A. Warshel. Conformational flexibility of phosphate, phosphonate and phosphorothioate methyl esters in aqueous solution. *J. Am. Chem. Soc.*, 120:7959–7966, 1998.
- [180] J. Florián, J. Šponer, and A. Warshel. Thermodynamic parameters for stacking and hydrogen bonding of nucleic acid bases in aqueous solution: Ab initio/langevin dipoles studies. *J. Phys. Chem. B*, 103:884–892, 1999.
- [181] Y. Nozaki and C. Tanford. Examination of titration behaviour. *Methods Enzymol.*, 11:715–734, 1967.
- [182] G. Yagil. The proton dissociation constant of pyrrole, indole, and related compounds. *Tetrahedron*, 23:2855–2861, 1993.
- [183] M. Tankokura. ¹H-NMR study on the tautomerism of the imidazole ring of histidine residues. I. Microscopic pK values and molar ratios of tautomers in histidine-containing peptides. *Biochim. Biophys. Acta*, 742:576–585, 1983.
- [184] W. Kaim and B. Schwederski. *Bioinorganic chemistry. Inorganic elements in the chemistry of life*. John Wiley & Sons, New York, 1995.