

Literaturliste

Anderson, R.M., and May, R.M. (1979). Population biology of infectious diseases. *Nature* **280**, 361-367, 455-461.

Anderson, R.M., and May, R.M. (1982). Population Biology of infectious Diseases. Springer Verlag, Heidelberg, 314 pp.

Anderson, J.F. (1991). Epizootiology of Lyme Borreliosis. *Scand. J. Infect. Dis. Suppl.* **77**, 23-34.

Anonymus. (1992). A new approach to teaching the practice of medicine. Evidence-based medicine working group. *J.A.M.A.* **4**, 2420-2425.

Anonymus. (1993). Abschlußbericht zum Forschungsvorhaben des Niedersächsischen Ministerium für Wissenschaft und Kultur. Morbillivirusinfektionen bei Pinnipeda. Ref.-Nr. 210.2 – 7620/9 – 21 – 1/90. Hannover, 36 pp.

Artois, M., Langiais, M., and Suppo, C. (1997). Simulation of rabies control within an increasing fox population. *Ecol. Model.* **97**, 23-34.

Artois, M., Arnauduc, J.P., and Lamarque, F. (2000). Abnormal mortality in roe deer in France: 1997/2000. In 4th Meeting of the European Wildlife Disease Association, Zaragoza, Spain, pp. 36.

Barrat, J., Gerard, Y., Schwers, A., Thiry, E., Dubuisson, J., and Blancou, J. (1988). Serological survey in free-living red deer (*Cervus elaphus*) in France. In Management and health of farmed deer. H. Reid (ed.), Kluwer Academic Publishers, Dordrecht, Holland, pp. 123-127.

Bittle, J.L. (1993). Use of vaccines in exotic animals. *J. Zoo Wildl. Med.* **24**, 352-356.

Blaha, T. (1988). Angewandte Epizootiologie und Tierseuchenbekämpfung. Fischer Verlag, Jena, 410 pp.

Bode, L., Zimmermann, W., Ferszt, R., Steinbach, F., and Ludwig, H. (1995). Borna disease virus genome transcribed and expressed in psychiatric patients. *Nat. Med.* **1**, 232-236.

Bode, L., and Ludwig, H. (2001). Borna disease virus – a threat for human mental health? *In* New challenges to health: the threat of virus infection. G.L. Smith, W.L. Irving, J.W. McCauley, and D.J. Rowlands (eds.), Cambridge University Press, New York, pp. 269-309.

Brack, M. (1987). Agents transmissible from simians to man. Springer Verlag, London, 454 pp.

Breitenmoser, U., Kaphegyi, T., Kappeler, A., and Zanoni, R. (1995). Significance of young foxes for the persistence of rabies in northwestern Switzerland. Immunobiology for viral infections Proceedings 3rd Congress of the Society for Veterinary Virology Interlaken, Switzerland, (4.-7.09.94) 391-396.

Cantile, C., DiGuardo, G., Eleni, C., and Arispici, M. (2000). Clinical and neuropathological features of West Nile virus equine encephalomyelitis in Italy. *Equine Vet. J.* **32**, 31-35.

Carpenter, J.W., Clark, G.G., and Watts, D.M. (1989). The impact of eastern equine encephalitis virus on efforts to recover the endangered whooping crane. *Int. Counc. Bird Preserv. Tech. Bull.* **10**, 115-120.

Chasey, D., and Duff, D.P. (1990). European brown hare syndrome and associated virus particles in the UK. *Vet. Rec.* **126**, 623-624.

Cleaveland, S. (1996). Canine distemper and rabies infection in wildlife in the Serengeti National Park. *IUCN/SSC Vet. Spec. Grp. Newsletter* **12**, 2-4.

Chors, P., and Weber-Springe. (1939). Maul- und Klauenseuche beim Reh und Hirsch. *Dt. Tierärztl. Wschr.* **47**, 97-103.

Cooper, J.E. (1989). The role of pathogens in threatened populations: A historical view. *JCBP Tech. Bull.* **10**, 141-149.

- Cunningham, A.A. (1996). Disease risk of wildlife translocations. *Conserv. Biol.* **10**, 349-353.
- Daszak, P., Cunningham, A.A., and Hyatt, A.D. (2000). Emerging infectious diseases of wildlife – threats to biodiversity and human health. *Science* **287**, 443-450.
- Davis, D.S., Templeton, J.W., Ficht, T.A., Huber, J.D., Angus, R.D., and Adams, L.G. (1991). *Brucella abortus* in Bison. II. Evaluation of strain 19 vaccination of pregnant cows. *J. Wildl. Dis.* **27**(2), 258-264.
- Dedek, J. (1992). Untersuchungen zur Analyse und Wertung der epizootiologischen Situation bei jagdbarem Wild. Erarbeitung von Grundlagen für ein Wildlife monitoring. [Habilitationsschrift], Humboldt-Universität Berlin, Berlin, Germany, 390 pp.
- Dedek, J., und Steineck, Th. (1994). Wildhygiene. Fischer-Verlag, Jena, 407 pp.
- Delahay, R.J., Langton, S., Smith, G.C., Clifton-Hadley, R.S., and Cheeseman, C.L. (2000). The spatio-temporal distribution of *Mycobacterium bovis* (*bovine tuberculosis*) infection in a high density badger (*Meles meles*) population. *J. of Animal Ecology* **69**, 1-15.
- Dobson, A.P., and May, R.M. (1986). Disease and Conservation. In Conservation biology: the science and diversity. M. Soule (ed.), Sinauer Associates, Sunderland, USA pp. 345-365.
- Eskens, U., and Volmer, K. (1989). Untersuchungen zur Ätiologie der Leberdystrophie des Feldhasen (*Lepus europeas*, Pallas). *Dtsch. Tierärztl. Wochenschr.* **96**, 464-466.
- Fenner, F., and Fantini, B. (1999). Biological control of vertebrate pests: the history of myxomatosis, an experiment in evolution. CABI Publishing, Wallingford, UK, 339 pp.
- Foreyt, W.J., and Jessup, D.D. (1982). Fatal pneumonia of bighorn sheep following association with domestic sheep. *J. Wildl. Dis.* **18**, 163-168.
- Foreyt, W.J., and Lagerquist, J.E. (1996). Experimental contact of bighorn sheep. (*Ovis canadensis*), with horses and cattle, and comparsion of neutrophil sensitivity to *Pasteurella haemolytica* cytotoxins. *J. Wildl. Dis.* **32**, 594-602.

- Forman, A.J., and Gibbs, E.P.J. (1974). Studies with foot- and mouth disease virus in British deer (red, fallow and roe). I. Clinical disease. *J. Comp. Path.* **84**, 215-220.
- Friend, M. (1987). Field Guide to Wildlife Disease Volume I. General Field Procedures and Diseases of Migrating Birds. U.S. Department of the Interior, Fish and Wildlife Service, Washington DC, 224 pp.
- Frölich, K. (1986). Ein Versuch zur Wiedereinbürgerung des Uhus (*Bubo b. bubo*) in Schleswig-Holstein. *Ökol. Vögel* (Ecol. Birds) **8**, 1-47.
- Frölich, K. (1993). Bovine Virusdiarrhoe/ Mucosal Disease (BVD/MD) bei Cerviden in unterschiedlichen Freiland- und Gehegepopulationen. Dissertation, FU Berlin, Berlin, Germany, 100 pp.
- Frölich, K. (1997). Infectious diseases of wild ungulates: disease risk with translocations. *J. Brit. Vet. Zool. Soc.* **2**, 51-58.
- Frölich, K. (2000). Viral diseases of northern ungulates. *Rangifer* **20**, 83-97.
- Gardner, I.A., Hietala, S., and Bovyce, W.M. (1996). Validity of using serological tests for diagnosis of diseases in wild animals. *Re. Sec. Tech. Off. Int. Epiz.* **15**, 323-335.
- Gascoyne, S.C., King, A.A., Laurenson, M.K., Borner, M., Schildger, B., and Barrat, J. (1993). Aspects of rabies infection and control in the conservation of the African wild dog (*Lycaon pictus*) in the Serengeti region, Tanzania. *Onderst. J. Vet. Res.* **60**, 415-420.
- Gavier-Widen, D., and Mörner, T. (1993). Descriptive epizootiological study of European brown hare syndrome in Sweden. *J. Wildl. Dis.* **29**, 15-20.
- Gern, L., Estrada-Pena, A., Frandsen, F., Gray, J.S., Jaenson, T.G.T., Jongejan, F., Kahl, O., Korenberg, E., Mehl, R., and Nuttall, P.A. (1998). European reservoir hosts of *Borrelia burgdorferi* sensu lato. *Zentralbl. Bakteriол.* **287**, 196-204.

- Giacometti, M., Frey, J., Abdo, El-M., Janovsky, M., Krawinkler, M., Schlatter, Y., Belloy, L., Fatzer, R., and Nicolet, J. (2000). Gemsblindheit. *SAT* **142**(5), 235-240.
- Göltenboth, R., and Klös, H.-G. (1995). Krankheiten der Zoo- und Wildtiere. Blackwell Wissenschafts-Verlag, Berlin, 602 pp.
- Goltsman, M., Kruchenkova, E.P., and Macdonald, D.W. (1996). The Mednyi arctic foxes: treating a population imperilled by disease. *Oryx* **30**, 251-258.
- Griffith, B., Scott, M., Carpenter, J.W., and Reed, C. (1993). Animal translocations and potential diseases transmission. *J. Zoo Wildl. Med.* **24**(3), 231-236.
- Gulland, F.M.D. (1995). The impact of infectious diseases on wild animal populations – a review. *In Ecology of infectious diseases in natural populations*. Grenfell, B.T. and Dobson, A.P. (eds). Cambridge University Press, Cambridge, pp. 20-51.
- Haldane, J.B.S. (1949). Disease and evolution. *La Ricerca Sci. Suppl.* **19**, 68-76.
- Hassell, M.P. (1982). 'Impact of infectious diseases on host populations. Group Report'. *In Population Biology of Infectious Diseases*. R.M. Anderson and R.M. May (eds.), Springer Verlag, New York, pp. 15-35.
- Henriksen, P., Gavier, D., and Elling, D.F. (1989). Acute necrotising hepatitis in Danish farmed hares. *Vet. Rec.* **125**, 486-487.
- Hofmann, H. (1984). Zur Maul- und Klauenseuche beim Wild. *Beitr. Jagd Wildforsch.* **13**, 279-286.
- Hofmeyr, M., Bingham, J., Lane, E.P., Die, A., and Nel, L. (2000). Rabies in African wild dogs (*Lycaon pictus*) in the Madikwe Game Reserve, South Africa. *Vet. Rec.* **146**(2), 50-52.
- Holmes, J.C. (1982). Impact of infectious disease agents on the population growth and geographical distribution of animals. *In Population Biology of Infectious Diseases*. R.M. Anderson and R.M. May (eds.), Springer Verlag, New York, pp. 37-51.

- Holweg, R. (1987). Serologische Untersuchungen über die Verbreitung der BVD/MD-Virusinfektion bei Nicht-Rindern in Nordbayern. Veterinary doctorate thesis, Ludwig-Maximilian-University, Munich, Germany, 80 pp.
- Horzinek, M.C. (1990). Bovine virus diarrhea virus. An introduction. *Rev. Sc. Tech., Off. Int. Epizoot.* **9**, 13-23.
- Hudson, P.J. (1986). The effect of a parasitic nematode on the breeding production of red grouse. *J. Anim. Ecol.* **55**, 85-92.
- Hudson, P. (1997). Wildlife diseases: The epidemiology of infectious diseases in wild animals and how they relate to mankind. British Ecological Society, London, UK, pp. 49-54.
- Jacobson, E.R. (1993). Implications of infectious diseases for captive propagation and introduction programs of threatened / endangered reptiles. *J. Zoo Wildl. Med.* **24**(3), 245-255.
- Jakob, W., Schröder, H.-D., Rudolph, M., Krasinski, Z.A., Krasinska, M., Cooper, J.E., Wolf, O., and Frölich, K. (2000). Necrobacillosis in free-living male European bison (*Bison bonasus*) in the Bialowieza Primeval Forest of Poland. *J. Wildl. Dis.* **36**, 248-256.
- Jessup, D.A., Boyce, W.M., and Torres, S.G. (1995). Bighorn sheep health management in California: a fifteen year retrospective. In Proceedings of the joint conference of the Am. Assoc. Zoo Vet., the Wildl. Dis. Assoc. and the Am. Assoc. Wildl. Vet., Junge, R.E. (ed.). *Am. Assoc. Zoo Vet.*, pp. 55-67.
- Kaden, V., Lange, E., Fischer, U., and Strebelow, G. (2000). Oral immunisation of wild boar against classical swine fever: evaluation of the first field study in Germany. *Vet. Microbiol.* **73**, 239-252.
- Kienholz, S. (1991). Epidemiologische Studie zur Erfassung der Frühsommer-Meningoenzephalitis (FSME) nördlich der Donau, im besonderen in Raum Aschaffenburg und Umgebung. *Wien. Klin. Wochensh.* **101**(22), 790-791.

Kita, J., Dziaba, K., Piusinski, W., Kowalski, B., Lenartowicz, Z., Kingston, N., Drozd, J., Rutkowska, M., Krasinski, Z., Krupa, J., and Lesniewski, S. (1994). Preliminary studies on the diagnosis of a disease of the genital organs of male European bison in the Bialowieza Forest of Poland. Species survival commission, *Vet. Spec. Gr. Newsletter* **8**, 8-9.

Köble, S. (1994). Virologische Untersuchungen. In Wildhygiene. Dedek, J., und Steineck, Th., Gustav Fischer Verlag, Leipzig, pp. 30.

Krebs, J.R. (1997). Bovine tuberculosis in cattle and badgers. Report to the Rt Hon Dr Jack Cunningham MP. Ministry of Agriculture, Fisheries and Food, London, 191 pp.

Kruglikov, B.A., Mel'nik, R.I., and Nalivaiko, V.G. (1985). Role of wild Artiodactyla in the maintenance of foot-and-mouth disease virus. *Vet. Mosc.* **8**, 37-38.

Laddomada, A., Patta, C., Oggiano, A., Caccia, A., Ruiiu, A., Cossu, P., and Firinu, A. (1994). Epidemiology of classical swine fever in Sardinia: a serological survey of wild boar and comparison with African swine fever. *Vet. Rec.* **134**, 183-187.

Last, J. M. (1995). A dictionary of epidemiology. Oxford University Press, New York, 180 pp.

Laurenson, K., Shiferaw, F., and Sillero-Zubiri, C. (1997). Disease domestic dogs and the Ethiopian wolf: the current situation. In The Ethiopian wolf: status survey and conservation action plan. Sillero-Zubiri, C. and McDonald, D.W. (eds.), Gland, Switzerland, IUCN, 32-42 pp.

Liu, S.J., Xue, H.P., Pu, B.Q., and Qian, N.H. (1984). A new viral disease in rabbits. *Animal Husbandry Vet. Med.* **16**, 253-255.

Loepelmann, H., und Dedek, J. (1991). Orientierende Untersuchungen zur oralen Immunisierung freilebenden Schwarzwildes. *Tierärztl. Umschau* **46**, 775-778.

- Löliger, H.-CH., and Eskens, U. (1991). Incidence, epizootiology and control of viral hemorrhagic disease of rabbits and the European brown hare syndrome in Germany. *Rev. Sci. Tech. Off. Int. Epizoot.* **10**, 423-434.
- Lyles, A.M., and Dobson, A.P. (1993). Infectious disease and intensive management: population dynamics, threatened hosts, and their parasites. *J. Zoo Wildl. Med.* **24**, 315-326.
- Ludwig, H., and Bode, L. (2000). Borna disease virus: new aspects on infection, disease, diagnosis and epidemiology. *Rev. Sci. Tech. Off. Int. Epiz.* **19**, 259-288.
- Marcato, P.S., Benazzi, C., Vecchi, G., Salda, L.D., Simoni, P., Aiello, P., and Tumino, G. (1988). L'epatite necrotica infettiva del coniglio (Die infektiöse nekrotische Hepatitis der Kaninchen). *Riv. Coniglicoltura* **9**, 59-64.
- Marcato, P.S., Benazzi, C., Galeotti, M., and Salda Della L. (1989). Infective necrotic hepatitis of leporids. *Riv. Coniglicoltura* **26**, 41-50.
- May, R.M. (1988). Conservation and disease. *Conservation Biology* **2**, 28-30.
- Mech, L.D., and Goyal, S.M. (1995). Effects of canine parvovirus on gray wolves in Minnesota. *J. Wildl. Mgmt.* **59**, 564-570.
- Meltzer, G.A. (1993). Historical survey of disease problems in wildlife populations: Southern African mammals. *J. Zoo Wildl. Med.* **24**(3), 237-244.
- Miller, Ch. (1985). The impact of mange on chamois in Bavaria. *In* The Biology and Management of Mountain Ungulates. S. Lovari (ed.), Croom Helm, London, pp. 243-249.
- Morisse, J.-P. (1988). Hemorrhagic septicemia syndrome in rabbits: First observations in France. *Le Point Vétérinaire* **20**, 79-83.
- Mörner, T. (1986). The occurrence of tularemia in Sweden. *Erkr. Zootiere* **28**, 327.

- Mulcahy, D., Warpinski, P., Benjamin, D., and Hamilton, D. (1988). Avian Cholera and Related Topics: an Annotated Bibliography. *U.S. Fish and Wildlife Service Biol. Rep.* **88**, 40.
- Munson, L., and Cook, R.A. (1993). Monitoring, investigation, and surveillance of diseases in captive wildlife. *J. Zoo Wildl. Med.* **24**, 281-290.
- Murphy, F.A., Boyce, W.M., Lowenstine, L., Osburn, B.I., Jessup, D.A., and Heuschele, W.P. (1993). An international system for the prevention and control of infectious diseases in free-ranging and captive wild animals. *J. Zoo Wildl. Med.* **24**(3), 365-373.
- Nowotny, N., Fuchs, A., Schilcher, F., und Loupal, G. (1990). Zum Auftreten der Rabbit Haemorrhagic Disease (RHD) in Österreich: I. Pathomorphologische und virologische Untersuchungen. *Wien. Tierärztl. Mschr.* **77**, 19-23.
- Nowotny, N. (1996). Serologische Untersuchungen von Hauskatzen auf potentiell humanpathogene Virusinfektionen wildlebender Nagetiere. *Zbl. Hyg.* **198**, 452-461.
- Ohlinger, V.F., Haas, B., Ahl, R., und Weiland, F. (1989). Die infektiöse hämorrhagische Krankheit der Kaninchen – eine durch ein Calicivirus verursachte Tierseuche. *Tierärztl. Umsch.* **44**, 284-294.
- Okerman, L., van de Kerckhove, P., Osaer, S., Devriese, L., and Uyttebroek, E. (1989). European brown hare syndrome in captive hares (*Lepus capensis*) in Belgium. *Vlaams Diergeneesd. Tijdschr.* **58**, 44-46.
- Pastoret, P.P., Thiry, E., Brochier, B., Schwers, A., Thomas, I., and Dubuisson, J. (1988). Diseases of wild animals transmissible to domestic animals. *Rev. Sci. Tech. Off. Int. Epiz* **7**, 705-736.
- Petrov, P. (1976). Über die Faktoren die den realen Zuwachs des Hasen bestimmen. In Ecology and management of European hare populations. Pielowski, Z., and Pucek, Z. (eds.), Panstwowe Wydawn, Rolnicza i Lesne, Warszawa, pp. 1-3.

- Plowright, W. (1988a). Research on wildlife diseases: is a reappraisal necessary? *Rev. Sci. Tech. Off. Int. Epiz.* **7**, 783-795.
- Plowright, W. (1988b). Viruses transmissible between wild and domestic animals. *Symp. Zool. Soc. Lond.* **60**, 175-199.
- Poli, A., Nigro, M., Gallazzi, D., Sironi, G., Lavazza, A., and Gelmetti, D. (1991). Acute hepatitis in the European brown hare (*Lepus europaeus*) in Italy. *J. Wildl. Dis.* **27**, 621-629.
- Rappole, J.H., Derrickson, S.R., and Hubalek, Z. (2000). Migratory birds and spread of West Nile virus in the Western Hemisphere. *Emerg. Infect. Dis.* **6**, 319-328.
- Rea-Min, C., Ping-Cheng, Y., and Chen, C.I. (1997). Review: Foot-and-mouth disease. *J. Chin. Soc. Vet. Sci.* **23**, 477-491.
- Roelke, M.E., Forrester, D.J., Jacobson, E.R., and Kollias, G.V. (1991). Rationale for surveillance and prevention of infectious and parasitic disease transmission among free-ranging and captive Florida panthers (*Felis concolor coryi*). In Proceedings of the annual meeting of the Am. Assoc. Zoo Vet., Junge, R.E. (ed.). *Am. Assoc. Zoo Vet.* pp. 185-190.
- Roelke-Parker, M.E., Munson, L., Packer, C., Kock, R., Cleaveland, S., Carpenter, M., O'Brien, S.J., Popischil, A., Hofmann-Lehmann, R., Lutz, H., Mwamengele, G.L.M., Mgasa, M.N., Machange, G.A., Summers, B.A., and Appel, M.J.G. (1996). A canine distemper virus epidemic in Serengeti lions (*Panthera leo*). *Nature, Lond.* **379**, 441-445.
- Rosenberg, W., and Donald, A. (1995). Evidence based medicine: an approach to clinical problem-solving. *B.M.J.* **310**, 1122-1126.
- Rossi, L., Meneguz, P.G., Martin, P. de, Rodolfi, M., De-Martin, P. (1995). The epizootiology of sarcoptic mange in chamois, *Rupicapra rupicapra*, from the Italian Eastern Alps. *Parassitologia (Roma)* **37**, 2-3, 233-240.
- Sackett, D.L., and Rosenberg, W.M. (1995). The need for evidence-based medicine. *J. R. Soc. Med.* **88**, 620-624.

- Sackett, D.L., Richardson, W.S., Rosenberg, W., und Haynes, R.B. (1996). Evidenzbasierte Medizin. W. Zuckschwerdt Verlag, München, 200 pp.
- Salmela, P., Belak, K., and Gavier-Widen, D. (1993). The occurrence of European brown hare syndrome in Finland. *Acta Vet. Scand.* **34**, 215-217.
- Salzmann-Wandeler, I. (1976). Feldhasen-Abschusszahlen in der Schweiz. In Ecology and management of European hare populations. Pielowski, Z., and Pucek, E. (eds.), Panstwowe Wydawn, Rolnicza i Lesne, Warszawa, pp. 35-40.
- Scheepers, J.L., and Venzke, K.A.E. (1995). Attempts to reintroduce African wild dogs *Lycaon pictus* into Etosha National Park, Namibia. *S. Afr. J. Wildl. Res.* **25**, 138-140.
- Schildger, B.-J., Weiss, R., Frank, H., Herbst, W., Kreisel, N. (1996). Investigations on a reproductive disease in male European bison (*Bison bonasus*) in Belowejskaia-Puszcza National Park/CIS. In Proc EAZWV, Scientific Meeting, Rostock pp. 247-252.
- Schlüter, H., and Schirrmeier, H. (1988). Mitteilung des Staatlichen Instituts für Epizootiologie und Tierseuchenbekämpfung Wusterhausen/Dosse und des VEB "Friedrich-Loeffler-Institut" Insel Riems zu einer Virus-Seuche der Kaninchen. *MH Vet.-Med.* **43**, 813.
- Scott, M.E. (1988). The impact of infection and disease on animal populations: implications for conservation biology. *Conserv. Biol.* **2**, 40-56.
- Seck-Lanzendorf, S. (1997). Der Einfluss des Ökofaktors Erkrankungen auf die Populationsentwicklung des Feldhasen (*Lepus europaeus*) im Forschungsrevier Czempin in Polen. Vet. Med. Diss., Freie Univ. Berlin.
- Selbitz, H.-J. (1988). Die Tularämie – eine Zoonose mit Naturherdcharakter. *Mh. Vet. Med.* **43**, 239-241.
- Singer, R.S., Jessup, D.A., Gardner, I.A., and Boyce, W.M. (1997). Pathogen exposure patterns among sympatric populations of bighorn sheep, mule deer and cattle. *J. Wildl. Dis.* **33**(2), 377-382.

- Smid, B., Valicek, L., Stepanek, J., Jurak, E., and Rodak, L. (1989). Experimental transmission and electron microscopic demonstration of the virus of haemorrhagic disease of rabbits in Czechoslovakia. *J. Vet. Med. B* **36**, 237-240.
- Smith, R. D. (1995). Veterinary clinical epidemiology. 2nd edition, CRC Press, Boca Raton, 279 pp.
- Sostaric, B., Lipej, Z., and Fuchs, R. (1991). The disappearance of free-living hares in Croatia: 1. European brown hare syndrome. *Vet. Arhiv* **61**, 133-150.
- Spaldinger, M.G., and Forester, D.J. (1993). Disease monitoring of free-ranging and released wildlife. *J. Zoo Wildl. Med.* **24**(3), 271-280.
- Staubach, C., Stiebling, U., Ziller, M., Tackmann, K., Thulke, H.H., and Schlüter, H. (2000). The consequences of using different analysis techniques on wildlife study data to model disease transmission. *Proc. DVG-Tagung 1999*, 51-63
- Steck, F., Wandeler, A., Bichsel, P., Capt, S., and Schneider, L. (1982). Oral immunisation of foxes against rabies. *Zentralb. Vet.* **19**, 372-396.
- Steineck, TH., and Nowotny, N. (1993). European Brown Hare Syndrome (EBHS) in Österreich: Epizootiologische Untersuchungen. *Tierärztl. Umschau* **48**, 225-229.
- Stenvers, O., Plötz, J., Ludwig, H. (1992). Antarctic seals carry antibodies against seal herpesvirus. *Arch. Virol.* **123**, 421-424.
- Stubbe, W., Stubbe, I., Ahrens, M., and Friedel, A. (1994). Feldhasenprojekt Sachsen-Anhalt - eine Zwischenbilanz. *Unsere Jagd* **7**, 8-11
- Szulowski, K., Iwaniak, W., Pilaszek, J., Truszczyński, M., and Chrobocinska, M. (1999). The ELISA for the examination of hare sera for anti-Brucella antibodies. *Com. Immunol. Microbiol. Infect. Dis.* **22**(1), 33-40.

- Thorne, E.T., Kingston, N., Jolley, W.R., and Bergstrom, R.C. (1982). Preface. *In Diseases of Wildlife in Wyoming* 2 edition, Cheyenne, Wyoming, pp. 3-6.
- Travaini, A., Laffitte, R., and Delibes M. (1996). Determining the relative abundance of European red foxes by scent-station methodology. *Wildl. Soc. Bull.* **24**(3), 500-504.
- Van Campen, H., Frölich, K., and Hofmann, M. (2001), Pestivirus infections. *In Infectious Diseases of wild mammals*. E.S. Williams, and I.K. Barker (eds.), Iowa State University Press, Ames, Iowa, pp. 232-244.
- Warner, R.E. (1968). The role of introduced diseases in the extinction of the endemic Hawaiian avifauna. *Condor* **70**, 101-120.
- White, P.C.L., Harris, St., and Smith, G.C. (1995). Fox contact behaviour and rabies spread: a model for the estimation of contact probabilities between urban foxes at different population densities and its implications for rabies control in Britain. *J. Appl. Ecol.* **32**(4), 693-706.
- Wiesner, H. (1987). Das Reh. *In Krankheiten der Wildtiere*. K. Gabrisch, and P. Zwart (ed.). Schlütersche Verlagsanstalt, Hannover, Germany, pp. 467-493.
- Williams, E.S., Thorne, E.T., Appel, M.J.G., and Belitsky, D.W. (1988). Canine distemper in black-footed ferrets (*Mustela nigripes*) from Wyoming. *J. Wildl. Dis.* **24**, 285-398.
- Williams, E.S., Thorne, E.T., Anderson, S.L., and Herriges, J.D. (1993). Brucellosis in free-ranging bison (*Bison bison*) from Teton County, Wyoming. *J. Wildl. Dis.* **29**(1), 118-122.
- Williams, E.S., Anderson, S.L., Cavender, J., Lynn, C., List, K., Hearn, C., and Appel, M.J.G. (1996). Vaccination of black-footed ferret (*Mustela nigripes*) x Siberian polecat (*Mustela ermine*) hybrids and domestic ferrets (*Mustela putorius furo*) against canine distemper. *J. Wildl. Dis.* **32**, 417-423.
- Williams, E.S., Kirkwood, J.K., and Miller, M.W. (2001). Transmissible spongiforme encephalopathies. *In Infectious diseases of wild mammals*. E.S. Williams, and I.K. Barker (eds.), Iowa State University Press, Ames, Iowa, pp. 292-302.

Wobeser, G. (1994). Considerations when contemplating an intervention to manage a disease in wild animals. *Investigation and Management of Disease in Wild Animals*. Plenum Press, New York pp. 131-221.

Wobeser, G. (1999). Management and intervention in diseases of wildlife. *In* Management and intervention in diseases of wild animals. Canadian Cooperative Wildlife Health Centre and Wildlife Health Fund, WCVH (eds.), University of Saskatchewan, Saskatoon, Canada pp. 1-6.

Wolf, O., Jakob, W., Schröder, H.-D., Nattermann, H., Rudolph, M., Lange, A., Borchers, K., und Frölich, K. (2000). Balanoposthitis bei Wisenten (*Bison bonasus*) im Urwald von Bialowieza (Polen). *Tierärztl. Prax.* **28**, 218-224.

Woodford, M.H. (1993). International disease implications for wildlife translocation. *J. Zoo Wildl. Med.* **24**(3), 265-270.

Woodford, M.H., and Rossiter, P.B. (1993). Disease risks associated with wildlife translocation projects. *Rev. Sci. Tech. Off. Int. Epiz.* **12**(1), 115-135.

Woodroffe, R. (1997). The conservation implications of immobilizing, radio-collaring and vaccinating free-ranging wild dogs. *In* The African wild dog: status survey and conservation actionplan. Woodroffe, R., Ginsberg, J.R., and Macdonald, D.W. (eds.). Gland, Switzerland, IUCN pp. 124-138.

Woodroffe, R. (1999). Managing disease threats to wild mammals. *Animal Conservation* **2**, 185-193.