

LITERATURVERZEICHNIS

1. Abernathy JL, Hill RL, Goldsmith LA (1977). Epsilon-(gamma-glutamyl) lysine cross-links in human stratum corneum. *J Biol Chem* 252: 1837-1839.
2. Adams MD, Celiker SE, Holt RA, Evans CA, Gocayne JD, Amanatides PG, Scherer SE, Li PW, Hoskins RA, Galle RF, George RA, Lewis SE, Richards S, Ashburner M, Henderson SN, Sutton GG, Wortman JR, Yandell MD, Zhang Q, Chen LX, Brandon RC, Rogers YH, Blazej RG, Champe M, Pfeiffer BD, Wan KH, Doyle C, Baxter EG, Helt G, Nelson CR, Gabor GL, Abril JF, Agbayani A, An HJ, Andrews-Pfannkoch C, Baldwin D, Ballew RM, Basu A, Baxendale J, Bayraktaroglu L, Beasley EM, Beeson KY, Benos PV, Berman BP, Bhandari D, Bolshakov S, Borkova D, Botchan MR, Bouck J, Brokstein P, Brottier P, Burtis KC, Busam DA, Butler H, Cadieu E, Center A, Chandra I, Cherry JM, Cawley S, Dahlke C, Davenport LB, Davies P, de Pablos B, Delcher A, Deng Z, Mays AD, Dew I, Dietz SM, Dodson K, Doup LE, Downes M, Dugan-Rocha S, Dunkov BC, Dunn P, Durbin KJ, Evangelista CC, Ferraz C, Ferriera S, Fleischmann W, Fosler C, Gabrielian AE, Garg NS, Gelbart WM, Glasser K, Glodek A, Gong F, Gorrell JH, Gu Z, Guan P, Harris M, Harris NL, Harvey D, Heiman TJ, Hernandez JR, Houck J, Hostin D, Houston KA, Howland TJ, Wei MH, Ibegwam C, Jalali M, Kalush F, Karpen GH, Ke Z, Kennison JA, Ketchum KA, Kimmel BE, Kodira CD, Kraft C, Kravitz S, Kulp D, Lai Z, Lasko P, Lei Y, Levitsky AA, Li J, Li Z, Liang Y, Lin X, Liu X, Mattei B, McIntosh TC, McLeod MP, McPherson D, Merkulov G, Milshina NV, Mobarry C, Morris J, Moshrefi A, Mount SM, Moy M, Murphy B, Murphy L, Muzny DM, Nelson DL, Nelson DR, Nelson KA, Nixon K, Nusskern DR, Pacleb JM, Palazzolo M, Pittman GS, Pan S, Pollard J, Puri V, Reese MG, Reinert K, Remington K, Saunders RD, Scheeler F, Shen H, Shue BC, Siden-Kiamos I, Simpson M, Skupski MP, Smith T, Spier E, Spradling AC, Stapleton M, Strong R, Sun E, Svirskas R, Tector C, Turner R, Venter E, Wang AH, Wang X, Wang ZY, Wassarman DA, Weinstock GM, Weissenbach J, Williams SM, WoodageT, Worley KC, Wu D, Yang S, Yao QA, Ye J, Yeh RF, Zaveri JS, Zhan M, Zhang G, Zhao Q, Zheng L, Zheng XH, Zhong FN, Zhong W, Zhou X, Zhu S, Zhu X, Smith HO, Gibbs RA, Myers EW, Rubin GM, Venter JC (2000). The genome sequence of *Drosophila melanogaster*. *Science* 287: 2185-2195.
3. Akira S (2000). Roles of STAT3 defined by tissue-specific gene targeting. *Oncogene* 19: 2607-2611. Review.
4. Albertazzi E, Cajone F, Leone BE, Naguib RN, Lakshmi MS, Sherbet GV (1998). Expression of metastasis-associated genes h-mts1 (S100A4) and nm23 in carcinoma of breast is related to disease progression. *DNA Cell Biol* 17: 335-342.
5. Albertsen HM, Abderrahim H, Cann HM, Dausset J, Le Paslier D, Cohen D (1990). Construction and characterization of a yeast artificial chromosome library containing seven haploid human genome equivalents. *Proc Natl Acad Sci U S A* 87: 4256-4260.
6. Altschul SF, Madden TL, Schaffer AA, Zhang J, Zhang Z, Miller W, Lipman DJ (1997). Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Res* 25: 3389-3402. Review.
7. Alwine JC, Kemp DJ, Stark GR (1977). Method for detection of specific RNAs in agarose gels by transfer to diazobenzyloxymethyl-paper and hybridization with DNA probes. *Proc Natl Acad Sci U S A* 74: 5350-5354.
8. An G, Huang TH, Tesfaigzi J, Garcia-Heras J, Ledbetter DH, Carlson DM, Wu R (1992). An unusual expression of a squamous cell marker, small proline-rich protein gene, in tracheobronchial epithelium: differential regulation and gene mapping. *Am J Respir Cell Mol Biol* 7: 104-111.
9. Armstrong DK, McKenna KE, Hughes AE (1998). A novel insertional mutation in loricrin in Vohwinkel's Keratoderma. *J Invest Dermatol* 111: 702-704.
10. Artavanis-Tsakonas S, Matsuno K, Fortini ME (1995). Notch signaling. *Science* 268: 225-232. Review.
11. Backendorf C & Hohl D (1992). A common origin for cornified envelope proteins? *Nat Genet* 2: 91.
12. Balendran N, Clough RL, Arguello JR, Barber R, Veal C, Jones AB, Rosbotham JL, Little AM, Madrigal A, Barker JN, Powis SH, Trembath RC (1999). Characterization of the major susceptibility region for psoriasis at chromosome 6p21.3. *J Invest Dermatol* 113: 322-328.

13. Baltimore D (1970). RNA-dependent DNA polymerase in virions of RNA tumour viruses. *Nature* 226: 1209-1211.
14. Banks-Schlegel S & Green H (1981). Involucrin synthesis and tissue assembly by keratinocytes in natural and cultured human epithelia. *J Cell Biol* 90: 732-737.
15. Barton P, Malcolm S, Murphy C, Ferguson-Smith MA (1982). Localization of the human alpha-globin gene cluster to the short arm of chromosome 16 (16p12-16pter) by hybridization in situ. *J Mol Biol* 156: 269-278.
16. Basilio C, Wahba AJ, Lengyel P, Speyer JF, Ochoa S (1962). Synthetic polynucleotides and the amino acid code. *Proc Natl Acad Sci U S A* 48: 613-616.
17. Baudier J, Bergeret E, Bertacchi N, Weintraub H, Gagnon J, Garin J (1995). Interactions of myogenic bHLH transcription factors with calcium-binding calmodulin and S100a (alpha alpha) proteins. *Biochemistry* 34: 7834-7846.
18. Beadle GW & Tatum EL (1941). Genetic control of biochemical reactions in *Neurospora*. *Proc Natl Acad Sci U S A* 27: 499-506.
19. Benson G (1999). Tandem repeats finder: a program to analyze DNA sequences. *Nuclic Acids Res* 27: 573-580.
20. Benton WD & Davis RW (1977). Screening lambda gt recombinant clones by hybridization to single plaques in situ. *Science* 196: 180-182.
21. Bhardwaj RS, Zott C, Zwadlo-Klarwasser G, Roth J, Goebeler M, Mahnke K, Falk M, Meinardus-Hager G, Sorg C (1992). The calcium-binding proteins MRP8 and MRP14 form a membrane-associated heterodimer in a subset of monocytes/macrophages present in acute but absent in chronic inflammatory lesions. *Eur J Immunol* 22: 1891-1897.
22. Bieche I, Champeme MH, Lidereau R (1995). Loss and gain of distinct regions of chromosome 1q in primary breast cancer. *Clin Cancer Res* 1: 123-127.
23. Bieth E, Cahoreau C, Cholin S, Molinas C, Cerutti, Rochiccioli P, Devauchelle G, Tauber M (1997). Human growth hormone receptor: cloning and expression of the full-length complementary DNA after site-directed inactivation of a cryptic bacterial promoter. *Gene* 194: 97-105.
24. Bignon C, Roux-Dosseto M, Zeigler ME, Mattei MG, Lissitzky JC, Wicha MS, Martin PM (1991). Genomic analysis of the 67-kDa laminin receptor in normal and pathological tissues: circumstantial evidence for retroposon features. *Genomics* 10: 481-485.
25. Blattner FR, Plunkett G, Bloch CA, Perna NT, Burland V, Riley M, Collado-Vides J, Glasner JD, Rode CK, Mayhew GF, Gregor J, Davis NW, Kirkpatrick HA, Goeden MA, Rose DJ, Mau B, Shao Y (1997). The complete genome sequence of Escherichia coli K-12. *Science* 277: 1453-1474.
26. Blumenberg M (1993). Molecular biology of human keratin genes. In *Molecular Biology of the Skin* (M Darmon & M Blumenberg, eds), pp 1-32. Academic Press Limited, London.
27. Bolivar F & Backman K (1979). Plasmids of Escherichia coli as cloning vectors. *Methods Enzymol* 68: 245-267.
28. Boni R, Heizmann CW, Doguoglu A, Ilg EC, Schafer BW, Dummer R, Burg G (1997). Ca(2+)-binding proteins S100A6 and S100B in primary cutaneous melanoma. *J Cutan Pathol* 24: 76-80.
29. Botstein D, White RL, Skolnick M, Davis RW (1980). Construction of a genetic linkage map in man using restriction fragment length polymorphisms. *Am J Hum Genet* 32: 314-331. Review.
30. Boudjelal M, Wang Z, Voorhees JJ, Fisher GJ (2000). Ubiquitin/proteasome pathway regulates levels of retinoic acid receptor gamma and retinoid X receptor alpha in human keratinocytes. *Cancer Res* 60: 2247-2252.
31. Boultwood J, Fidler C, Soularue P, Strickson AJ, Kostrzewska M, Jaju RJ, Cotter FE, Fairweather N, Monaco AP, Muller U, Lovett M, Jabs EW, Auffray C, Wainscoat JS (1997). Novel genes mapping to the critical region of the 5q- syndrome. *Genomics* 45: 88-96.
32. Brenner S, Elgar G, Sandford R, Macrae A, Venkatesh B, Aparicio S (1993). Characterization of the pufferfish (Fugu) genome as a compact model vertebrate genome. *Nature* 366: 265-268.
33. Broman KW, Murray JC, Sheffield VC, White RL, Weber JL (1998). Comprehensive human genetic maps: individual and sex-specific variation in recombination. *Am J Hum Genet* 63: 861-869.

34. Bullock WO, Fernandez JM, Short JM (1987). XL1-Blue: A high efficiency plasmid transforming recA Echerichia coli strain with beta galactosidase selection. *Biotechniques* 5: 376-378.
35. Burns CM, Chu H, Rueter SM, Hutchinson LK, Canton H, Sanders-Bush E, Emeson RB (1997). Regulation of serotonin-2C receptor G-protein coupling by RNA editing. *Nature* 387: 303-308.
36. Buto S, Tagliabue E, Ardini E, Magnifico A, Ghirelli C, van den Brule F, Castronovo V, Colnaghi MI, Sobel ME, Menard S (1998). Formation of the 67-kDa laminin receptor by acylation of the precursor. *J Cell Biochem* 69: 244-251.
37. Butti MG, Bongarzone I, Ferraresi G, Mondellini P, Borrello MG, Pierotti MA (1995). A sequence analysis of the genomic regions involved in the rearrangements between TPM3 and NTRK1 genes producing TRK oncogenes in papillary thyroid carcinomas. *Genomics* 28: 15-24.
38. Capon F, Novelli G, Semprini S, Clementi M, Nudo M, Vultaggio P, Mazzanti C, Gobello T, Botta A, Fabrizi G, Dallapiccola B (1999). Searching for psoriasis susceptibility genes in Italy: genome scan and evidence for a new locus on chromosome 1. *J Invest Dermatol* 112: 32-35.
39. Castronovo V (1993). Laminin receptors and laminin-binding proteins during tumor invasion and metastasis. *Invasion Metastasis* 13: 1-30. Review.
40. Ceratto N, Dobkin C, Carter M, Jenkins E, Yao XL, Cassiman JJ, Aly MS, Bosco P, Leube R, Langbein L, Feo S, Romano V (1997). Human type I cytokeratin genes are a compact cluster. *Cytogenet Cell Genet* 77: 169-174.
41. Chalfie M, Tu Y, Euskirchen G, Ward WW, Prasher DC (1994). Green fluorescent protein as a marker for gene expression. *Science* 263: 802-805.
42. Chien CT, Bartel PL, Sternglanz R, Fields S (1991). The two-hybrid system: a method to identify and clone genes for proteins that interact with a protein of interest. *Proc Natl Acad Sci U S A* 88: 9578-9582.
43. Chumakov IM, Rigault P, Le Gall I, Bellanne-Chantelot C, Billault A, Guillou S, Soularue P, Guasconi G, Poullier E, Gros I, Belova M, Sambucy JL, Susini L, Gervy P, Glibert F, Beaufils S, Bui H, Massart C, Detand MF, Dukasz F, Lecoulant S, Ougen P, Perrot V, Saumler M, Soravito C, Bahouayila R, Cohenakenine A, Barillot E, Bertrand S, Codani JJ, Caterina D, Georges I, Lacroix B, Lucotte G, Sahbatou M, Schmit C, Sangouard M, Tubacher E, Dib C, Faure S, Fizames C, Gyapay G, Millasseau P, Nguyen S, Muselet D, Vignal A, Morissette J, Menninger J, Lieman J, Menninger H, Desai T, Banks A, Bray-Ward P, Ward D, Hudson T, Gerety S, Foote S, Stein L, Page DC, Weissenbach J, Le Paslier D, Cohen D (1995). A YAC contig map of the human genome. *Nature* 377: 175-297.
44. Chung CD, Liao J, Liu B, Rao X, Jay P, Berta P, Shuai K (1997). Specific inhibition of Stat3 signal transduction by PIAS3. *Science* 278: 1803-1805.
45. Church GM & Gilbert W (1984). Genomic sequencing. *Proc Natl Acad Sci U S A* 81: 1991-1995.
46. Clarke L & Carbon J (1976). A colony bank containing synthetic Col E1 hybrid plasmids representative of the entire *E. coli* genome. *Cell* 9: 91-99.
47. Clayton L, Reinach FC, Chumbley GM, MacLeod AR (1988). Organization of the hTMnm gene. Implications for the evolution of muscle and non-muscle tropomyosins. *J Mol Biol* 201: 507-515.
48. Cohen D, Chumakov I, Weissenbach J (1993). A first-generation physical map of the human genome. *Nature* 366: 698-701.
49. Cohen SN, Chang AC, Boyer HW, Helling RB (1973). Construction of biologically functional bacterial plasmids in vitro. *Proc Natl Acad Sci U S A* 70: 3240-3244.
50. Collins FS (1992). Positional cloning: let's not call it reverse anymore. *Nat Genet* 1: 3-6.
51. Collins FS & Galas D (1993). A new five-year plan for the U.S. Human Genome Project. *Science* 262: 43-46.
52. Conklin DC, Rixon MW, Kuestner RE, Maurer MF, Whitmore TE, Millar RP (2000). Cloning and gene expression of a novel human ribonucleoprotein. *Biochim Biophys Acta* 1492: 465-469.
53. Corpet F (1988). Multiple sequence alignment with hierarchical clustering. *Nucleic Acids Res* 16: 10881-10890.
54. Coulson A, Waterston R, Kiff J, Sulston J, Kohara Y (1988). Genome linking with yeast artificial chromosomes. *Nature* 335: 184-186.

55. Cox PR & Zoghbi HY (2000). Sequencing, expression analysis, and mapping of three unique human tropo-modulin genes and their mouse orthologs. *Genomics* 63: 97-107.
56. Dale BA, Resing KA, Lonsdale-Eccles JD (1985a). Filaggrin: a keratin filament associated protein. *Ann NY Acad Sci* 455: 330-342. Review.
57. Dale BA, Holbrook KA, Kimball JR, Hoff M, Sun TT (1985b). Expression of epidermal keratins and filaggrin during human fetal skin development. *J Cell Biol* 101: 1257-1269.
58. Dale BA, Presland RB, Fleckman P, Kam E, Resing KA (1993). Phenotypic expression and processing of filaggrin in epidermal differentiation. In *Molecular Biology of the Skin* (M Darmon & M Blumenberg, eds), pp 79-106. Academic Press Limited, London.
59. Darier J (1911). Erythrokeratodermie verruqueuse en nappes, symétrique et progressive. *Bull Soc Fr Dermatol Syphiligr* 22: 252-264.
60. DeBry RW & Seldin MF (1996). Human/mouse homology relationships. *Genomics* 33: 337-351. Review.
61. Dejgaard K & Leffers H (1996). Characterisation of the nucleic-acid-binding activity of KH domains. Different properties of different domains. *Eur J Biochem* 241: 425-431.
62. Deloukas P, Schuler GD, Gyapay G, Beasley EM, Soderlund C, Rodriguez-Tome P, Hui L, Matise TC, McKusick KB, Beckmann JS, Bentolila S, Bihoreau M, Birren BB, Browne J, Butler A, Castle AB, Chian-nilkulchai N, Cleo C, Day PJ, Dehejia A, Dibling T, Drouot N, Duprat S, Fizames C, Bentley DR, Fox S, Gelling S, Green L, Harrison P, Hocking R, Holloway E, Hunt S, Keil S, Lijnzaad P, Louis-Dit-Sully C, Ma J, Mendis A, Miller J, Morissette J, Muselet D, Nusbaum HC, Peck A, Rozen S, Simon D, Slonim DK, Staples R, Stein LD, Stewart EA, Suchard MA, Thangarajah T, Vega-Czarny N, Webber C, Wu X, Hudson J, Auffray C, Nomura N, Sikela JM, Polymeropoulos MH, James MR, Lander ES, Hudson TJ, Myers RM, Cox DR, Weissenbach J, Boguski MS, Bentley DR (1998). A physical map of 30,000 human genes. *Science* 282: 744-746.
63. Deveraux Q, Ustrell V, Pickart C, Rechsteiner M (1994). A 26 S protease subunit that binds ubiquitin conjugates. *J Biol Chem* 269: 7059-7061.
64. Deveraux Q, van Nocker S, Mahaffey D, Vierstra R, Rechsteiner M (1995). Inhibition of ubiquitin-mediated proteolysis by the Arabidopsis 26 S protease subunit S5a. *J Biol Chem* 270: 29660-29663.
65. Dib C, Faure S, Fizames C, Samson D, Drouot N, Vignal A, Millasseau P, Marc S, Hazan J, Seboun E, Lathrop M, Gyapay G, Morissette J, Weissenbach J (1996). A comprehensive genetic map of the human genome based on 5,264 microsatellites. *Nature* 380: 152-154.
66. Djian P, Easley K, Green H.J (2000). Targeted ablation of the murine involucrin gene. *Cell Biol* 151: 381-388.
67. Don RH, Cox PT, Wainwright BJ, Baker K, Mattick JS (1991). 'Touchdown' PCR to circumvent spurious priming during gene amplification. *Nucleic Acids Res* 19: 4008.
68. Donato R (1999). Functional roles of S100 proteins, calcium-binding proteins of the EF-hand type. *Biochim Biophys Acta* 1450: 191-231. Review.
69. Donis-Keller H, Green P, Helms C, Cartinhour S, Weiffenbach B, Stephens K, Keith TP, Bowden DW, Smith DR, Lander ES (1987). A genetic linkage map of the human genome. *Cell* 51: 319-337.
70. Dorin JR, Emslie E, van Heyningen V (1990). Related calcium-binding proteins map to the same subregion of chromosome 1q and to an extended region of synteny on mouse chromosome 3. *Genomics* 8: 420-426.
71. Dos Santos NR & Van Kessel AG (1999). Chromosomal abnormalities: detection and implications for cancer development. *Anticancer Res* 19: 4697-4714. Review.
72. Dracopoli NC, Bruns GA, Brodeur GM, Landes GM, Matise TC, Seldin MF, Vance JM, Weith A (1994). Report and abstracts of the First International Workshop on Human Chromosome 1 Mapping 1994. Bethesda, Maryland, March 25-27, 1994. *Cytogenet Cell Genet* 67: 144-165.
73. Duyk GM, Kim SW, Myers RM, Cox DR (1990). Exon trapping: a genetic screen to identify candidate transcribed sequences in cloned mammalian genomic DNA. *Proc Natl Acad Sci U S A* 87: 8995-8999.
74. Eckert RL & Green H (1986). Structure and evolution of the human involucrin gene. *Cell* 46: 583-589.
75. Eckert RL, Crish JF, Robinson NA (1997). The epidermal keratinocyte as a model for the study of gene regulation and cell differentiation. *Physiol Rev* 77: 397-424. Review.

76. Elliott KJ, Ellis SB, Berckhan KJ, Urrutia A, Chavez-Noriega LE, Johnson EC, Velicelebi G, Harpold MM (1996). Comparative structure of human neuronal alpha 2-alpha 7 and beta 2-beta 4 nicotinic acetylcholine receptor subunits and functional expression of the alpha 2, alpha 3, alpha 4, alpha 7, beta 2, and beta 4 sub-units. *J Mol Neurosci* 7: 217-228.
77. Elvin P, Slynn G, Black D, Graham A, Butler R, Riley J, Anand R, Markham AF (1990). Isolation of cDNA clones using yeast artificial chromosome probes. *Nucleic Acids Res* 18: 3913-3917.
78. Evans GA (1991). Physical mapping of the human genome by pulsed field gel analysis. *Curr Opin Genet Dev* 1: 75-81. Review.
79. Fan YS, Davis LM, Shows TB (1990). Mapping small DNA sequences by fluorescence in situ hybridization directly on banded metaphase chromosomes. *Proc Natl Acad Sci U S A* 87: 6223-6227.
80. Feder JN, Gnarke A, Thomas W, Tsuchihashi Z, Ruddy DA, Basava A, Dormishian F, Domingo R Jr, Ellis MC, Fullan A, Hinton LM, Jones NL, Kimmel BE, Kronmal GS, Lauer P, Lee VK, Loeb DB, Mapa FA, McClelland E, Meyer NC, Mintier GA, Moeller N, Moore T, Morikang E, Prass CE, Quintana L, Starnes SM, Schatzman RC, Brunke KJ, Drayna DT, Risch NJ, Bacon BR, Wolff RK (1996). A novel MHC class I-like gene is mutated in patients with hereditary haemochromatosis. *Nat Genet* 13: 399-408.
81. Ferrari S, Calabretta B, deRiel JK, Battini R, Ghezzo F, Lauret E, Griffin C, Emanuel BS, Gurrieri F, Baserga R (1987). Structural and functional analysis of a growth-regulated gene, the human calcyclin. *J Biol Chem* 262: 8325-8332.
82. Fietz MJ, Presland RB, Rogers GE (1990). The cDNA-deduced amino acid sequence for trichohyalin, a differentiation marker in the hair follicle, contains a 23 amino acid repeat. *J Cell Biol* 110: 427-436.
83. Fietz MJ, Rogers GE, Eyre HJ, Baker E, Callen DF, Sutherland GR (1992). Mapping of the trichohyalin gene: co-localization with the profilaggrin, involucrin, and loricrin genes. *J Invest Dermatol* 99: 542-544.
84. Fischer DF, Gibbs S, van De Putte P, Backendorf C (1996). Interdependent transcription control elements regulate the expression of the SPRR2A gene during keratinocyte terminal differentiation. *Mol Cell Biol* 16: 5365-5374.
85. Fischer DF, Sark MW, Lehtola MM, Gibbs S, van de Putte P, Backendorf C (1999). Structure and evolution of the human SPRR3 gene: implications for function and regulation. *Genomics* 55: 88-99.
86. Fisher GJ & Voorhees JJ (1996). Molecular mechanisms of retinoid actions in skin. *FASEB J* 10: 1002-1013. Review.
87. Fleckman P, Dale BA, Holbrook KA (1985). Profilaggrin, a high-molecular-weight precursor of filaggrin in human epidermis and cultured keratinocytes. *J Invest Dermatol* 85: 507-512.
88. Fleischmann RD, Adams MD, White O, Clayton RA, Kirkness EF, Kerlavage AR, Bult CJ, Tomb JF, Dougherty BA, Merrick JM, McKenney K, Sutton GG, FitzHugh W, Fields CA, Gocayne JD, Scott JD, Shirley R, Liu LI, Glodek A, Kelley JM, Weidman JF, Phillips CA, Spriggs T, Hedblom E, Cotton MD, Utterback T, Hanna MC, Nguyen DT, Saudek DM, Brandon RC, Fine LD, Fritchman JL, Fuhrmann JL, Geoghegan NS, Gnehm CL, McDonald LA, Small KV, Fraser CM, Smith HO, Venter JC (1995). Whole-genome random sequencing and assembly of Haemophilus influenzae Rd. *Science* 269: 496-512.
89. Floyd EE & Jetten AM (1989). Regulation of type I (epidermal) transglutaminase mRNA levels during squamous differentiation: down regulation by retinoids. *Mol Cell Biol* 9: 4846-4851.
90. Forus A, Berner JM, Meza-Zepeda LA, Saeter G, Mischke D, Fodstad O, Myklebost O (1998). Molecular characterization of a novel amplicon at 1q21-q22 frequently observed in human sarcomas. *Br J Cancer* 78: 495-503.
91. Fritsch P (1998). *Dermatologie und Venerologie*. Springer-Verlag, Berlin.
92. Frohman MA, Dush MK, Martin GR (1988). Rapid production of full-length cDNAs from rare transcripts: amplification using a single gene-specific oligonucleotide primer. *Proc Natl Acad Sci U S A* 85: 8998-9002.
93. Fu H, Sadis S, Rubin DM, Glickman M, van Nocker S, Finley D, Vierstra RD (1998). Multiubiquitin chain binding and protein degradation are mediated by distinct domains within the 26 S proteasome subunit Mcb1. *J Biol Chem* 273: 1970-1981.
94. Fuchs E & Green H (1981). Regulation of terminal differentiation of cultured human keratinocytes by vitamin A. *Cell* 25: 617-625.

95. Fukagawa T, Sugaya K, Matsumoto K, Okumura K, Ando A, Inoko H, Ikemura T (1995). A boundary of long-range G + C% mosaic domains in the human MHC locus: pseudoautosomal boundary-like sequence exists near the boundary. *Genomics* 25: 184-191.
96. Gallagher AR, Cedzich A, Gretz N, Somlo S, Witzgall R (2000). The polycystic kidney disease protein PKD2 interacts with Hax-1, a protein associated with the actin cytoskeleton. *Proc Natl Acad Sci U S A* 97: 4017-4022.
97. Gan SQ, McBride OW, Idler WW, Markova N, Steinert PM (1990). Organization, structure, and polymorphisms of the human profilaggrin gene. *Biochemistry* 29 : 9432-9440.
98. Gao X, Copeland NG, Gilbert DJ, Jenkins NA, Gridley T (1998). Assignment of the murine Notch2 and Notch3 genes to chromosomes 3 and 17. *Genomics* 49: 160-161.
99. Gariboldi M, Manenti G, Dragani TA, Pierotti MA (1995). Chromosome mapping of nine tropomyosin-related sequences in mice. *Mamm Genome* 6: 273-277.
100. Gehlsen KR, Dillner L, Engvall E, Ruoslahti E (1988). The human laminin receptor is a member of the integrin family of cell adhesion receptors. *Science* 241: 1228-1229.
101. Gendler SJ, Cohen EP, Craston A, Duhig T, Johnstone G, Barnes D (1990). The locus of the polymorphic epithelial mucin (PEM) tumour antigen on chromosome 1q21 shows a high frequency of alteration in primary human breast tumours. *Int J Cancer* 45: 431-435.
102. Geraghty MT, Brody LC, Martin LS, Marble M, Kearns W, Pearson P, Monaco AP, Lehrach H, Valle D (1993). The isolation of cDNAs from OATL1 at Xp 11.2 using a 480-kb YAC. *Genomics* 16: 440-446.
103. Gerard WL, Hop FW, Hendriks IL, Bloemendaal H (1994). Cloning and expression of a human pro(tea)some beta-subunit cDNA: a homologue of the yeast PRE4-subunit essential for peptidylglutamyl-peptide hydrolase activity. *FEBS Lett* 346: 151-155.
104. Gerke V & Weber K (1985). The regulatory chain in the p36-kd substrate complex of viral tyrosine-specific protein kinases is related in sequence to the S-100 protein of glial cells. *EMBO J* 4: 2917-2920.
105. Gibbs S, Fijneman R, Wiegant J, van Kessel AG, van De Putte P, Backendorf C (1993). Molecular characterization and evolution of the SPRR family of keratinocyte differentiation markers encoding small proline-rich proteins. *Genomics* 16: 630-637.
106. Gitschier J, Wood WI, Goralka TM, Wion KL, Chen EY, Eaton DH, Vehar GA, Capon DJ, Lawn RM (1984). Characterization of the human factor VIII gene. *Nature* 312: 326-330.
107. Glusman G, Yanai I, Rubin I, Lancet D (2001). The complete human olfactory subgenome. *Genome Res* 11: 685-702.
108. Goebeler M, Roth J, van den Bos C, Ader G, Sorg C (1995). Increase of calcium levels in epithelial cells induces translocation of calcium-binding proteins migration inhibitory factor-related protein 8 (MRP8) and MRP14 to keratin intermediate filaments. *Biochem J* 309(Pt 2): 419-424.
109. Goffeau A, Barrell BG, Bussey H, Davis RW, Dujon B, Feldmann H, Galibert F, Hoheisel JD, Jacq C, Johnston M, Louis EJ, Mewes HW, Murakami Y, Philippsen P, Tettelin H, Oliver SG (1996). Life with 6000 genes. *Science* 274: 546, 563-567. Review.
110. Gordon AM, Homsher E, Regnier M (2000). Regulation of contraction in striated muscle. *Physiol Rev* 80: 853-924. Review.
111. Goss SJ & Harris H (1975). New method for mapping genes in human chromosomes. *Nature* 255: 680-684.
112. Grando SA, Horton RM, Pereira EF, Diethelm-Okita BM, George PM, Albuquerque EX, Conti-Fine BM (1995). A nicotinic acetylcholine receptor regulating cell adhesion and motility is expressed in human keratinocytes. *J Invest Dermatol* 105: 774-781.
113. Grando SA, Horton RM, Mauro TM, Kist DA, Lee TX, Dahl MV (1996). Activation of keratinocyte nicotinic cholinergic receptors stimulates calcium influx and enhances cell differentiation. *J Invest Dermatol* 107: 412-418.
114. Green ED, Riethman HC, Dutchik JE, Olson MV (1991). Detection and characterization of chimeric yeast artificial-chromosome clones. *Genomics* 11: 658-669.
115. Green H & Watt FM (1982). Regulation by vitamin A of envelope cross-linking in cultured keratinocytes derived from different human epithelia. *Mol Cell Biol* 2: 1115-1117.

- 116.Gyapay G, Morissette J, Vignal A, Dib C, Fizames C, Millasseau P, Marc S, Bernardi G, Lathrop M, Weissenbach J (1994). The 1993-94 Genethon human genetic linkage map. *Nat Genet* 7: 246-339.
- 117.Haftek M, Serre G, Mils V, Thivolet J (1991). Immunocytochemical evidence for a possible role of cross-linked keratinocyte envelopes in stratum corneum cohesion. *J Histochem Cytochem* 39: 1531-1538.
- 118.Hagens G, Masouye I, Augsburger E, Hotz R, Saurat JH, Siegenthaler G (1999). Calcium-binding protein S100A7 and epidermal-type fatty acid-binding protein are associated in the cytosol of human keratinocytes. *Biochem J* 339: 419-427.
- 119.Hamilton EH, Payne RE Jr, O'Keefe EJ (1991). Trichohyalin: presence in the granular layer and stratum corneum of normal human epidermis. *J Invest Dermatol* 96: 666-672.
- 120.Hanahan D (1983). Studies on transformation of Escherichia coli with plasmids. *J Mol Biol* 166: 557-580.
- 121.Hardas BD & Elder JT (1992). Physical linkage of CRABP-II and calcyclin on chromosome 1q21 by yeast artificial chromosome cloning. *J Invest Dermatol* 98: 569.
- 122.Hardas BD, Zhang J, Trent JM, Elder JT (1994). Direct evidence for homologous sequences on the para-centric regions of human chromosome 1. *Genomics* 21: 359-363.
- 123.Hardas BD, Zhao X, Zhang J, Longqing X, Stoll S, Elder JT (1996). Assignment of psoriasin to human chromosomal band 1q21: coordinate overexpression of clustered genes in psoriasis. *J Invest Dermatol* 106: 753-758.
- 124.Harder T, Kube E, Gerke V (1992). Cloning and characterization of the human gene encoding p11: structural similarity to other members of the S-100 gene family. *Gene* 113: 269-274.
- 125.Hay JC, Fisette PL, Jenkins GH, Fukami K, Takenawa T, Anderson RA, Martin TF (1995). ATP-dependent inositide phosphorylation required for Ca(2+)-activated secretion. *Nature* 374: 173-177.
- 126.Heinrichs H, Wernet P, Ziegler A (1980). Expression of major histocompatibility antigens on human thymocytes studied using monoclonal antibodies. *Immunogenetics* 11: 629-635.
- 127.Heitzler P & Simpson P (1991). The choice of cell fate in the epidermis of Drosophila. *Cell* 64: 1083-1092.
- 128.Hennings H, Michael D, Cheng C, Steinert P, Holbrook K, Yuspa SH (1980). Calcium regulation of growth and differentiation of mouse epidermal cells in culture. *Cell* 19: 245-254.
- 129.Herrmann H & Harris JR (1998). Subcell Biochem, Vol 31: Intermediate Filaments. Plenum Press, New York, NY.
- 130.Higgs DR, Wood WG, Jarman AP, Sharpe J, Lida J, Pretorius IM, Ayyub H (1990). A major positive regulatory region located far upstream of the human alpha-globin gene locus. *Genes Dev* 4: 1588-1601.
- 131.Hisama FM, Oshima J, Yu CE, Fu YH, Mulligan J, Weissman SM, Schellenberg GD (1998). Comparison of methods for identifying transcription units and transcription map of the Werner syndrome gene region. *Genomics* 52: 352-357.
- 132.Hitomi J, Maruyama K, Kikuchi Y, Nagasaki K, Yamaguchi K (1996). Characterization of a new calcium-binding protein abundant in amniotic fluid, CAAF2, which is produced by fetal epidermal keratinocytes during embryogenesis. *Biochem Biophys Res Commun* 228: 757-763.
- 133.Hoggard N, Brinell B, Howell A, Weissenbach J, Varley J (1995). Allelic imbalance on chromosome 1 in human breast cancer. II. Microsatellite repeat analysis. *Genes Chromosomes Cancer* 12: 24-31.
- 134.Hohl D, Lichti U, Breitkreutz D, Steinert PM, Roop DR (1991a). Transcription of the human loricrin gene in vitro is induced by calcium and cell density and suppressed by retinoic acid. *J Invest Dermatol* 96: 414-418.
- 135.Hohl D, Mehrel T, Lichti U, Turner ML, Roop DR, Steinert PM (1991b). Characterization of human loricrin. Structure and function of a new class of epidermal cell envelope proteins. *J Biol Chem* 266: 6626-6636.
- 136.Hohl D, de Viragh PA, Amiguet-Barras F, Gibbs S, Backendorf C, Huber M (1995). The small proline-rich proteins constitute a multigene family of differentially regulated cornified cell envelope precursor proteins. *J Invest Dermatol* 104: 902-909.
- 137.Holbrook K (1994). Ultrastructure of the epidermis. In The Keratinocyte Handbook (IM Leigh, EB Lane, FM Watt, eds), pp 3-39. Cambridge University Press, Cambridge.

138. Honda A, Nogami M, Yokozeki T, Yamazaki M, Nakamura H, Watanabe H, Kawamoto K, Nakayama K, Morris AJ, Frohman MA, Kanaho Y (1999). Phosphatidylinositol 4-phosphate 5-kinase alpha is a downstream effector of the small G protein ARF6 in membrane ruffle formation. *Cell* 99: 521-532.
139. Hosomi J, Hosoi J, Abe E, Suda T, Kuroki T (1983). Regulation of terminal differentiation of cultured mouse epidermal cells by 1 alpha,25-dihydroxyvitamin D₃. *Endocrinology* 113: 1950-1957.
140. Huber M, Rettler I, Bernasconi K, Frenk E, Lavrijsen SP, Ponec M, Bon A, Lautenschlager S, Schorderet DF, Hohl D (1995). Mutations of keratinocyte transglutaminase in lamellar ichthyosis. *Science* 267: 525-528.
141. Huber M, Yee VC, Burri N, Vikerfors E, Lavrijsen AP, Paller AS, Hohl D (1997). Consequences of seven novel mutations on the expression and structure of keratinocyte transglutaminase. *J Biol Chem* 272: 21018-21026.
142. Huber R, Berendes R, Burger A, Schneider M, Karshikov A, Luecke H, Romisch J, Paques E (1992). Crystal and molecular structure of human annexin V after refinement. Implications for structure, membrane binding and ion channel formation of the annexin family of proteins. *J Mol Biol* 223: 683-704.
143. Hudson TJ, Stein LD, Gerety SS, Ma J, Castle AB, Silva J, Slonim DK, Baptista R, Kruglyak L, Xu SH, Hu X, Colbert A, Rosenberg C, Reeve-Daly MP, Rozen S, Hui L, Wu X, Vestergaard C, Wilson K, Bae J, Maiatra S, Ganiatsas S, Evans C, DeAngelis M, Ingalls K, Nahf R, Horton L, Oschin M, Collymore A, Ye W, Kouyoumjian V, Zernsteva I, Tarn J, Devine R, Courtney D, Renaud M, Nguyen H, O'Connor T, Fizames C, Faure S, Gyapay G, Dib C, Morissette J, Orlin J, Birren B, Goodman N, Weissenbach J, Hawkins T, Foote S, Page D, Lander E (1995). An STS-based map of the human genome. *Science* 270: 1945-1954, with supplementary data from the Whitehead Institute/MIT Center for Genome Research, Human Genetic Mapping Project, Data Release 12 (July 1997).
144. Huebner K, Cannizzaro LA, Frey AZ, Hecht BK, Hecht F, Croce CM, Wallner BP (1988). Chromosomal localization of the human genes for lipocortin I and lipocortin II. *Oncogene Res* 2: 299-310.
145. Ihle JN (1996). STATs: signal transducers and activators of transcription. *Cell* 84: 331-334. Review.
146. Iris FJ, Bougueret L, Prieur S, Caterina D, Primas G, Perrot V, Jurka J, Rodriguez-Tome P, Claverie JM, Cohen D, Dausset J (1993). Dense Alu clustering and a potential new member of the NF kappa B family within a 90 kilobase HLA class III segment. *Nat Genet* 3: 137-145.
147. Ishida-Yamamoto A, McGrath JA, Lam H, Iizuka H, Friedman RA, Christiano AM (1997). The molecular pathology of progressive symmetric erythrokeratoderma: a frameshift mutation in the loricrin gene and perturbations in the cornified cell envelope. *Am J Hum Genet* 61: 581-589.
148. Ishida-Yamamoto A, Takahashi H, Presland RB, Dale BA, Iizuka H (1998). Translocation of profilaggrin N-terminal domain into keratinocyte nuclei with fragmented DNA in normal human skin and loricrin keratoderma. *Lab Invest* 78: 1245-1253.
149. Ishihara H, Shibasaki Y, Kizuki N, Katagiri H, Yazaki Y, Asano T, Oka Y (1996). Cloning of cDNAs encoding two isoforms of 68-kDa type I phosphatidylinositol-4-phosphate 5-kinase. *J Biol Chem* 271: 23611-23614.
150. Ishihara H, Shibasaki Y, Kizuki N, Wada T, Yazaki Y, Asano T, Oka Y (1998). Type I phosphatidylinositol-4-phosphate 5-kinases. Cloning of the third isoform and deletion/substitution analysis of members of this novel lipid kinase family. *J Biol Chem* 273: 8741-8748.
151. Jackers P, Clausse N, Fernandez M, Berti A, Princen F, Wewer U, Sobel ME, Castronovo V (1996a). Seventeen copies of the human 37 kDa laminin receptor precursor/p40 ribosome-associated protein gene are processed pseudogenes arisen from retropositional events. *Biochim Biophys Acta* 1305: 98-104.
152. Jackers P, Minoletti F, Belotti D, Clausse N, Sozzi G, Sobel ME, Castronovo V (1996b). Isolation from a multigene family of the active human gene of the metastasis-associated multifunctional protein 37LRP/p40 at chromosome 3p21.3. *Oncogene* 13: 495-503.
153. Janmey PA (1994). Phosphoinositides and calcium as regulators of cellular actin assembly and disassembly. *Annu Rev Physiol* 56: 169-191. Review.
154. Jones BB, Ohno CK, Allenby G, Boffa MB, Levin AA, Grippo JF, Petkovich M (1995). New retinoid X receptor subtypes in zebra fish (*Danio rerio*) differentially modulate transcription and do not bind 9-cis retinoic acid. *Mol Cell Biol* 15: 5226-5234.

- 155.Kang HK & Cox DW (1996). Tandem repeats 3' of the IGH genes in the human immunoglobulin heavy chain gene cluster. *Genomics* 35: 189-195.
- 156.Kartasova T & van de Putte P (1988). Isolation, characterization, and UV-stimulated expression of two families of genes encoding polypeptides of related structure in human epidermal keratinocytes. *Mol Cell Biol* 8: 2195-2203.
- 157.Kartasova T, van Muijen GN, van Pelt-Heerschap H, van de Putte P (1988). Novel protein in human epidermal keratinocytes: regulation of expression during differentiation. *Mol Cell Biol* 8: 2204-2210.
- 158.Kasahara M, Hayashi M, Tanaka K, Inoko H, Sugaya K, Ikemura T, Ishibashi T (1996). Chromosomal localization of the proteasome Z subunit gene reveals an ancient chromosomal duplication involving the major histocompatibility complex. *Proc Natl Acad Sci U S A* 93: 9096-9101.
- 159.Kasahara M, Nakaya J, Satta Y, Takahata N (1997). Chromosomal duplication and the emergence of the adaptive immune system. *Trends Genet* 13: 90-92. Review.
- 160.Katsanis N, Fitzgibbon J, Fisher EM (1996). Paralogy mapping: identification of a region in the human MHC triplicated onto human chromosomes 1 and 9 allows the prediction and isolation of novel PBX and NOTCH loci. *Genomics* 35: 101-108.
- 161.Kerem B, Rommens JM, Buchanan JA, Markiewicz D, Cox TK, Chakravarti A, Buchwald M, Tsui LC (1989). Identification of the cystic fibrosis gene: genetic analysis. *Science* 245: 1073-1080.
- 162.Kim U, Wang Y, Sanford T, Zeng Y, Nishikura K (1994). Molecular cloning of cDNA for double-stranded RNA adenosine deaminase, a candidate enzyme for nuclear RNA editing. *Proc Natl Acad Sci U S A* 91: 11457-11461.
- 163.Kitamura D, Kaneko H, Miyagoe Y, Ariyasu T, Watanabe T (1989). Isolation and characterization of a novel human gene expressed specifically in the cells of hematopoietic lineage. *Nucleic Acids Res* 17: 9367-9379.
- 164.Kizawa K, Uchiwa H, Murakami U (1996). Highly-expressed S100A3, a calcium-binding protein, in human hair cuticle. *Biochim Biophys Acta* 1312: 94-98.
- 165.Koch PJ, de Viragh PA, Scharer E, Bundman D, Longley MA, Bickenbach J, Kawachi Y, Suga Y, Zhou Z, Huber M, Hohl D, Kartasova T, Jarnik M, Steven AC, Roop DR (2000). Lessons from loricrin-deficient mice: compensatory mechanisms maintaining skin barrier function in the absence of a major cornified envelope protein. *J Cell Biol* 151: 389-400.
- 166.Kominami K, DeMartino GN, Moomaw CR, Slaughter CA, Shimbara N, Fujimuro M, Yokosawa H, Hisamatsu H, Tanahashi N, Shimizu Y, Tanaka K, Toh-e A (1995). Nin1p, a regulatory subunit of the 26S proteasome, is necessary for activation of Cdc28p kinase of *Saccharomyces cerevisiae*. *EMBO J* 14: 3105-3115.
- 167.Kopan R, Traska G, Fuchs E (1987). Retinoids as important regulators of terminal differentiation: examining keratin expression in individual epidermal cells at various stages of keratinization. *J Cell Biol* 105: 427-440.
- 168.Kouprina N, Nikolaishvili N, Graves J, Koriabine M, Resnick MA, Larionov V (1999). Integrity of human YACs during propagation in recombination-deficient yeast strains. *Genomics* 56: 262-273.
- 169.Kourie JI & Wood HB (2000). Biophysical and molecular properties of annexin-formed channels. *Prog Biophys Mol Biol* 73: 91-134. Review.
- 170.Kretsinger RH (1976). Calcium-binding proteins. *Annu Rev Biochem* 45: 239-266. Review.
- 171.Krieg P, Schuppler M, Koesters R, Mincheva A, Licher P, Marks F (1997). Repetin (Rptn), a new member of the "fused gene" subgroup within the S100 gene family encoding a murine epidermal differentiation protein. *Genomics* 43: 339-348.
- 172.Lagasse E & Clerc RG (1988). Cloning and expression of two human genes encoding calcium-binding proteins that are regulated during myeloid differentiation. *Mol Cell Biol* 8: 2402-2410.
- 173.Lai E, Birren BW, Clark SM, Simon MI, Hood L (1989). Pulsed field gel electrophoresis. *Biotechniques* 7: 34-42. Review.

- 174.Laing NG, Wilton SD, Akkari PA, Dorosz S, Boundy K, Kneebone C, Blumbergs P, White S, Watkins H, Love DR, Haan E (1995). A mutation in the alpha tropomyosin gene TPM3 associated with autosomal dominant nemaline myopathy NEM1. *Nat Genet* 9: 75-79.
- 175.Lamant L, Dastugue N, Pulford K, Delsol G, Mariame B (1999). A new fusion gene TPM3-ALK in anaplastic large cell lymphoma created by a (1;2)(q25;p23) translocation. *Blood* 93: 3088-3095.
- 176.Lamb FS, Barna TJ, Goud C, Marenholz I, Mischke D, Schutte BC (2000). Complex RNA processing of TDRKH, a novel gene encoding the putative RNA-binding tudor and KH domains. *Gene* 246: 209-218.
- 177.Larsson C, Lardelli M, White I, Lendahl U (1994). The human NOTCH1, 2, and 3 genes are located at chromosome positions 9q34, 1p13-p11, and 19p13.2-p13.1 in regions of neoplasia-associated translocation. *Genomics* 24: 253-258.
- 178.Lee SC, Kim IG, Marekov LN, O'Keefe EJ, Parry DA, Steinert PM (1993). The structure of human trichohyalin. Potential multiple roles as a functional EF-hand-like calcium-binding protein, a cornified cell envelope precursor, and an intermediate filament-associated (cross-linking) protein. *J Biol Chem* 268: 12164-12176.
- 179.Lee SW, Tomasetto C, Swisshelm K, Keyomarsi K, Sager R (1992). Down-regulation of a member of the S100 gene family in mammary carcinoma cells and reexpression by azadeoxycytidine treatment. *Proc Natl Acad Sci U S A* 89: 2504-2508.
- 180.Lee YA, Ruschendorf F, Windemuth C, Schmitt-Egenolf M, Stadelmann A, Nurnberg G, Stander M, Winkler TF, Reis A, Traupe H (2000). Genomewide scan in german families reveals evidence for a novel psoriasis-susceptibility locus on chromosome 19p13. *Am J Hum Genet* 67: 1020-1024.
- 181.Li XY, Boudjelal M, Xiao JH, Peng ZH, Asuru A, Kang S, Fisher GJ, Voorhees JJ (1999). 1,25-Dihydroxyvitamin D₃ increases nuclear vitamin D₃ receptors by blocking ubiquitin/proteasome-mediated degradation in human skin. *Mol Endocrinol* 13: 1686-1694.
- 182.Lin JJ, Warren KS, Wamboldt DD, Wang T, Lin JL (1997). Tropomyosin isoforms in nonmuscle cells. *Int Rev Cytol* 170: 1-38. Review.
- 183.Lindsay S & Bird AP (1987). Use of restriction enzymes to detect potential gene sequences in mammalian DNA. *Nature* 327: 336-338.
- 184.Lindsell CE, Boulter J, diSibio G, Gossler A, Weinmaster G (1996). Expression patterns of Jagged, Delta1, Notch1, Notch2, and Notch3 genes identify ligand-receptor pairs that may function in neural development. *Mol Cell Neurosci* 8: 14-27.
- 185.Linn S & Arber W (1968). Host specificity of DNA produced by *Escherichia coli*, X. *In vitro* restriction of phage fd replicative form. *Proc Natl Acad Sci U S A* 59: 1300-1306.
- 186.Lioumi M, Olavesen MG, Nizetic D, Ragoussis J (1998). High-resolution YAC fragmentation map of 1q21. *Genomics* 49: 200-208.
- 187.Lioumi M, Ferguson CA, Sharpe PT, Freeman T, Marenholz I, Mischke D, Heizmann C, Ragoussis J (1999). Isolation and characterization of human and mouse ZIRTL, a member of the IRT1 family of transporters, mapping within the epidermal differentiation complex. *Genomics* 62: 272-280.
- 188.Loijens JC & Anderson RA (1996). Type I phosphatidylinositol-4-phosphate 5-kinases are distinct members of this novel lipid kinase family. *J Biol Chem* 271: 32937-32943.
- 189.Lomholt B, Frederiksen S, Nielsen JN, Hallenberg C (1995). Additional assignment of the human 5S rRNA genes to chromosome region 1q31. *Cytogenet Cell Genet* 70: 76-79.
- 190.Lopez R, Larsen F, Prydz H (1994). Evaluation of the exon predictions of the GRAIL software. *Genomics* 24: 133-136.
- 191.Lovett M, Kere J, Hinton LM (1991). Direct selection: a method for the isolation of cDNAs encoded by large genomic Regions. *Proc Natl Acad Sci U S A* 88: 9628-9632.
- 192.Lowell S, Jones P, Le Roux I, Dunne J, Watt FM (2000). Stimulation of human epidermal differentiation by delta-notch signalling at the boundaries of stem-cell clusters. *Curr Biol* 10: 491-500.
- 193.Lueders KK, Elliott RW, Marenholz I, Mischke D, DuPree M, Hamer D (1999). Genomic organization and mapping of the human and mouse neuronal beta2-nicotinic acetylcholine receptor genes. *Mamm Genome* 10: 900-905.

194. Lundin LG (1993). Evolution of the vertebrate genome as reflected in paralogous chromosomal regions in man and the house mouse. *Genomics* 16: 1-19. Review.
195. MacLeod AR, Houlker C, Reinach FC, Talbot K (1986). The mRNA and RNA-copy pseudogenes encoding TM30nm, a human cytoskeletal tropomyosin. *Nucleic Acids Res* 14: 8413-8426.
196. Madsen P, Rasmussen HH, Leffers H, Honore B, Dejgaard K, Olsen E, Kiil J, Walbum E, Andersen AH, Basse B, Lauridsen JB, Ratz GP, Celis A, Vandekerckhove J, Celis JE (1991). Molecular cloning, occurrence, and expression of a novel partially secreted protein "psoriasin" that is highly up-regulated in psoriatic skin. *J Invest Dermatol* 97: 701-712.
197. Maelandsmo GM, Florenes VA, Mellingsaeter T, Hovig E, Kerbel RS, Fodstad O (1997). Differential expression patterns of S100A2, S100A4 and S100A6 during progression of human malignant melanoma. *Int J Cancer* 74: 464-469.
198. Maestrini E, Monaco AP, McGrath JA, Ishida-Yamamoto A, Camisa C, Hovnanian A, Weeks DE, Lathrop M, Uitto J, Christiano AM (1996). A molecular defect in loricrin, the major component of the cornified cell envelope, underlies Vohwinkel's syndrome. *Nat Genet* 13: 70-77.
199. Manabe M & O'Guin WM (1994). Existence of trichohyalin-keratohyalin hybrid granules: co-localization of two major intermediate filament-associated proteins in non-follicular epithelia. *Differentiation* 58: 65-75.
200. Marekov LN & Steinert PM (1998). Ceramides are bound to structural proteins of the human foreskin epidermal cornified cell envelope. *J Biol Chem* 273: 17763-17770.
201. Maxam AM & Gilbert W (1977). A new method for sequencing DNA. *Proc Natl Acad Sci U S A* 74: 560-564.
202. McCusker D, Jones T, Sheer D, Trowsdale J (1997). Genetic relationships of the genes encoding the human proteasome beta subunits and the proteasome PA28 complex. *Genomics* 45: 362-367.
203. McKinley-Grant LJ, Idler WW, Bernstein IA, Parry DA, Cannizzaro L, Croce CM, Huebner K, Lessin SR, Steinert PM (1989). Characterization of a cDNA clone encoding human filaggrin and localization of the gene to chromosome region 1q21. *Proc Natl Acad Sci U S A* 86: 4848-4852.
204. Menard S, Castronovo V, Tagliabue E, Sobel ME (1997). New insights into the metastasis-associated 67 kD laminin receptor. *J Cell Biochem* 67: 155-165. Review.
205. Mendel G (1866). Versuche über Pflanzenhybriden. *Verh Naturforsch Ver Brünn* 4: 3-47.
206. Menon GK, Grayson S, Elias PM (1985). Ionic calcium reservoirs in mammalian epidermis: ultrastructural localization by ion-capture cytochemistry. *J Invest Dermatol* 84: 508-512.
207. Migeon BR & Miller CS (1968). Human-mouse somatic cell hybrids with single human chromosome (group E): link with thymidine kinase activity. *Science* 162: 1005-1006.
208. Mischke D, Korge BP, Marenholz I, Volz A, Ziegler A (1996). Genes encoding structural proteins of epidermal cornification and S100 calcium-binding proteins form a gene complex ("epidermal differentiation complex") on human chromosome 1q21. *J Invest Dermatol* 106: 989-992.
209. Mischke D (1998). The complexity of gene families involved in epithelial differentiation: keratin genes and the epidermal differentiation complex. In *Subcell Biochem*, Vol 31: Intermediate Filaments (H Herrmann & JR Harris, eds), pp 71-104. Plenum Press, New York, NY.
210. Mitelman F, Mertens F, Johansson B (1997). A breakpoint map of recurrent chromosomal rearrangements in human neoplasia. *Nat Genet* 15: 417-474.
211. Miyado K, Kimura M, Taniguchi S (1996). Decreased expression of a single tropomyosin isoform, TM5/TM30nm, results in reduction in motility of highly metastatic B16-F10 mouse melanoma cells. *Biochem Biophys Res Commun* 225: 427-435.
212. Moog-Lutz C, Bouillet P, Regnier CH, Tomasetto C, Mattei MG, Chenard MP, Anglard P, Rio MC, Bassett P (1995). Comparative expression of the psoriasin (S100A7) and S100C genes in breast carcinoma and co-localization to human chromosome 1q21-q22. *Int J Cancer* 63: 297-303.
213. Morgan RO & Fernandez MP (1998). Expression profile and structural divergence of novel human annexin 31. *FEBS Lett* 434: 300-304.
214. Morgan RO, Bell DW, Testa JR, Fernandez MP (1999). Human annexin 31 genetic mapping and origin. *Gene* 227: 33-38.

- 215.Morgan TH, Sturtevant AH, Muller HJ, Bridges C (1915). The Mechanism of Mendelian Heredity. Henry Holt & Co, New York, NY.
- 216.Morley SM & Lane EB (1994). The keratinocyte cytoskeleton. In The Keratinocyte Handbook (IM Leigh, EB Lane, FM Watt, eds), pp 293-321. Cambridge University Press, Cambridge.
- 217.Mullis KB & Faloona FA (1987). Specific synthesis of DNA in vitro via a polymerase-catalyzed chain reaction. *Methods Enzymol* 155: 335-350.
- 218.Munz B, Gerke V, Gillitzer R, Werner S (1997). Differential expression of the calpactin I subunits annexin II and p11 in cultured keratinocytes and during wound repair. *J Invest Dermatol* 108: 307-312.
- 219.Murray JC, Buetow KH, Weber JL, Ludwigsen S, Scherbier-Heddemann T, Manion F, Quillen J, Sheffield VC, Sundren S, Duyk GM, Weissenbach J, Gyapay G, Dib C, Morrisette J, Lathrop GM, Vignal A, White R, Matsunami N, Gerken S, Melis R, Albertsen H, Plaetke R, Odelberg S, Ward D, Dausset J, Cohen D, Cann H (1994). A comprehensive human linkage map with centimorgan density. Cooperative Human Linkage Center (CHLC). *Science* 265: 2049-2054.
- 220.Nagase T, Seki N, Tanaka A, Ishikawa K, Nomura N (1995). Prediction of the coding sequences of unidentified human genes. IV. The coding sequences of 40 new genes (KIAA0121-KIAA0160) deduced by analysis of cDNA clones from human cell line KG-1. *DNA Res* 2: 167-174, (supplement) 199-210.
- 221.Nagase T, Ishikawa K, Miyajima N, Tanaka A, Kotani H, Nomura N, Ohara O (1998). Prediction of the coding sequences of unidentified human genes. IX. The complete sequences of 100 new cDNA clones from brain which can code for large proteins in vitro. *DNA Res* 5: 31-39.
- 222.Nakamura Y, Leppert M, O'Connell P, Wolff R, Holm T, Culver M, Martin C, Fujimoto E, Hoff M, Kumlin E, White R (1987). Variable number of tandem repeat (VNTR) markers for human gene mapping. *Science* 235: 1616-1622.
- 223.Nakata T, Sobue K, Hirokawa N (1990). Conformational change and localization of calpactin I complex involved in exocytosis as revealed by quick-freeze, deep-etch electron microscopy and immunocytochemistry. *J Cell Biol* 110: 13-25.
- 224.Neel JV (1949). The inheritance of sickle cell anemia. *Science* 110: 64-66.
- 225.Neil DL, Villasante A, Fisher RB, Vetrie D, Cox B, Tyler-Smith C (1990). Structural instability of human tandemly repeated DNA sequences cloned in yeast artificial chromosome vectors. *Nucleic Acids Res* 18: 1421-1428.
- 226.Nirunsuksiri W, Presland RB, Brumbaugh SG, Dale BA, Fleckman P (1995). Decreased profilaggrin expression in ichthyosis vulgaris is a result of selectively impaired posttranscriptional control. *J Biol Chem* 270: 871-876.
- 227.Nizetic D & Lehrach H (1995). Chromosome-specific gridded cosmid libraries: construction, handling, and use in parallel and integrated mapping. In *DNA Cloning 3, Complex Genomes* (DM Glover & BD Hames, eds), pp 49-79. Oxford University Press, Oxford.
- 228.Nomura N, Nagase T, Miyajima N, Sazuka T, Tanaka A, Sato S, Seki N, Kawarabayasi Y, Ishikawa K, Tabata S (1994). Prediction of the coding sequences of unidentified human genes. II. The coding sequences of 40 new genes (KIAA0041-KIAA0080) deduced by analysis of cDNA clones from human cell line KG-1. *DNA Res* 1: 223-229.
- 229.Nothwang HG, Tamura T, Tanaka K, Ichihara A (1994). Sequence analyses and inter-species comparisons of three novel human proteasomal subunits, HsN3, HsC7-I and HsC10-II, confine potential proteolytic active-site residues. *Biochim Biophys Acta* 1219: 361-368.
- 230.Oakey RJ, Watson ML, Seldin MF (1992). Construction of a physical map on mouse and human chromosome 1: comparison of 13 Mb of mouse and 11 Mb of human DNA. *Hum Mol Genet* 1: 613-620.
- 231.O'Guin WM, Sun TT, Manabe M (1992). Interaction of trichohyalin with intermediate filaments: three immunologically defined stages of trichohyalin maturation. *J Invest Dermatol* 98: 24-32.
- 232.Olsen E, Rasmussen HH, Celis JE (1995). Identification of proteins that are abnormally regulated in differentiated cultured human keratinocytes. *Electrophoresis* 16: 2241-2248.
- 233.Olson M, Hood L, Cantor C, Botstein D (1989). A common language of physical mapping of the human genome. *Science* 245: 1434-1435.

234. Pauling L, Itano HA, Singer SJ, Wells IC (1949). Sickle cell anemia, a molecular disease. *Science* 110: 543-548.
235. Pedrocchi M, Schafer BW, Mueller H, Eppenberger U, Heizmann CW (1994). Expression of Ca(2+)-binding proteins of the S100 family in malignant human breast-cancer cell lines and biopsy samples. *Int J Cancer* 57: 684-690.
236. Ponting CP (1997). Tudor domains in proteins that interact with RNA. *Trends Biochem Sci* 22: 51-52. Review.
237. Pook MA, Carvajal JJ, Doudney K, Hillermann R, Chamberlain S (1997). Exon-intron structure of a 2.7-kb transcript of the STM7 gene with phosphatidylinositol-4-phosphate 5-kinase activity. *Genomics* 42: 170-172.
238. Povoa G, Isaksson M, Jornvall H, Hall K (1985). The somatomedin-binding protein isolated from a human hepatoma cell line is identical to the human amniotic fluid somatomedin-binding protein. *Biochem Biophys Res Commun* 128: 1071-1078.
239. Praeger FC, Stanulis-Praeger BM, Gilchrest BA (1987). Use of strontium to separate calcium-dependent pathways for proliferation and differentiation in human keratinocytes. *J Cell Physiol* 132: 81-89.
240. Presland RB, Haydock PV, Fleckman P, Nirunsuksiri W, Dale BA (1992). Characterization of the human epidermal profilaggrin gene. Genomic organization and identification of an S-100-like calcium binding domain at the amino terminus. *J Biol Chem* 267: 23772-23781.
241. Presland RB, Bassuk JA, Kimball JR, Dale BA (1995). Characterization of two distinct calcium-binding sites in the amino-terminus of human profilaggrin. *J Invest Dermatol* 104: 218-223.
242. Raimondi E, Rubboli F, Moralli D, Chini B, Fornasari D, Tarroni P, De Carli L, Clementi F (1992). Chromosomal localization and physical linkage of the genes encoding the human alpha 3, alpha 5, and beta 4 neuronal nicotinic receptor subunits. *Genomics* 12: 849-850.
243. Rana RS & Hokin LE (1990). Role of phosphoinositides in transmembrane signaling. *Physiol Rev* 70: 115-164. Review.
244. Raynal P & Pollard HB (1994). Annexins: the problem of assessing the biological role for a gene family of multifunctional calcium- and phospholipid-binding proteins. *Biochim Biophys Acta* 1197: 63-93. Review.
245. Regnier M & Darmon M (1991). 1,25-Dihydroxyvitamin D₃ stimulates specifically the last steps of epidermal differentiation of cultured human keratinocytes. *Differentiation* 47: 173-188.
246. Remppis A, Greten T, Schafer BW, Hunziker P, Erne P, Katus HA, Heizmann CW (1996). Altered expression of the Ca(2+)-binding protein S100A1 in human cardiomyopathy. *Biochim Biophys Acta* 1313: 253-257.
247. Renaud W, Merten M, Figarella C (1994). Increased coexpression of CFTR and S100 calcium binding proteins MRP8 and MRP14 mRNAs in cystic fibrosis human tracheal gland cells. *Biochem Biophys Res Commun* 201: 1518-1525.
248. Rice RH & Green H (1977). The cornified envelope of terminally differentiated human epidermal keratinocytes consists of cross-linked protein. *Cell* 11: 417-422.
249. Rice RH & Green H (1979). Presence in human epidermal cells of a soluble protein precursor of the cross-linked envelope: activation of the cross-linking by calcium ions. *Cell* 18: 681-694.
250. Richard I, Broux O, Chiannilkulchai N, Fougerousse F, Allamand V, Bourg N, Brenguier L, Devaud C, Pasturaud P, Roudaut C, Lorenzo F, Sebastiani-Kabatchis C, Schultz RA, Polymeropoulos MH, Gyapay G, Auffray C, Beckmann JS (1994). Regional localization of human chromosome 15 loci. *Genomics* 23: 619-627.
251. Ridinger K, Ilg EC, Niggli FK, Heizmann CW, Schafer BW (1998). Clustered organization of S100 genes in human and mouse. *Biochim Biophys Acta* 1448: 254-263.
252. Robinson NA, Lapic S, Welter JF, Eckert RL (1997). S100A11, S100A10, annexin I, desmosomal proteins, small proline-rich proteins, plasminogen activator inhibitor-2, and involucrin are components of the cornified envelope of cultured human epidermal keratinocytes. *J Biol Chem* 272: 12035-12046.

253. Robinson PA, Marley JJ, High AS, Hume WJ (1994). Differential expression of protease inhibitor and small proline-rich protein genes between normal human oral tissue and odontogenic keratocysts. *Arch Oral Biol* 39: 251-259.
254. Rock KL, Gramm C, Rothstein L, Clark K, Stein R, Dick L, Hwang D, Goldberg AL (1994). Inhibitors of the proteasome block the degradation of most cell proteins and the generation of peptides presented on MHC class I molecules. *Cell* 78: 761-771.
255. Roetto A, Totaro A, Cazzola M, Cicilano M, Bosio S, D'Ascola G, Carella M, Zelante L, Kelly AL, Cox TM, Gasparini P, Camaschella C (1999). Juvenile hemochromatosis locus maps to chromosome 1q. *Am J Hum Genet* 64: 1388-1393.
256. Rothnagel JA & Rogers GE (1984). Transglutaminase-mediated cross-linking in mammalian epidermis. *Mol Cell Biochem* 58: 113-119.
257. Rothnagel JA & Rogers GE (1986). Trichohyalin, an intermediate filament-associated protein of the hair follicle. *J Cell Biol* 102: 1419-1429.
258. Rothnagel JA, Longley MA, Bundman DS, Naylor SL, Lalley PA, Jenkins NA, Gilbert DJ, Copeland NG, Roop DR (1994). Characterization of the mouse loricrin gene: linkage with profilaggrin and the flaky tail and soft coat mutant loci on chromosome 3. *Genomics* 23: 450-456.
259. Rubin AL & Rice RH (1986). Differential regulation by retinoic acid and calcium of transglutaminases in cultured neoplastic and normal human keratinocytes. *Cancer Res* 46: 2356-2361.
260. Ruhrberg C, Hajibagheri MA, Simon M, Dooley TP, Watt FM (1996). Envoplakin, a novel precursor of the cornified envelope that has homology to desmoplakin. *J Cell Biol* 134: 715-729.
261. Ruhrberg C, Hajibagheri MA, Parry DA, Watt FM (1997). Periplakin, a novel component of cornified envelopes and desmosomes that belongs to the plakin family and forms complexes with envoplakin. *J Cell Biol* 139: 1835-1849.
262. Saiki RK, Scharf S, Faloona F, Mullis KB, Horn GT, Erlich HA, Arnheim N (1985). Enzymatic amplification of beta-globin genomic sequences and restriction site analysis for diagnosis of sickle cell anemia. *Science* 230: 1350-1354.
263. Saiki RK, Gelfand DH, Stoffel S, Scharf SJ, Higuchi R, Horn GT, Mullis KB, Erlich HA (1988). Primer-directed enzymatic amplification of DNA with a thermostable DNA polymerase. *Science* 239: 487-491.
264. Sanger F, Nicklen S, Coulson AR (1977). DNA sequencing with chain-terminating inhibitors. *Proc Natl Acad Sci U S A* 74: 5463-5467.
265. Sanger F, Coulson AR, Barrell BG, Smith AJ, Roe BA (1980). Cloning in single-stranded bacteriophage as an aid to rapid DNA sequencing. *J Mol Biol* 143: 161-178.
266. Sano S, Itami S, Takeda K, Tarutani M, Yamaguchi Y, Miura H, Yoshikawa K, Akira S, Takeda J (1999). Keratinocyte-specific ablation of Stat3 exhibits impaired skin remodeling, but does not affect skin morphogenesis. *EMBO J* 18: 4657-4668.
267. Sark MW, Fischer DF, de Meijer E, van de Putte P, Backendorf C (1998). AP-1 and ets transcription factors regulate the expression of the human SPRR1A keratinocyte terminal differentiation marker. *J Biol Chem* 273: 24683-24692.
268. Schafer BW, Wicki R, Engelkamp D, Mattei MG, Heizmann CW (1995). Isolation of a YAC clone covering a cluster of nine S100 genes on human chromosome 1q21: rationale for a new nomenclature of the S100 calcium-binding protein family. *Genomics* 25: 638-643.
269. Schafer BW & Heizmann CW (1996). The S100 family of EF-hand calcium-binding proteins: functions and pathology. *Trends Biochem Sci* 21: 134-140. Review.
270. Schmid KW, Lugering N, Stoll R, Brinkbaumer P, Winde G, Domschke W, Bocker W, Sorg C (1995). Immunohistochemical demonstration of the calcium-binding proteins MRP8 and MRP14 and their heterodimer (27E10 antigen) in Crohn's disease. *Hum Pathol* 26: 334-337.
271. Schmidt R, Michel S, Shroot B, Reichert U (1988). Plasma membrane transglutaminase and cytosolic transglutaminase form distinct envelope-like structures in transformed human keratinocytes. *FEBS Lett* 229: 193-196.

- 272.Schule R, Umesono K, Mangelsdorf DJ, Bolado J, Pike JW, Evans RM (1990). Jun-Fos and receptors for vitamins A and D recognize a common response element in the human osteocalcin gene. *Cell* 61: 497-504.
- 273.Schutte BC, Carpten JD, Forus A, Gregory SG, Horii A, White PS (2001). Report and abstracts of the sixth international workshop on human chromosome 1 mapping 2000. Iowa City, Iowa, U S A. 30 September-3 October 2000. *Cytogenet Cell Genet* 92: 23-41.
- 274.Schuuring E, van Damme H, Schuuring-Scholtes E, Verhoeven E, Michalides R, Geelen E, de Boer C, Brok H, van Buuren V, Kluin P (1998). Characterization of the EMS1 gene and its product, human Cortactin. *Cell Adhes Commun* 6: 185-209.
- 275.Schwartz DC & Cantor CR (1984). Separation of yeast chromosome-sized DNAs by pulsed field gradient gel electrophoresis. *Cell* 37: 67-75.
- 276.Sealey PG, Whittaker PA, Southern EM (1985). Removal of repeated sequences from hybridisation probes. *Nucleic Acids Res* 13: 1905-1922.
- 277.Seemann J, Weber K, Gerke V (1996). Structural requirements for annexin I-S100C complex-formation. *Biochem J* 319: 123-129.
- 278.Seki N, Ohira M, Nagase T, Ishikawa K, Miyajima N, Nakajima D, Nomura N, Ohara O (1997). Characterization of cDNA clones in size-fractionated cDNA libraries from human brain. *DNA Res* 4: 345-349.
- 279.Shishibori T, Oyama Y, Matsushita O, Yamashita K, Furuichi H, Okabe A, Maeta H, Hata Y, Kobayashi R (1999). Three distinct anti-allergic drugs, amlexanox, cromolyn and tranilast, bind to S100A12 and S100A13 of the S100 protein family. *Biochem J* 338: 583-589.
- 280.Shuai K (2000). Modulation of STAT signaling by STAT-interacting proteins. *Oncogene* 19: 2638-2644. Review.
- 281.Siegenthaler G (1996). Extra-and intracellular transport of retinoids: a reappraisal. *Horm Res* 45: 122-127. Review.
- 282.Siegenthaler G, Roulin K, Chatellard-Gruaz D, Hotz R, Saurat JH, Hellman U, Hagens G (1997). A hetero-complex formed by the calcium-binding proteins MRP8 (S100A8) and MRP14 (S100A9) binds unsaturated fatty acids with high affinity. *J Biol Chem* 272: 9371-9377.
- 283.Simon M, Phillips M, Green H, Stroh H, Glatt K, Burns G, Latt SA (1989). Absence of a single repeat from the coding region of the human involucrin gene leading to RFLP. *Am J Hum Genet* 45: 910-916.
- 284.Simon M, Phillips M, Green H (1991). Polymorphism due to variable number of repeats in the human involucrin gene. *Genomics* 9: 576-580.
- 285.Simon M (1994). The epidermal cornified envelope and its precursors. In The Keratinocyte Handbook (IM Leigh, EB Lane, FM Watt, eds), pp 275-292. Cambridge University Press, Cambridge.
- 286.Song HJ, Poy G, Darwiche N, Lichti U, Kuroki T, Steinert PM, Kartasova T (1999). Mouse Sprr2 genes: a clustered family of genes showing differential expression in epithelial tissues. *Genomics* 55: 28-42.
- 287.Sorensen PD, Lomholt B, Frederiksen S, Tommerup N (1991). Fine mapping of human 5S rRNA genes to chromosome 1q42.11----q42.13. *Cytogenet Cell Genet* 57: 26-29.
- 288.South AP, Cabral A, Ives JH, James CH, Mirza G, Marenholz I, Mischke D, Backendorf C, Ragoussis J, Nizetic D (1999). Human epidermal differentiation complex in a single 2.5 Mbp long continuum of overlapping DNA cloned in bacteria integrating physical and transcript maps. *J Invest Dermatol* 112: 910-918.
- 289.Southern EM (1975). Detection of specific sequences among DNA fragments separated by gel electrophoresis. *Biotechnology* 24: 122-139.
- 290.Steinert PM (1995). A model for the hierarchical structure of the human epidermal cornified cell envelope. *Cell Death Differ* 2: 33-41.
- 291.Steinert PM & Marekov LN (1995). The proteins elafin, filaggrin, keratin intermediate filaments, loricrin, and small proline-rich proteins 1 and 2 are isodipeptide cross-linked components of the human epidermal cornified cell envelope. *J Biol Chem* 270: 17702-17711.
- 292.Steinert PM, Kartasova T, Marekov LN (1998). Biochemical evidence that small proline-rich proteins and trichohyalin function in epithelia by modulation of the biomechanical properties of their cornified cell envelopes. *J Biol Chem* 273: 11758-11769.

293. Steven AC & Steinert PM (1994). Protein composition of cornified cell envelopes of epidermal keratinocytes. *J Cell Sci* 107: 693-700.
294. Stoll SW, Zhao X, Elder JT (1998). EGF stimulates transcription of CaN19 (S100A2) in HaCaT keratinocytes. *J Invest Dermatol* 111: 1092-1097.
295. Strachan T & Reid AP (1999). Human Molecular Genetics. BIOS Scientific Publ, Oxford.
296. Su MJ, Bikle DD, Mancianti ML, Pillai S (1994). 1,25-Dihydroxyvitamin D₃ potentiates the keratinocyte response to calcium. *J Biol Chem* 269: 14723-14729.
297. Sugaya K, Fukagawa T, Matsumoto K, Mita K, Takahashi E, Ando A, Inoko H, Ikemura T (1994). Three genes in the human MHC class III region near the junction with the class II: gene for receptor of advanced glycosylation end products, PBX2 homeobox gene and a notch homolog, human counterpart of mouse mammary tumor gene int-3. *Genomics* 23: 408-419.
298. Suzuki Y, Demoliere C, Kitamura D, Takeshita H, Deuschle U, Watanabe T (1997). HAX-1, a novel intracellular protein, localized on mitochondria, directly associates with HS1, a substrate of Src family tyrosine kinases. *J Immunol* 158: 2736-2744.
299. Swartzendruber DC, Wertz PW, Madison KC, Downing DT (1987). Evidence that the corneocyte has a chemically bound lipid envelope. *J Invest Dermatol* 88: 709-713.
300. Sybert VP, Dale BA, Holbrook KA (1985). Ichthyosis vulgaris: identification of a defect in synthesis of filaggrin correlated with an absence of keratohyaline granules. *J Invest Dermatol* 84: 191-194.
301. Takahashi M, Tezuka T, Katunuma N (1992). Phosphorylated cystatin alpha is a natural substrate of epidermal transglutaminase for formation of skin cornified envelope. *FEBS Lett* 308: 79-82.
302. Tanaka M, Adzuma K, Iwami M, Yoshimoto K, Monden Y, Itakura M (1995). Human calgizzarin; one colorectal cancer-related gene selected by a large scale random cDNA sequencing and northern blot analysis. *Cancer Lett* 89: 195-200.
303. Tarcza E, Marekov LN, Andreoli J, Idler WW, Candi E, Chung SI, Steinert PM (1997). The fate of trichohyalin. Sequential post-translational modifications by peptidyl-arginine deiminase and transglutaminases. *J Biol Chem* 272: 27893-27901.
304. Temin HM & Mizutani S (1970). RNA-dependent DNA polymerase in virions of Rous sarcoma virus. *Nature* 226: 1211-1213.
305. Thacher SM & Rice RH (1985). Keratinocyte-specific transglutaminase of cultured human epidermal cells: relation to cross-linked envelope formation and terminal differentiation. *Cell* 40: 685-695.
306. The Arabidopsis Genome Initiative (2000). Analysis of the genome sequence of the flowering plant *Arabidopsis thaliana*. *Nature* 408: 796-815.
307. The *C. elegans* Sequencing Consortium (1998). Genome sequence of the nematode *C. elegans*: a platform for investigating biology. *Science* 282: 2012-2018. Review.
308. The chromosome 21 mapping and sequencing consortium (2000). The DNA sequence of human chromosome 21. *Nature* 405: 311-319.
309. The International Human Genome Sequencing Consortium (2001). Initial sequencing and analysis of the human genome. *Nature* 409: 860-921.
310. The MHC sequencing consortium (1999). Complete sequence and gene map of a human major histocompatibility complex. *Nature* 401: 921-923.
311. Tiso N, Rampoldi L, Pallavicini A, Zimbello R, Pandolfo D, Valle G, Lanfranchi G, Danieli GA (1997). Fine mapping of five human skeletal muscle genes: alpha-tropomyosin, beta-tropomyosin, troponin-I slow-twitch, troponin-I fast-twitch, and troponin-C fast. *Biochem Biophys Res Commun* 230: 347-350.
312. Tolias KF, Rameh LE, Ishihara H, Shibasaki Y, Chen J, Prestwich GD, Cantley LC, Carpenter CL (1998). Type I phosphatidylinositol-4-phosphate 5-kinases synthesize the novel lipids phosphatidylinositol 3,5-bisphosphate and phosphatidylinositol 5-phosphate. *J Biol Chem* 273: 18040-18046.
313. Totaro A, Roetto A, Rommens JM, Grifa A, Carella M, d'Agruma L, Valentino MA, D'Ambrosio L, Cicilano M, Camaschella C, Franco B, Gasparini P (1998). Generation of a transcription map of a 1 Mbase region containing the HFE gene (6p22). *Eur J Hum Genet* 6: 105-113.

- 314.Traupe H, Kolde G, Happel R (1984). Autosomal dominant lamellar ichthyosis: a new skin disorder. *Clin Genet* 26: 457-461.
- 315.Uberbacher EC, Xu Y, Mural RJ (1996). Discovering and understanding genes in human DNA sequence using GRAIL. *Methods Enzymol* 266: 259-281.
- 316.Ueki N, Seki N, Yano K, Saito T, Masuho Y, Muramatsu M (1999). Isolation and chromosomal assignment of a human gene encoding protein inhibitor of activated STAT3 (PIAS3). *J Hum Genet* 44: 193-196.
- 317.Utkin YuN, Tsetlin VI, Hucho F (2000). Structural organization of nicotinic acetylcholine receptors. *Membr Cell Biol* 13: 143-164. Review.
- 318.Venter JC, Adams MD, Myers EW, Li PW, Mural RJ, Sutton GG, Smith HO, Yandell M, Evans CA, Holt RA, Gocayne JD, Amanatides P, Ballew RM, Huson DH, Wortman JR, Zhang Q, Kodira CD, Zheng XH, Chen L, Skupski M, Subramanian G, Thomas PD, Zhang J, Gabor Miklos GL, Nelson C, Broder S, Clark AG, Nadeau J, McKusick VA, Zinder N, Levine AJ, Roberts RJ, Simon M, Slayman C, Hunkapiller M, Bolanos R, Delcher A, Dew I, Fasulo D, Flanigan M, Florea L, Halpern A, Hannenhalli S, Kravitz S, Levy S, Mobarry C, Reinert K, Remington K, Abu-Threideh J, Beasley E, Biddick K, Bonazzi V, Brandon R, Cargill M, Chandramouliwaran I, Charlab R, Chaturvedi K, Deng Z, Di Francesco V, Dunn P, Eilbeck K, Evangelista C, Gabriel AE, Gan W, Ge W, Gong F, Gu Z, Guan P, Heiman TJ, Higgins ME, Ji RR, Ke Z, Ketchum KA, Lai Z, Lei Y, Li Z, Li J, Liang Y, Lin X, Lu F, Merkulov GV, Milshina N, Moore HM, Naik AK, Narayan VA, Neelam B, Nusskern D, Rusch DB, Salzberg S, Shao W, Shue B, Sun J, Wang Z, Wang A, Wang X, Wang J, Wei M, Wides R, Xiao C, Yan C, Yao A, Ye J, Zhan M, Zhang W, Zhang H, Zhao Q, Zheng L, Zhong F, Zhong W, Zhu S, Zhao S, Gilbert D, Baumhueter S, Spier G, Carter C, Cravchik A, Woodage T, Ali F, An H, Awe A, Baldwin D, Baden H, Barnstead M, Barrow I, Beeson K, Busam D, Carver A, Center A, Cheng ML, Curry L, Danaher S, Davenport L, Desilets R, Dietz S, Dodson K, Douc L, Ferriera S, Garg N, Gluecksmann A, Hart B, Haynes J, Haynes C, Heiner C, Hladun S, Hostin D, Houck J, Howland T, Ibegwam C, Johnson J, Kalush F, Kline L, Koduru S, Love A, Mann F, May D, McCawley S, McIntosh T, McMullen I, Moy M, Moy L, Murphy B, Nelson K, Pfannkoch C, Pratts E, Puri V, Qureshi H, Reardon M, Rodriguez R, Rogers YH, Romblad D, Ruhfel B, Scott R, Sitter C, Smallwood M, Stewart E, Strong R, Suh E, Thomas R, Tint NN, Tse S, Vech C, Wang G, Wetter J, Williams S, Williams M, Windsor S, Winn-Deen E, Wolfe K, Zaveri J, Zaveri K, Abril JF, Guigo R, Campbell MJ, Sjolander KV, Karlak B, Kejariwal A, Mi H, Lazareva B, Hatton T, Narechania A, Diemer K, Muruganjan A, Guo N, Sato S, Bafna V, Istrail S, Lippert R, Schwartz R, Walenz B, Yoosheph S, Allen D, Basu A, Baxendale J, Blick L, Caminha M, Carnes-Stine J, Caulk P, Chiang YH, Coyne M, Dahlke C, Mays A, Dombroski M, Donnelly M, Ely D, Esparham S, Fosler C, Gire H, Glanowski S, Glasser K, Glodek A, Gorokhov M, Graham K, Gropman B, Harris M, Heil J, Henderson S, Hoover J, Jennings D, Jordan C, Jordan J, Kasha J, Kagan L, Kraft C, Levitsky A, Lewis M, Liu X, Lopez J, Ma D, Majoros W, McDaniel J, Murphy S, Newman M, Nguyen T, Nguyen N, Nodell M, Pan S, Peck J, Peterson M, Rowe W, Sanders R, Scott J, Simpson M, Smith T, Sprague A, Stockwell T, Turner R, Venter E, Wang M, Wen M, Wu D, Wu M, Xia A, Zandieh A, Zhu X (2001). The sequence of the human genome. *Science* 291: 1304-1351.
- 319.Voges D, Zwickl P, Baumeister W (1999). The 26S proteasome: a molecular machine designed for controlled proteolysis. *Annu Rev Biochem* 68:1015-1068. Review.
- 320.Vohwinkel KH (1929). Keratoma hereditarium mutilans. *Arch Dermatol Syph* 158: 354-364.
- 321.Volz A, Korge BP, Compton JG, Ziegler A, Steinert PM, Mischke D (1993). Physical mapping of a functional cluster of epidermal differentiation genes on chromosome 1q21. *Genomics* 18: 92-99.
- 322.von der Mark K, Mollenhauer J (1997). Annexin V interactions with collagen. *Cell Mol Life Sci* 53: 539-545. Review.
- 323.Wainwright BJ, Scambler PJ, Schmidtke J, Watson EA, Law HY, Farrall M, Cooke HJ, Eiberg H, Williamson R (1985). Localization of cystic fibrosis locus to human chromosome 7cen-q22. *Nature* 318: 384-385.
- 324.Wang Y, Zeng Y, Murray JM, Nishikura K (1995). Genomic organization and chromosomal location of the human dsRNA adenosine deaminase gene: the enzyme for glutamate-activated ion channel RNA editing. *J Mol Biol* 254: 184-195.
- 325.Weier HU, George CX, Greulich KM, Samuel CE (1995) The interferon-inducible, double-stranded RNA-specific adenosine deaminase gene (DSRAD) maps to human chromosome 1q21.1-21.2. *Genomics* 30: 372-375.

326. Weier HU, George CX, Lersch RA, Breitweser S, Cheng JF, Samuel CE (2000). Assignment of the RNA-specific adenosine deaminase gene (Adar) to mouse chromosome 3F2 by in situ hybridization. *Cytogenet Cell Genet* 89: 214-215.
327. Weiss MC & Green H (1967). Human-mouse hybrid cell lines containing partial complements of human chromosomes and functioning human genes. *Proc Natl Acad Sci U S A* 58: 1104-1111.
328. Weissenbach J, Gyapay G, Dib C, Vignal A, Morissette J, Millasseau P, Vaysseix G, Lathrop M (1992). A second-generation linkage map of the human genome. *Nature* 359: 794-801.
329. Wells RS & Kerr CB (1965). Genetic classification of ichthyosis. *Arch Dermatol* 92: 1-6.
330. Welter JF, Crish JF, Agarwal C, Eckert RL (1995). Fos-related antigen (Fra-1), junB, and junD activate human involucrin promoter transcription by binding to proximal and distal AP1 sites to mediate phorbol ester effects on promoter activity. *J Biol Chem* 270: 12614-12622.
331. Wertz PW, Swartzendruber DC, Kitko DJ, Madison KC, Downing DT (1989). The role of corneocyte lipid envelopes in cohesion of the stratum corneum. *J Invest Dermatol* 93: 169-172.
332. Weterman MA, Stoopen GM, van Muijen GN, Kuznicki J, Ruiter DJ, Bloemers HP (1992). Expression of calcyclin in human melanoma cell lines correlates with metastatic behavior in nude mice. *Cancer Res* 52: 1291-1296.
333. Weterman MA, Wilbrink M, Geurts van Kessel A (1996). Fusion of the transcription factor TFE3 gene to a novel gene, PRCC, in t(X;1)(p11;q21)-positive papillary renal cell carcinomas. *Proc Natl Acad Sci U S A* 93: 15294-15298.
334. White R & Lalouel JM (1988). Chromosome mapping with DNA markers. *Sci Am* 258: 40-48. Review.
335. Whitehead AS, Bruns GA, Markham AF, Colten HR, Woods DE (1983). Isolation of human C-reactive protein complementary DNA and localization of the gene to chromosome 1. *Science* 221: 69-71.
336. Wicki R, Schafer BW, Erne P, Heizmann CW (1996a). Characterization of the human and mouse cDNAs coding for S100A13, a new member of the S100 protein family. *Biochem Biophys Res Commun* 227: 594-599.
337. Wicki R, Marenholz I, Mischke D, Schafer BW, Heizmann CW (1996b). Characterization of the human S100A12 (calgranulin C, p6, CAAF1, CGRP) gene, a new member of the S100 gene cluster on chromosome 1q21. *Cell Calcium* 20: 459-464.
338. Wicki R, Franz C, Scholl FA, Heizmann CW, Schafer BW (1997). Repression of the candidate tumor suppressor gene S100A2 in breast cancer is mediated by site-specific hypermethylation. *Cell Calcium* 22: 243-254.
339. Williams R, Lendahl U, Lardelli M (1995). Complementary and combinatorial patterns of Notch gene family expression during early mouse development. *Mech Dev* 53: 357-368.
340. Wilson EB (1911). The sex chromosomes. *Arch Mikrosk Anat Enwicklungsmech* 77: 249-271.
341. Wilton SD, Eyre H, Akkari PA, Watkins HC, MacRae C, Laing NG, Callen DC (1995). Assignment of the human alpha-tropomyosin gene TPM3 to 1q22-q23 by fluorescence in situ hybridization. *Cytogenet Cell Genet* 68: 122-124.
342. Wilton SD, Lim L, Dorosz SD, Gunn HC, Eyre HJ, Callen DF, Laing NG (1996). Assignment of the human alpha-tropomyosin gene TPM4 to band 19p13.1 by fluorescence in situ hybridization. *Cytogenet Cell Genet* 72: 294-296.
343. Wong YW, Williams AF, Kingsmore SF, Seldin MF (1990). Structure, expression, and genetic linkage of the mouse BCM1 (OX45 or Blast-1) antigen. Evidence for genetic duplication giving rise to the BCM1 region on mouse chromosome 1 and the CD2/LFA3 region on mouse chromosome 3. *J Exp Med* 171: 2115-2130.
344. Wood L, Carter D, Mills M, Hatzenbuhler N, Vogeli G (1991). Expression of calcyclin, a calcium-binding protein, in the keratogenous region of growing hair follicles. *J Invest Dermatol* 96: 383-387.
345. Xie Y, Zhu L, Zhao G (2000). Assignment of type I phosphatidylinositol-4-phosphate 5-kinase (PIP5K1A) to human chromosome bands 1q22-->q24 by in situ hybridization. *Cytogenet Cell Genet* 88: 197-199.

- 346.Yamanashi Y, Okada M, Semba T, Yamori T, Umemori H, Tsunasawa S, Toyoshima K, Kitamura D, Watanabe T, Yamamoto T (1993). Identification of HS1 protein as a major substrate of protein-tyrosine kinase(s) upon B-cell antigen receptor-mediated signaling. Proc Natl Acad Sci U S A 90: 3631-3635.
- 347.Yoneda K, Hohl D, McBride OW, Wang M, Cehrs KU, Idler WW, Steinert PM (1992). The human loricrin gene. J Biol Chem 267: 18060-18066.
- 348.Yoon SJ, LeBlanc-Straceski J, Ward D, Krauter K, Kucherlapati R (1994). Organization of the human keratin type II gene cluster at 12q13. Genomics 24: 502-508.
- 349.Yuspa SH, Kilkenny AE, Steinert PM, Roop DR (1989). Expression of murine epidermal differentiation markers is tightly regulated by restricted extracellular calcium concentrations in vitro. J Cell Biol 109: 1207-1217.
- 350.Zhang X, Loijens JC, Boronenkov IV, Parker GJ, Norris FA, Chen J, Thum O, Prestwich GD, Majerus PW, Anderson RA (1997). Phosphatidylinositol-4-phosphate 5-kinase isozymes catalyze the synthesis of 3-phosphate-containing phosphatidylinositol signaling molecules. J Biol Chem 272: 17756-17761.
- 351.Zhao XF, Colaizzo-Anas T, Nowak NJ, Shows TB, Elliott RW, Aplan PD (1998). The mammalian homologue of mago nashi encodes a serum-inducible protein. Genomics 47: 319-322.
- 352.Zhao XF, Nowak NJ, Shows TB, Aplan PD (2000). MAGOH interacts with a novel RNA-binding protein. Genomics 63: 145-148.
- 353.Zhao XP & Elder JT (1997). Positional cloning of novel skin-specific genes from the human epidermal differentiation complex. Genomics 45: 250-258.
- 354.Ziegler A & Volz A (1992). Rotating field gel electrophoresis (ROFE). In Methods in Molecular Biology, Vol. 12, Pulsed field gel electrophoresis (M Burmeister & L Ulanovsky, eds), pp 63-72. Humana Press Inc, Totowa, NJ.
- 355.Zimmer DB, Chessher J, Song W (1996). Nucleotide homologies in genes encoding members of the S100 protein family. Biochim Biophys Acta 1313: 229-238.