6 Literaturverzeichnis

Ahnen D, Nakane P, Brown W:
Ultrastructural localisation of CEA in normal intestine and colon cancer. Abnormal distribution of CEA on the surface of colon cancer cells.
Cancer 49 (1982) 2077-2090

Allard W, Neaman I, Etling J, Beanett T, Yoshimura H, Fritsche H & Yeung K:
Nonspecific cross-reacting antigen 50/90 is elevated in patients with breast, lung and colon cancer
Cancer Res 54 (1994) 1227-1234

American Cancer Society:
Internetseite: www.cancer.org
6/98

Andersen JS:
Different Strategies for Recombinant Protein Characterization Using Mass Spectrometry
Biochem Soc Trans 23 (1995) 917-23

Anderson DR, Grillo-Lopez A, Varns C, Chambers KS, Hanna N:
Targeted anti-cancer therapy using rituximab, a chimaeric anti-CD20 antibody (IDEC-C2B8) in the treatment of non-Hodgkin's B-cell lymphoma.
Biochem Soc Trans 25(2) (1997) 705-8

Baranov V, Yeung M & Hammararström S:
Expression of carcinoembryonic antigen and nonspecific cross-reacting 50kD antigen in human normal and cancerous colon mucosa: Comparative ultrastructural study with monoclonal antibodies
Cancer Res 54 (1994) 3305-3306

Beauchemin N, Benchimol S, Cournoyer D, Fuks A & Stanners CP:
Isolation and characterization of full-length functional cDNA clones for human carcinoembryonic antigen.
Mol Cell Biol 7 (1987) 3221-3230

Bertagnolli MM, McDougall CJ & Newmark HL:
Colon cancer prevention:intervening in a multistage process.
Proc Soc Exp Biol Med 216 (1997) 266-274

Bleday R, Song J, Walker E, Salcedo B, Thomas P, Wilson R, Chen LB & Steele G:
Characterization of a new monoclonal antibody to a cell surface antigen on colorectal cancer and fetal gut tissues
Cancer 75 (1986) 433-440

Bonneux L, Barendregt JJ, Looman CWN & van der Maas PJ:
Diverging trends in colorectal cancer morbitidy and mortality. Earlier Diagnosis comes at a price
Eur J Cancer 31A/10 (1995) 1665-1671

Brittain MG, Fine WD, Khaled FM, Thompson J & Brattain D:
Heterogenity of malignant cells from a human colonic carcinoma
Cancer Res 41 (1981) 1751-1756

Bruinvels D, Stiggelbout A, Kievit J, van Houwelingen H, Habbema D & van de Velde CJH:
Follow-up of patients with colorectal cancer. A meta analysis.
An Surg 219 (1994) 174-182

Buchegger F, Schreyer M, Carrel S & Mach JP:
Monoclonal antibodies identify a CEA crossreacting antigen of 95kD (NCA-95) distinct in antigenicity and tissue distribution from the previously described NCA of 55kD.
Int J Cancer 33 (1984) 643-649

Burtin P:
The carcioembryonic antigen of the digestive system and the antigens cross-reacting with it.
Ann Immunol 129 (1978) 185-198

Campbell WJ, Spence RAJ, Parks TG:
Familial Adenomatous Polyposis
British J Surgery 81 (1994) 1722-1733

Coller H & Coller B:
Poisson statistical analysis of repetitive subcloning by the limiting dilution technique as a way of assessing hybridoma monoclonality
In: Langone J., Van Vunakis H (eds)
Meth Enzymol 121 (1983) 412-417

Cottrell JS:
Peptide Sequencing by Matrix-Assisted Laser Desorption Ionization / Time-of-Flight Mass Spectrometry
Biochem Soc Trans 23 (1995) 914-17

Cunningham C, Dunlop MG:
Genetics of Colorectal Cancer
British Med Bull 50 (1994) 640-655

DelVillano BC, Zurawski VR Jr.:
The carbohydrate antigenic determinant 19-9 (CA 19-9): a monoclonal antibody defined tumor marker.
Lab Res Methods Biol Med. 8 (1983) 269-82

Forster SJ, Talbot IC, Clayton DG, Critchley DR:
Tumour basement membrane laminin in adenocarcinoma of the rectum: An immunohistochemical study of biological and clinical significance
Int J Cancer 37 (1986) 813-817

Fuchs CS, Willet W et al.:
Dietary fiber and the risk of colorectal cancer and adenoma in women
N Engl J Med 340 (1999) 169-176

Garcia M, Seigner C, Bastid C, Choux R, Payan MJ & Reggio H:
Carcinoembryonic antigen has a different molecular weight in normal colon and in cancer cells due to N-glycosylation differences
Cancer Res 51 (1991) 5679-5686

Gebauer G, Müller-Ruchhlotz W:
Tumor marker concentrations in normal and malignant tissues of colorectal cancer patients and their prognostic relevance
Anticancer Res 17 (1997) 2939-2942

Görg A, Boguth G, Obermaier C, Scheibe B und Weiss W:
Two dimensional Electrophoresis of Proteins using Immobilized pH Gradients
Handbuch, Technische Universität München, 1997

Göttlinger HG, Funke I, Johnson JP et al.:
The Epithelial Cell Surface Antigen 17-1A, a Target for Antibody-Mediated Tumor Therapy: Ist Biochemical Nature, Tissue Distribution and Recognition by Different Monoclonal Antibodies
Int J Cancer 38 (1986) 47-53

Gold P & Freedman S:
Demonstration of tumour-specific antigens in human colonic carcinomata by immunological tolerance and absorption techniques
J Exp Med 121 (1965) 439-462

Goldenberg DM, DeLand F, Kim E, Bennett S, Primus FJ, Van Nagell JR Jr. et al.:
Use of radiolabeled antibodies to carcinoembryonic antigen for the detection and localization of diverse cancers by external photoscanning
N Engl J Med 298 (1978) 1384-1388

Goldenberg DM, Larson SM:
Radioimmunodetection in cancer identification
J Nucl Med 33 (1992) 803-814

Gryfe R, Swallow C, Bapat B, Redston M, Gallinger S, Couture J:
Molecular Biology of colorectal cancer.
Curr Probl Cancer 21 (1997) 233-300

Hammarström S, Khan WN, Teglund S, Hammarström M-L, Ramos T, Baranov V, Yeung MM-W, Frängsmyr L:
The carcinoembryonic antigen family.
In: Van Regenmortel MHV (ed.) Structures of Antigenes. CRC Press, Boca Raton, Ann Arbor, London, Tokyo (1993) 341-375

Hamarstrom S, Shively JE, Paxton RJ, Beatty BG, Larsson A, Ghosh R, Bormer O, Buchegger F, Mach JP, Burtin P, Seguin P, Darbouret B, Degorce F, Sertour J, Jolu JP, Fuks A, Kalthoff H, Schmiegel W, Arndt R, Kloppel G, Von Kleist S, Grunert F, Schwarz K, Matsuoka Y, Kuroki M, Wagener C, Weber T, Yachi A, Imai K, Hishikawa N & Tsujisaki M:
Antigenic sites in carcinoembryonic antigen
Cancer Res 49 (1989) 4852-4858

Hansen HJ, Goldenberg DM, Newman ES, Grebenau R, Sharkey RM:
Characterization of Second-Generation Monoclonal Antibodies Against Carcinoembryonic Antigen
Cancer 71 (1993) 3478-85

Han J-S, Nair P:
Flow Cytometric Identification of Cell Surface Markers on Cultured Human Colonic Cell Lines Using Monoclonal Antibodies
Cancer 76 (1995) 195-200

Hanski C, Drechsler K, Hanisch FG, Sheehan J, Manske M, Ogorek D, Klussmann E, Hanski ML, Blank M & Xing PX:
Altered glycosylation of the MUC-1 protein core contributes to the colon carcinoma associated intrease of mucin-bound sialyl-Lewis^x expression
Cancer Res 53 (1993) 4082-4088

Harms E & Reutter W:
Half-live of N-acetylneuraminic acid in plasma membranes of rat liver and Morris hepatoma 7777
Cancer Res 34 (1974) 3165-3172

Hefta SA, Hefta LJF, Lee TD, Paxton RJ & Shively JE:
Carcinoembryonic antigen is anchored to membranes by covalent attachment to a glycosylphosphatidylinositol moiety: identification of ethanolamine linkage site
Proc Natl Acad Sci 85 (1988) 4648-4652

Hilska M, Collan Y, Peltonen J, Gullichsen R, Paajanen H, Laato M:
The Distribution of collagen types I, III and IV in normal and malignant colorectal mucosa
Eur J Surg 164 (1998) 457-464

Illiger HJ:
Der monoklonale Antikörper 17-1A (Panorex©) - Ein neuer Ansatz zur adjuvanten Therapie des ColonCarcinoms
Internist 38 (1997) 1001-1007

Jeanteur P:
The role of APC in colonic cancerogenensis: zeroing in on Myc.
Bull Cancer 85 (1998) 925-28

Kauppila S, Stenback F, Risteli J, Jukkola A, Risteli L:
Aberrant type I and type III collagen gene expression in human breast cancer *in vivo*
J Pathol 186 (1998) 262-268

Kim YS:
Altered glycosylation of mucin glycoproteins in colonic neoplasia
J Cell Biochem Suppl 16G (1992) 91-96

Kinzler KW & Vogelstein B:
Lessons from hereditary colon cancer.
Cell 87 (1996) 159-170

Köhler G & Milstein C:
Continuous cultures of fused cells secreting antibody of predefined specificity
Nature 256 (1975) 495-497

Korinek V, Barker N, Morin PJ, van Wichen D, de Weger R, Kinzler KW, Vogelstein B & Clevers H:
Constitutive transcriptional activation by a β-catenin-Tcf complex in APC -/- colon carcinoma.
Science 275 (1997) 1784-1787

Kreis, T:
Guidebook to the Extracellular Matrix, Anchor and Adhesion Proteins
Oxford University Press, 2. Edition (1999)

Kuusela P, Haglund C, Roberts PJ:
Comparison of a new tumour marker CA 242 with CA 19-9, CA 50 and antigen (CEA) in digestive tract diseases
Br J Cancer 63 (1991) 636-640

Lindmark G, Bergstrom R, Pahlman L & Glimelius B:
The association of preoperative serum tumour markers with Dukes‘ stage and survival in colorectal cancer
Br J Cancer 71 (1995) 1090-1094

Mach JP & Pusztaszeri G:
Demonstration of a partial identity between CEA and normal glycoprotein.
Immunochemistry 9 (1972) 1031-1034

Mach JP, Carrel S, Forni M, Ritschard J, Donath A, Alberto P:
Tumor localization of radiolabeled antiodies against carcinoembryonic antigen in patients with carcinoma: A critical evaluation
N Engl J Med 303 (1980) 5-10

Magnani J, Steplewski Z, Koprowski H & Ginsburg V:
Identification of the gastrointestinal and pancreatic cancer-associated antigen detected by monoclonal antibody 19-9 in the sera of patients as a mucin
Cancer Res 43 (1983) 5489-5492

Matsudaira P:
Sequence from picomole quantities of proteins electroblotted onto polyvinylidene difluoride membranes
J Biol Chem 262 (1987) 10035-10038

Mirabelli-Primdahl L, Redston M et al.:
β-catenin Mutations are specific for colorectal carcinomas with microsatellite instability but occur in endometrial carcinomas irrespective of mutator pathway.
Cancer Res 59 (1999) 3346-3351

Moldenhauer G, Momburg F, Möller P, Schwartz R & Hämmerling GJ:
Epithilium-specific surface glycoprotein of M_r 34,000 is a widely distributed human carcinoma marker
Brit J Cancer 9 (1987) 714-721

Morson BC:
Evoluton of the colon and rectum.
Cancer 34 (1974) 845-850

Murray NR, Davidson LA, Chapkin RS, Gustafson WC, Schattenberg DG & Fields AP:
Overexpression of Protein Kinase C β_{II} induces colonic hyperproliferation and increased sensitivity to colon carcinogenesis.
J Cell Biol 145 (1999) 699-711

Müller AD & Sonnenberg A
Prevention of colorectal cancer by flexible endoscopy and polypectomy
Ann Intern Med 123 (1995) 904-910

Nicolini A, Caciagli M, Zampieri F, Ciamalini G, Carpi A, Spisni R, Colizzi C:
Usefulness of CEA, TPA, GICA, CA 72.4 and CA195 in the diagnosis of primary colorectal cancer and at ist relapse.
Cancer Detect Prev 19 (1995) 183-195

Northover J:
Carcinoembryonic antigen and recurrent colorectal cancer
Br J Cancer 27 (1986) 117-122

O´Brien MJ, Winawer SJ,. Zauber AG et al.:
The National Polyp Study: Determinants of high grade dysplasia in colorectal adenomas.
Gastroenterology 98 (1990) 371-379

Oliver J & Wolfe L:
Antigen in canine tissues, recognized by a monoclonal antibody generated against canine melanoma cells
Am J Vet Res 53 (1992) 123-128

Pantel K, Schlimok G, Braun S et al.:
Differential Expression of Proliferation-Associated Molecules in Individual Micrometastatic Carcinoma Cells
J Natl Cancer Inst 85 (1993) 1419-1424

Park S, Lee G, Bae Y, Kim C, Song H, Kim CW, Chi J, & Lee S:
A monoclonal antibody to human leukocyte common antigen, SHL-1, and ist use for formalin-fixed, paraffin-embedded tissues
Pathol Res Pract 187 (1991) 96-102

Paxton RJ, Mooser G, Pande H, Lee TD & Shively JE:
Sequence analysis of carcinoembryonic antigen: identification of glycosylation sites and homology with the immunoglobulin supergene family.
Proc Natl Acad Sci 84 (1987) 920-924

Pennisi E:
How a growth control path takes a wrong turn to cancer.
Science 281 (1998) 1438-1441

Pressman D, Korngold L:
The *in vivo* localization of anti-Wagner-osteogenic-sarcoma antibodies
Cancer 6 (1953) 619-623

Pucci-Minarfra I, Andriolo M, Basirico L, Alessandro R, Luparello C, Buccellato C, Garbelli R, Minafra S:
Absence of regular alpha2(I) collagen chains in colon carcinoma biopsy fragments
Carcinogenesis 19 (1998) 575-584

Quentmeier A, Möller P, Schwarz V, Abel U & Schlag P:
Carcinoembryonic antigen, CA 19-9 and CA 125 in normal and carcinomatous human colorectal cancer
Cancer 60 (1987) 2261-2266

Riethmüller G, Schneider-Gädicke E, Schlimock G, et al.:
Randomised trial of monoclonal antibody for adjuvant therapy of resected Dukes' C colorectal carcinoma
Lancet 343 (1994) 1177-1183

Rijsewijk F, Schuermann M, Wagenaar E, Parren P, Weigel D & Nusse R:
The drosophila homolog of the mouse mammary oncogene int-1 is identical to the segment polarity gene wingless.
Cell 50 (1987) 649-657

Robbins PF, Eggensperger D, Qi C-F & Schlom J:
Definition of the expression of the human CEA and NCA in human breast and lung carcinomas
Int J Cancer 53 (1993) 892-897

Robert-Koch-Institut:
Internetseite: www.rki.de
7/1998

Rosenwald I.B, Chen JJ; Wang S, Savas L, London IM & Pullman J:
Upregulation of protein synthesis initiation factor eIF-4E is an early event during colon carcinogenesis.
Oncogene 18 (1999) 2507-2517

Rockall TA, McDonald PJ:
Carcinoembryonic antigen: ist value in the follow-up of patients with colorectal cancer
Int J Colorect Dis 14 (1999) 73-77

Rubinfeld B, Albert I, Porfiri E, Munemitsu S & Polakis P:
Loss of β-catenin regulation by the APC tumor suppressor protein correlates with loss of structure due to common somatic mutations of the gene.
Cancer Res 57 (1997) 4624-4630

Rubinfeld B, Albert I, Porfiri E, Fiol C, Munemitsu S & Polakis P:
Binding of GSK3β to the APC-β-catenin- complex and regulation of complex assembly.
Science 272 (1996) 1023-1026

Ryan JW:
Immunoscintigraphy in Primary Colorectal Cancer
Cancer Suppl 71 (1993) 4217-4227

Schauer R:
Chemistry, metabolism and biological functions of sialic acids
Adv Carbohydr Chem Biochem 40 (1982) 131

Schauer R, Shukla AK, Schröder C and Müller E:
The anti-recognition function of sialic acids: studies with erythrocytes and macrophages
Pure Appl Chem 56 (1984) 907

Schauer R:
Biosynthesis and function of N- and O-substituted sialic acid
Glycobiology 5 (1991) 449-452

Schmiegel W, Kreiker C, Eberl W, Arndt R, Classen M, Greten H, Jessen K, Kalthoff H, Soehendra N & Thiele H-G:
Monoclonal antibody defines CA 19-9 in pancreatic juices and sera

Schouw Ytvd, Verbeek ALM, Wobbes T, Segers MFG, Thomas CMG:
Comparison of four tumour markers in the diagnosis of colorectal cancer
Br J Cancer 66 (1992) 148-154

Sena SF, Imperato JP, Chmiel J, Fremgen A & Sylvester J:
The use of cancer registry data to study preoperative carcinoembryonic antigen as an indicator of survival in colorectal cancer
CA Cancer J Clin 39 (1989) 50-57

Slattery ML, Abd-Elghany N, Kerber R, Schumacher MC:
Physical activity and colon cancer: a comparison of various indicators of physical activity to evaluate the association
Epidemiology 1 (1990) 481-485

Sonnenberg A, Müller A & Wassermann IH:
Diseases preceding colon cancer
Digestive Diseases and Sciences 39/11 (1994) 2480-2484

Sparks AB, Morin PJ, Vogelstein B & Kinzler KW:
Mutational analysis of the APC/ñ-catenin/Tcf pathway in colorectal cancer.
Cancer Res 58 (1998) 1130-1134

Steele G, Ellenberg S, Ramming K, O'Connel M, Moertel C, Lessner H, Bruckner H, Horteon J, Schein P, Zamcheck N, Novack J & Holyoke ED:
CEA monitoring among patients in multi-institutional adjuvant G.I.therapy protocols
Ann Surg 196 (1982) 162

Steinberg W, Gefand R, Anderson K, Glenn J, Kurtzman SH, Sindelar WF & Toskes P:
Comparison of the sensitivity and specificity of the CA 19-9 and carcinoembryonic antigen assays in detecting cancer of the pancreas
Gastroenterology 90 (1986) 343-349

Stryer, L:
Biochemistry
WH Freeman & Co (1995)

Thompson JA, Grunert F, Zimmermann W:
Carcinoembryonic antigen gene family: molecular biology and clinical perspectives.
J Clin Lab Anal 5 (1991) 344-366

Tsavaris N, Vonorta K, Tsoutsos H, Kozaatsani-Halividi D, Mylonakis N, Papagrigoriou D, Koutsiouba-Kazakou P, Kosmides P:
Carcinoembryonic antigen (CEA), α-fetoprotein, CA 19-9 and CA 125 in advanced colorectal cancer (ACC)
Int J of Biol Markers 8 (1993) 88-93

Umehara Y, Kimura T, Yoshida M, Oba N, Harada Y:
Comparison of doubling times of serum carcinoembryonic antigen produced by various metastatic lesions in recurrent gastric and colorectal cancer
Cancer 71 (1993) 4055-4059

Villano B, Brennan S, Brock P, Bucher C, Liu V, McClure M, Rake B, Space S, Westrick B, Schoemaker H & Zurawski V:
Radioimmunometric assay for a monoclonal antibody-defined tumour marker CA 19-9
Clin Chem 29 (1983) 549-552

Vogel T, Hohenberg P & Schlag PM:
Impact of CEA determinations as an indicator for adjuvant treatment of colorectal cancer
Onkologie 18 (1995) 334-338

Wadler S:
The Role of Immunotherapy in Colorectal Cancer
Sem Onc 18 (1991) 27-38

Ward U, Primrose JN, Finan PJ, Perren TJ, Selby P, Purves DA, Cooper EH:
The use of tumour markers CEA, CA-195 and CA-242 in evaluating the response to chemotherapy in patients with advanced colorectal cancer
Br J Cancer 67 (1993) 1132-1135

Wewetzer K, Heininger C, Seilheimer B:
An improved cell-ELISA for the differential screening of antibodies against cell surface molecules of viable adherent Schwann cells
J Immunol Meth 191 (1996) 171-178