

# List of Figures

## Chapter 1: Quasicrystals

1.1	Rhombic Penrose pattern . . . . .	13
1.2	Fibonacci sequence generated by the section method . . . . .	16
1.3	Illustration of phason-disorder and approximants . . . . .	18
1.4	Macroscopic view of a decagonal quasicrystal . . . . .	23
1.5	Phase diagram of Al-Ni-Co alloy . . . . .	25
1.6	Physical and perpendicular space components of the 5D reciprocal basis vectors .	26
1.7	Indexing scheme of decagonal quasicrystals . . . . .	26
1.8	Normal and superstructure basis vectors . . . . .	28
1.9	Penrose patterns generated by the section method . . . . .	29
1.10	Atomic structure of <i>d</i> -Al-Ni-Co . . . . .	30
1.11	Fourier amplitude versus $\ \mathbf{H}^\perp\ $ . . . . .	32

## Chapter 2: Experimental Methods

2.1	Different nature of He atom and electron scattering from the crystal surfaces .	36
2.2	Interaction of neutral atoms with a solid surface . . . . .	37
2.3	Scattering geometry . . . . .	38
2.4	Ewald construction . . . . .	39
2.5	Scan curves and phonon dispersion . . . . .	44
2.6	Schematic diagram of surface phonon measurement with TOF analysis . . . . .	46
2.7	Schematic of the experimental chamber for He diffraction . . . . .	48
2.8	Schematic of the vacuum system . . . . .	49
2.9	Schematic of the SPA-LEED instrument . . . . .	54

**Chapter 3: The 10-fold *d*-Al-Ni-Co Surface**

3.1 SPA-LEED image at 65 eV . . . . .	60
3.2 SPA-LEED image at 75 eV . . . . .	61
3.3 Comparison between calculated and experimental diffraction pattern . . . . .	64
3.4 SPA-LEED images in magnified scale . . . . .	64
3.5 Superstructure spots around a strong diffraction spots . . . . .	65
3.6 Indexing with respect to the superstructure basis . . . . .	66
3.7 Line scans by electron diffraction . . . . .	67
3.8 He diffraction along the high symmetry directions . . . . .	69
3.9 Comparison between HAS and SPA-LEED . . . . .	70
3.10 Comparison of He diffraction from differently prepared surface . . . . .	71
3.11 He specular intensity as a function of momentum transfer . . . . .	72
3.12 STM image demonstrating a high step density . . . . .	74
3.13 STM image showing two different surface terminations within a single terrace . .	74
3.14 STM image of two adjacent terraces . . . . .	75
3.15 Gray scale image of the Fourier transform of a STM image . . . . .	75
3.16 High resolution STM image with a tiling overlaid . . . . .	76
3.17 Atomic structure of the topmost layer of the bulk terminated surface . . . . .	77
3.18 Observed individual tiles and rhombic tiling . . . . .	77
3.19 Comparison between observed and theoretical cluster . . . . .	78

**Chapter 4: The 2-fold *d*-Al-Ni-Co(10000) Surface**

4.1 Bulk decagonal basis vectors . . . . .	82
4.2 SPA-LEED images at different electron energies . . . . .	83
4.3 Line scans along the quasicrystalline direction . . . . .	84
4.4 Projection of the in-plane bulk decagonal basis vectors onto the 2-fold axes . .	85
4.5 Gray scale plot of LEED intensity $I(k_{\parallel}, k_{\perp})$ . . . . .	86
4.6 He diffraction along the quasicrystalline direction . . . . .	88
4.7 Comparison between the HAS and SPA-LEED along the quasicrystalline direction	90
4.8 He diffraction along the periodic direction . . . . .	91
4.9 Comparison between HAS and SPA-LEED along the periodic direction . . . . .	92

**Chapter 4: The 2-fold *d*-Al-Ni-Co (001 $\bar{1}$ 0) Surface**

4.10 He diffraction along the quasicrystalline direction . . . . .	93
4.11 Angular distribution of He diffraction at different beam energies . . . . .	94
4.12 He diffraction around the facet specular . . . . .	95
4.13 Comparison of He diffraction from the facet and the (10000) surface . . . . .	96
4.14 Comparison of He specular variation from the facet and the (10000) surface . . . . .	97

**Chapter 5: Surface Phonons of the 10-fold *d*-Al-Ni-Co**

5.1 Analysis of TOF spectra . . . . .	103
5.2 TOF spectra at different sample temperatures . . . . .	104
5.3 Intensity of phonon and diffuse elastic peak as a function of sample temperature	105
5.4 Series of TOF spectra . . . . .	106
5.5 High symmetry points of the quasi-Brillouin zone . . . . .	107
5.6 Experimental surface phonon dispersion . . . . .	108
5.7 Dispersion folded in the first quadrant . . . . .	109
5.8 Phonon peak height and intensity as a function of wavevector . . . . .	110
5.9 Data analysis to determine peak widths . . . . .	111

**Chapter 6: The 5-fold *i*-Al-Pd-Mn Surface**

6.1 Macroscopic view of an icosahedral quasicrystal . . . . .	114
6.2 Reciprocal basis vectors of icosahedral quasicrystals . . . . .	115
6.3 LEED image . . . . .	116
6.4 He diffraction along the high symmetry directions . . . . .	116
6.5 High symmetry points of the quasi-Brillouin zone . . . . .	117
6.6 Series of TOF spectra . . . . .	118
6.7 Experimental surface phonon dispersion . . . . .	119