

## 6 Literaturverzeichnis

1. Ackerman NB, Lien WM, Kondi E, Silverman NA (1969)  
The blood supply of experimental liver metastases. I. The distribution of hepatic artery and portal vein blood to „small“ and „large“ tumors.  
Surgery 66; :67-72
2. Ackermann N, Lien WM, Silverman NA (1972)  
The blood supply of experimental liver metastases. III. The effects of acute ligation of the hepatic artery or portal vein.  
Surgery Vol. 71 No.4 636-641
3. Adson MA, van Heerden, Adson JA, Wagner JS, Ilstrup DM (1984) Resection of hepatic metastases from colorectal cancer.  
Arch. Surg; 119: 647-651
4. Albrecht D (1995)  
Laserinduzierte Thermotherapie maligner Lebertumoren –  
Applikatorerprobung in der gesunden Schweineleber. Dissertationsarbeit am Universitätsklinikum Benjamin Franklin der Freien Universität Berlin
5. Amin Z, Bown SG, Lees WR (1993)  
Local treatment of colorectal liver metastases: a comparison of interstitial laser, photocoagulation (ILP) and percutaneous alcohol injection (PAI).  
Clin Radiol; 48: 166-171
6. Amin Z, Donald JJ, Masters A, Kant R, Steger AC, Bown SG, Lees WR (1993)  
Hepatic metastases: interstitial laser photocoagulation with real-time us monitoring and dynamic CT evaluation of treatment.  
Radiology;187: 339-347
7. Bacher H, Mischinger HJ, Cerwenka H, Werkgartner G, El-Shabrawi A., Supancic A, Porta S (2000)  
Liver ischemia, catecholamines and preoperative condition influencing postoperative tachycardia in liver surgery.  
Life Sci. 66(1):11-8.

8. Becker N, Wahrendorf J (1998)  
In: Becker N, Wahrendorf J. (Hrsg.) Krebsatlas der Bundesrepublik Deutschland; Atlas of cancer mortality in the Federal Republic of Germany. Springer, Berlin
9. Bengmark S (1989).  
Palliativ treatment of hepatic tumors.  
Br J Surg; 76: 771-773
10. Bhuyan BK (1979).  
Kinetics of cell kill by hyperthermia.  
Cancer Res; 39: 2277-2284
11. Bines S, Doolas A, Jenkins L, Millikan K, Roseman D (1996).  
Survival after repeat hepatic resection for recurrent colorectal hepatic metastases. Surgery; 120: 591-596
12. Boerner A (2000)  
Einfluß der laserinduzierten Thermotherapie auf residuale Tumorgewebe im Vergleich zur Leberresektion.  
Dissertation, Fachbereich Veterinärmedizin, FU Berlin
13. Borner M, Castiglione M, Triller J, Baer HU, Soucek M, Blumgart L, Brunner K (1992).  
Considerable side effects of chemoembolisation for colorectal carcinoma metastatic to the liver.  
Ann Oncol; 3: 113-115
14. Bown SG (1983).  
Phototherapy of tumors.  
World J Surg; 7: 700-709
15. Braasch D, Zoedler T, Röher H.D. (1996).  
A method to perfuse liver metastases with heated blood (45°C, 45 min).  
Cancer Res Clin Onco; 122: 67-69
16. Caster WO, Poncelet J, Simon AB, Armstrong WD (1956)  
Tissue weights of the rat; I. Normal values determined by dissection and Chemical methods.  
Proc Soc Exp Biol Med; 91: 122-126

- 17.Cavalier R, Ciocatto EC, Giovanella BC, Heidelberger C, Johnson RO, Margottini M, Mondovi B, Moricca G, Rossi-Fanelli A (1967)  
Selective heat sensitivity of cancer cells – biochemical and clinical studies.  
Cancer; 20: 1351-1381
- 18.Charnley RM, Doran J, Morris DL (1989)  
Cryotherapie for liver metastases: A new approach.  
Br J Surg; 76: 1040-1041
- 19.Chevallier JM (1988)  
Anatomic basis of vascular exclusion of the liver.  
Surg Radiol Anat; 10: 187-194
- 20.Chuang VP, Wallace S (1981)  
Hepatic artery embolization in the treatment of hepatic neoplasms.  
Radiology;140(1):51-58
- 21.Cole DJ, Furgeson CM (1992)  
Complications of hepatic resection for colorectal carcinoma metastasis.  
Am Surg; 58: 88-91
- 22.Crezee J, Lagendijk JJ (1992)  
Temperature uniformity during hyperthermia: the impact of large vessels.  
Phys Med Biol; 37: 1321-1337
- 23.Dickson JA, Shah SA (1982)  
Hyperthermia: the immune response and tumor metastasis.  
Nat Cancer Inst Monogr; 61: 183-192
- 24.Doci R, Gennari L, Bignami P, Montalto F, Morabito A, Bozzetti F (1991)  
One hundred patients with hepatic metastases from colorectal cancer treated by resection: analysis of prognostic determinants.  
Br J Surg; 78: 797-801
- 25.[Donnez J, Polet R, Mathieu PE, Konwitz E, Nisolle M, Casanas-Roux F.](#)(1996)  
Endometrial laser interstitial hyperthermy: a potential modality for endometrial ablation.  
Obstet Gynecol. Mar;87(3):459-64.

- 26.Dritschilo A, Harter KW, Thomas D, Nauta R, Holte R, Lee TC, Rutsgi S, Rodgers J (1988)  
Intraoperative radiation therapie of hepatic metastasis: Technical aspects and report of a pilot study.  
Int J Radiat Oncol Biol Phys; 14: 1007-1011
- 27.Eder M, Weiss M (1991).  
Hämatogene Lebermetastasen – humanpathologische Grundlagen.  
Chirurg; 62: 705-709
- 28.Fong Y, Cohen AM, Fortner JG, Enker WE, Turnbull AD, Coit DG, Marrero AM, Prasad M, Blumgart LH, Brennan MF (1984)  
Liver resection for colorectal metastases.  
J Clin Oncol; 15: 938-946
- 29.Fong Y, Kemeny N, Paty P, Blumgart LH, Cohen AM (1996)  
Treatment of colorectal cancer: hepatic metastases.  
Semin Surg Oncol; 12: 219-252
- 30.Fortner JG, Silva JS, Golbey RB, Cox EB, MacLean BJ (1984)  
Multivariante analysis of a personal series of 274 consecutive patients with liver metastases from colorectal cancer. Treatment by hepatic resection.  
Ann Surg; 199: 306-316
- 31.Foster JH (1978)  
Survival after liver resection for secundary tumors.  
Am J Surg; 135: 389-394
- 32.Funovics J (1998)  
Leberresektion bei primären Tumoren und Metastasen.  
In: Häring R (Hrsg.) Chirurgie der Leber.  
Edition Medizin, Weinheim, Deerfield Beach, Florida, Basel: 237-242
- 33.Germer CT, Albrecht D, Boese-Landgraf J Ernst M (1994).  
Lokale Behandlung von Lebermetastasen durch Kryo- oder Lasertherapie.  
Langenbecks Arch Chir (Suppl.) 1237-1255
- 34.Germer CT, Roggan A, Ritz JP, Isbert C, , Albrecht D, Müller G, Buhr HJ (1994).  
Optical properties of native and coagulated human liver tissue and liver metastases in the near infrared range.  
Lasers Surg Med; 23: 194-203

- 35.Gray BN, Anderson JE, Burton MA, Van Hazel G, Codde J, Morgan C, Klemp P (1992). Regression of liver metastases following treatment with Yttrium-90 microspheres. *Aus N.Z.J. Surg;* 62: 105-110
- 36.Hakansson L, Hakansson A, Morales O, Thorelius L, Warfving T (1997). Spherex® (Degradable starch mikrospheres) chemo-occlusion- Enhancement of tumor drug concentration and therapeutic efficacy: an overview. *Sem in Onc.* 24; S6-100 - S6-109.
- 37.Häring R, Bauknecht KJ, Boese-Landgraf J (1995) Chirurgie der Lebermetastasen. In: Schumpelick V, Pichlmayr R (Hrsg.) Chirurgie der Leber. Springer, Heidelberg: 165-173
- 38.Hebel R, Stromberg MW (1986) In: Hebel R, Stromberg MW (Hrsg.) Anatomy and embryology of the Laboratory rat. BioMed Verlag, Wörthsee
- 39.Hofstädter F (1995) Pathologie der Wundheilung *Chirurg* 66;174-181
- 40.Hughes K, Simon R, Songhorabodi S, Adson MA, Ilstrup DM, Fortner JG (1988) Resection of the liver for colorectal carcinoma metastases: a multiinstitutional study of indications for resection. *Surgery*;103: 278-288
- 41.Isbert C (1997) Laserinduzierte Thermotherapie zur Behandlung von Lebermetastasen- Korrelation magnetresonanztomographischer Befunde in vivo im zeitlichen Verlauf Dissertation, Fachbereich Humanmedizin, FU Berlin
- 42.[Isbert C, Roggan A, Ritz JP, Muller G, Buhr HJ, Lehmann KS, Germer CT.](#) (2001) Laser-induced thermotherapy: intra- and extralesionary recurrence after incomplete destruction of experimental liver metastasis. *Surg Endosc.* 2001 Nov;15(11):1320-6.

- 43.Jaeck D, Bachellier P, Guiguet M, Boudjema K, Vaillant JC, Balladur P, Nordlinger B (1997)  
Long-term survival following resection of colorectal hepatic metastases.  
Br J Surg; 84: 977-980
- 44.Jain RK, Ward-Hartley K (1984)  
Tumor blood flow- Characterisation, modifications, and role in hyperthermia.  
Trans Sonics Ultrasonics. SU-31; 504
- 45.Jatzko GR, Lisborg PH, Stettner HM, Klimpfinger MH  
Hepatic resection for metastases from colorectal carcinoma – a survival analysis.  
Eur J Cancer; 31: 41-46
- 46.Kemeny N (1992)  
Review of regional therapy of liver metastases in colorectal cancer.  
Semin Oncol 19; 155-162
- 47.Koutcher J.A, Barnett D, Kornblith B, Cowburn D, Brady T.J, Gerweck L (1990)  
Relationship of changes in pH and energy status to hypoxic cell fraction and hyperthermia sensitivity.  
Int J Radiat Oncol Biol Phys 18(6):1429-1435
- 48.Lin G, Lunderquist A, Hägerstrand I, Boijsen E (1983)  
Postmortem examination of the blood supply and vascular pattern of small liver metastases in man.  
Surgery 96; 517-526
- 49.Lindell B, Aronson KF, Rothmann U, Sjogren HO (1977)  
The circulation in liver tissue and experimental liver metastases before and after embolization of the liver artery.  
Res Exp Med 16;177(1):63-70
- 50.Livraghi T, Lazzaroni S, Meloni F, Torzilli G, Vettori C (1995)  
Intralesional ethanol in the treatment of unresectable liver cancer.  
World J Surg 19; 801-806
- 51.Lyons JC, Song CW (1995).  
Killing of hypoxic cells by lowering the intracellular pH in combination with hyperthermia.  
Radiat Res; 141: 216-218

52. Matthewson K, Coleridge-Smith P, O'Sullivan JP, Northfield TC, Bown SG (1987)  
Biological effects of intrahepatic neodymium:yttrium-aluminium-garnet laser photocoagulation in rats.  
Gastroenterology;93(3):550-557
53. McCarter MD, Fong Y. (2000)  
Metastatic liver tumors.  
Semin Surg Oncol. Sep-Oct;19(2):177-88. Review.
54. Miyagawa S, Makuuchi M, Kawasaki S, Kakazu T (1995)  
Criteria for safe hepatic resection.  
Am J Surg;169: 589-594
55. Möller PH, Hannesson PH, Ivarsson K, Olsrud J, Stenram U, Tranberg KG (1997)  
Interstitial laser thermotherapy in pig liver: effect of inflow occlusion on extent of necrosis and ultrasound image.  
Hepato-Gastro; 44: 1302-1311
56. Möller PH, Ivarsson K, Stenram U, Randnell M, Tranberg KG (1998)  
Comparison between interstitial laser thermotherapy and excision of an Adenocarcinoma transplanted into rat liver.  
Br J Cancer; 77: 1884-1892
57. Mondovi B, Strom R, Rotilio G, Agro AF, Cavaliere R, Fanelli AR (1969) The biochemical mechanism of selective heat sensitivity of cancer cells. I. studies on cellular respiration.  
Europ. J. Cancer 5; 129-136
58. Muckle DS, Dickson JA (1971)  
The selective inhibitory effect of hyperthermia on the metabolism and growth of malignant cells.  
Br. J. Cancer 25; 771-778
59. Nolsøe CP, Torp-Pedersen S, Burcharth F, Horn T, Pedersen S, Christensen NE, Olldag ES, Andersen PH, Karstrup S, Lorentzen T, Holm HH (1993)  
Interstitial hyperthermia of colorectal liver metastases with a US-guided Nd-YAG laser with a diffuser tip: a pilot clinical study.  
Radiology;187: 333-337

- 60.Nordlinger B, Jaeck D, Guiguet M, Vaillant JC, Balldur P, Schaal JC (1992)  
Surgical resection of hepatic metastases. Multicentric retrospective study by  
The French Association of Surgery.  
In: NordlingerB, Jaeck D (Hrsg.) Treatment of hepatic metastases of colorectal  
Cancer  
Springer, Paris, Berlin u. a.; 129-146
- 61.Pickren JW, Tsukuda Y, Lane WW (1984). Liver metastases: analysis of  
autopsy data. In: Livermetastases. Hrsg.: Weiss L, Gilbert HA, Hall GK,  
Boston 143
- 62.Rew DA, Wilson GD, Taylor I, Weaver PC (1991)  
Proliferation characteristics of human colorectal carcinomas measured in vivo.  
Br J Surg; 78: 60-66
- 63.[Ritz JP, Roggan A, Isbert C, Muller G, Buhr HJ, Germer CT.](#) (2001)  
Optical properties of native and coagulated porcine liver tissue between 400 and  
2400 nm.  
Lasers Surg Med. 29(3):205-12.
- 64.Roggan A (1997)  
Dosimetrie thermischer Laseranwendungen in der Medizin. Untersuchungen  
der optischen Gewebeeigenschaften und physikalisch-mathematische  
Modellentwicklung.  
Dissertation 1997; Fachbereich Physik, Technische Universität Berlin
- 65.[Sakamoto Y, Makuuchi M, Takayama T, Minagawa M, Kita Y.](#)(1999)  
Pringle's maneuver lasting 322 min.  
Hepatogastroenterology. Jan-Feb;46(25):457-8.
- 66.Scheele J, Altendorf-Hofmann A, Grube T, Hohenberger W, Stangl, R ,  
Schmidt (2001)  
Resection of colorectal liver metastases. What prognostic factors determine  
patient selection?]  
Chirurg. May;72(5):547-60. German.
- 67.Scheele J, Stangl R, Altendorf-Hofmann A, Paul M (1995)  
Resection of colorectal liver metastases.  
World J Surg; 19: 59-71

- 68.Schneider PD, (1992)  
Liver resection and laser hyperthermia.  
*Surg Clin N Am*; 72: 623-639
- 69.Schutte B, Reynders M.J, Bosman T,Blijham G.H (1987)  
Effect of tissue fixation on Anti-bromodeoxyuridine Immunhistochemistry  
*The Journal of Histochemistry and Cytochemistry*; Vol. 35, No.11: 1343-1345
- 70.Scott A, Hinwood D, Donnelly R (2002)  
Radio-frequency ablation for symptom control in a patient with metastatic pancreatic insulinoma.  
*Clin Endocrinol (Oxf)*. Apr;56(4):557-9.
- 71.Seifert JK, Junginger T (1996).  
Resektion von Lebermetastasen kolorektaler Tumore - Eine uni- und multivariate Analyse von Prognosefaktoren.  
*Langenbecks Arch. Chir.* 381; 187-200
- 72.Shermann DM, Weichselbaum RE, Order SE, Cloud L, Trey C, Piro AJ (1978)  
Palliation of hepatic metastases.  
*Cancer* 41; 2013-2017
- 73.Shibasaki M, Sanjo K, Bandai Y, Imamura et al. (1990).  
Effects of intra-arterial infusion of degradable starch microspheres on liver tissue blood flow.  
*Gan To Kagaku Ryoho*; 17:1706-10
- 74.Sjövall S, Svensson H (1991).  
Effect of hepatic artery or portal vein occlusion on liver tumor blood flow.  
*Eur Surg Res*; 23: 179-184
- 75.Song C (1984).  
Effect of local hyperthermia on blood flow and micro-environment: a review.  
*Cancer Res.*;44: 4721-4730
- 76.Stangl R, Altendorf-Hofmann A, Charnley RM, Scheele J (1994)  
Factors influencing the natural history of colorectal liver metastases.  
*Lancet* 343; 1405-1410
- 77.Stevenson TR (1993)  
Laser treatment of skin lesions.  
*West J Med*;158(4):404

78. Sturesson C, Liu DL, Stenram U, Andersson-Engels S (1997)  
Hepatic inflow occlusion increases the efficacy of interstitial laser-induced  
thermotherapy in rat.  
J Surg Res; 71: 67-72.
79. Sugarbaker PH, Kemeny N (1989)  
Management of metastatic cancer to the liver.  
Adv. Surg.; 22: 1-56
80. Taguchi (1995)  
Liver tumor targeting of drugs: Spherex, a vascular occlusive agent.  
Gan To Kagaku Ryoho;22(7):969-976
81. Takayasu K, Muramatsu Y, Maeda T, Iwata R, Furukawa H, Moriyama N,  
Okusaka T, Okada S, Ueno H (2001)  
Targeted transarterial oily chemoembolization for small foci of hepatocellular  
carcinoma using a unifield helical CT and angiography system.  
AJR ;176(3):681-688
82. Taylor I (1996)  
Liver metastases from colorectal cancer: lessons from past and present clinical  
studies.  
Br. J. Surg. 83; 456-460
83. Taylor I, Bennett R, Sherriff S (1979)  
The blood supply of colorectal liver metastases.  
Br. J. Cancer 39; 749-756
84. Taylor M, Forster J, Langer B, Taylor BR ,Greig PD, Mahut C (1997)  
A study of prognostic factors for hepatic resection for colorectal metastases.  
Am. J. Surg: 173; 467-471
85. Teder H, Christensson P.I, Aronson K.F, Lewan L, Ljungberg J,  
Stenram U (1985)  
Hepatic artery administration of degradable starch microspheres.  
Res. Exp. Med. 185: 405-414
86. Teder H, Nilson M, Aronsen K.F (1985) Gamma camera evaluation of the  
effects of degradable starch microspheres on arterial liver blood flow in the rat.  
Res. Exp. Med: 185; 391-397

- 87.Tranberg KG, Möller PH, Hannesson P, Stenram U (1996)  
Interstitial Nd:YAG laser coagulation with an cylindrical diffusing fiber tip in experimental liver metastases.  
Lasers Surg Med; 14: 124-138
- 88.Van Hillegersberg R, Van Staveren HJ, Kort WJ, Zondervan PE, Terpstra OT (1994).  
Interstitial Nd:YAG laser coagulation with a cylindrical diffusing fiber tip in experimental liver metastases.  
Lasers Surg Med; 14: 124-138
- 89.van Ooijen B, Wiggers t, Meijer S, van der Heijde MN, Slooff MJH, van de Velde CJH, Obertrop H, Gouma DJ, Brugge EDM, Lange JF, Munting JDK (1992)  
Hepatic resections for colorectal metastases in the netherlands. A multiinstitutional 10-year study.  
Cancer; 70: 28-34
- 90.Van-Leeuwen GM, Kotte AN, De-Bree J, Van der Koijk JF, Crezee J, Lagendijk JJ (1997)  
Accuracy of geometrical modelling of heat transfer from tissue to blood vessels. Phys. Med. Biol; 42: 1451-60
- 91.Vogl TJ, Mack MG, Straub R, Roggan A, Felix R (1997)  
Percutaneous MRI-guided laser-induced thermotherapy for hepatic metastases for colorectal cancer.  
Lancet; 350: 29
- 92.[Vogl TJ, Muller PK, Mack MG, Straub R, Engelmann K, Neuhaus P.](#) (1999)  
Therapeutic options in non-resectable liver metastases. Percutaneous radiological interventions  
Chirurg. Feb;70(2):133-40.
- 93.Vogl TJ,Müller PK, Mack MG, Straub R, Engelmann K, Neuhaus P (1999)  
Therapiemöglichkeiten bei nicht resektablen Lebermetastasen. Percutane radiologische Interventionen.  
Chirurg; 70: 133-140
- 94.Wagner JS, Adson MA, van Heerden JA, Adson MH, Ilstrup DM (1984)  
The natural history of hepatic metastases from colorectal cancer.  
Ann Surg; 199: 502-508

95. Wang LQ, Persson BG, Bergquist L, Bengmark S (1994)  
Influence of dearterialization on distribution of absolute tumor blood flow  
between hepatic artery and portal vein.  
Cancer 74;2454-2459
96. Whelan W.M, Wyman D.R, Wilson B.C (1995)  
Investigations of large vessels cooling during interstitial laser heating.  
Med. Phys. 22 (1): 105-115