

5 LITERATUR

1. Wolff J. Das Gesetz der Transformation der Knochen. Berlin: Verlag von August Hirschwald, 1892.
2. Rittweger J, Beller G, Ehrig J, Jung C, Koch U, Ramolla J, Schmidt F, Newitt D, Majumdar S, Schiessl H, Felsenberg D. Bone-muscle strength indices for the human lower leg. *Bone* 2000; 27:319-26.
3. Frost HM. Skeletal structural adaptations to mechanical usage (SATMU): 1. Redefining Wolff's law: the bone modeling problem. *Anat Rec* 1990; 226:403-13.
4. Schönau E. The development of the skeletal system in children and the influence of muscular strength. *Horm Res* 1998; 49:27-31.
5. Schönau E, Werhahn E, Schiedermaier U, Mokow E, Schiessl H, Scheidhauer K, Michalik D. Influence of muscle strength on bone strength during childhood and adolescence. *Horm Res* 1996; 45:63-6.
6. Schiessl H, Frost HM, Jee WS. Estrogen and bone-muscle strength and mass relationships [see comments]. *Bone* 1998; 22:1-6.
7. Zanchetta JR, Plotkin H, Alvarez Filgueira ML. Bone mass in children: normative values for the 2-20-year-old population. *Bone* 1995; 16:393S-399S.
8. Schiessl H, Ferretti JL, Tysaczyk-Niemeyer G, Willnecker J. Noninvasive bone strength index as analysed by peripheral quantitative computed tomography (pQCT). *Paediatric Osteology* 1996:141 - 146.
9. Frost HM. From Wolff's law to the Utah paradigm: insights about bone physiology and its clinical applications. *Anat Rec* 2001; 262:398-419.
10. Neer RM, Arnaud CD, Zanchetta JR, Prince R, Gaich GA, Reginster JY, Hodsmann AB, Eriksen EF, Ish-Shalom S, Genant HK, Wang O, Mitlak BH. Effect of parathyroid hormone (1-34) on fractures and bone mineral density in postmenopausal women with osteoporosis. *N Engl J Med* 2001; 344:1434-41.
11. Frost HM. Why do bone strength and "mass" in aging adults become unresponsive to vigorous exercise? Insights of the Utah paradigm. *J Bone Miner Metab* 1999; 17:90-7.
12. Dören M, Samsioe G. Prevention of postmenopausal osteoporosis with oestrogen replacement therapy and associated compounds: update on clinical trials since 1995. *Hum Reprod Update* 2000; 6:419-26.
13. Turner CH, Pavalko FM. Mechanotransduction and functional response of the skeleton to physical stress: the mechanisms and mechanics of bone adaptation. *J Orthop Sci* 1998; 3:346-55.
14. Donahue HJ. Gap junctions and biophysical regulation of bone cell differentiation. *Bone* 2000; 26:417-22.
15. Noble BS, Reeve J. Osteocyte function, osteocyte death and bone fracture resistance. *Mol Cell Endocrinol* 2000; 159:7-13.
16. Burger EH, Klein-Nulend J. Mechanotransduction in bone--role of the lacuno-canalicular network. *Faseb J* 1999; 13:S101-12.

17. Turner RT. Invited review: what do we know about the effects of spaceflight on bone? *J Appl Physiol* 2000; 89:840-7.
18. Miyamoto A, Shigematsu T, Fukunaga T, Kawakami K, Mukai C, Sekiguchi C. Medical baseline data collection on bone and muscle change with space flight. *Bone* 1998; 22:79S-82S.
19. Vico L, Collet P, Guignandon A, Heikkinen AM, Alhava E, Honkanen R, Saarikoski S. Effects of long-term microgravity exposure on cancellous and cortical weight-bearing bones of cosmonauts. *Lancet* 2000; 355:1607-11.
20. Haapasalo H, Kontulainen S, Sievanen H, Kannus P, Jarvinen M, Vuori I. Exercise-induced bone gain is due to enlargement in bone size without a change in volumetric bone density: a peripheral quantitative computed tomography study of the upper arms of male tennis players. *Bone* 2000; 27:351-7.
21. Frost HM. Bone "mass" and the "mechanostat": a proposal. *Anat Rec* 1987; 219:1-9.
22. Schoenau E, Neu CM, Mokov E, Wassmer G, Manz F. Influence of puberty on muscle area and cortical bone area of the forearm in boys and girls. *J Clin Endocrinol Metab* 2000; 85:1095-8.
23. Kuller LH, Matthews KA, Meilahn EN. Estrogens and women's health: interrelation of coronary heart disease, breast cancer and osteoporosis. *J Steroid Biochem Mol Biol* 2000; 74:297-309.
24. Chapurlat RD, Gamero P, Sornay-Rendu E, Arlot ME, Claustrat B, Delmas PD. Longitudinal study of bone loss in pre- and perimenopausal women: evidence for bone loss in perimenopausal women. *Osteoporos Int* 2000; 11:493-8.
25. Geusens P, Dequeker J, Verstraeten A, Nijs J. Age-, sex-, and menopause-related changes of vertebral and peripheral bone: population study using dual and single photon absorptiometry and radiogrammetry. *J Nucl Med* 1986; 27:1540-9.
26. Compston JE. Sex steroids and bone. *Physiol Rev* 2001; 81:419-447.
27. Komulainen MH, Kroger H, Tuppurainen MT, et al. HRT and Vit D in prevention of non-vertebral fractures in postmenopausal women; a 5 year randomized trial. *Maturitas* 1998; 31:45-54.
28. Eiken P, Kolthoff N, Nielsen SP. Effect of 10 years' hormone replacement therapy on bone mineral content in postmenopausal women. *Bone* 1996; 19:191S-193S.
29. Effects of hormone therapy on bone mineral density: results from the postmenopausal estrogen/progestin interventions (PEPI) trial. The Writing Group for the PEPI. *Jama* 1996; 276:1389-96.
30. Frost HM. The mechanostat: a proposed pathogenic mechanism of osteoporoses and the bone mass effects of mechanical and nonmechanical agents. *Bone Miner* 1987; 2:73-85.
31. Burr DB, Martin RB. Errors in bone remodeling: toward a unified theory of metabolic bone disease. *Am J Anat* 1989; 186:186-216.
32. Thomsen K, Riis BJ, Johansen JS, Christiansen C, Rodbro P. Bone turnover in postmenopausal women after withdrawal of estrogen/gestagen replacement therapy. *Gynecol Endocrinol* 1987; 1:169-75.

33. Wallace BA, Cumming RG. Systematic review of randomized trials of the effect of exercise on bone mass in pre- and postmenopausal women. *Calcif Tissue Int* 2000; 67:10-8.
34. Bennell K, Khan K, McKay H. The role of physiotherapy in the prevention and treatment of osteoporosis. *Man Ther* 2000; 5:198-213.
35. Heinonen A, Kannus P, Sievanen H, Oja P, Pasanen M, Rinne M, Uusi-Rasi K, Vuori I. Randomised controlled trial of effect of high-impact exercise on selected risk factors for osteoporotic fractures. *Lancet* 1996; 348:1343-7.
36. Hartard M, Haber P, Ilieva D, Preisinger E, Seidl G, Huber J. Systematic strength training as a model of therapeutic intervention. A controlled trial in postmenopausal women with osteopenia. *Am J Phys Med Rehabil* 1996; 75:21-8.
37. Nelson ME, Fiatarone MA, Morganti CM, Trice I, Greenberg RA, Evans WJ. Effects of high-intensity strength training on multiple risk factors for osteoporotic fractures. A randomized controlled trial. *Jama* 1994; 272:1909-14.
38. Kerr D, Morton A, Dick I, Prince R. Exercise effects on bone mass in postmenopausal women are site-specific and load-dependent. *J Bone Miner Res* 1996; 11:218-25.
39. Notelovitz M, Martin D, Tesar R, Khan FY, Probart C, Fields C, McKenzie L. Estrogen therapy and variable-resistance weight training increase bone mineral in surgically menopausal women. *J Bone Miner Res* 1991; 6:583-90.
40. Prince R, Devine A, Dick I, Criddle A, Kerr D, Kent N, Price R, Randell A. The effects of calcium supplementation (milk powder or tablets) and exercise on bone density in postmenopausal women. *J Bone Miner Res* 1995; 10:1068-75.
41. Spitzenfeil P, Mester J. Vibrationsbelastungen beim alpinen Skilauf. *Sportorthopädie - Sporttraumatologie* 1997; 13:209 - 212.
42. Mester J, Spitzenfeil P, Schwarzer J, Seifriz F. Biological reaction to vibration--implications for sport. *J Sci Med Sport* 1999; 2:211-26.
43. Rittweger J, Beller G, Felsenberg D. Acute physiological effects of exhaustive whole-body vibration exercise in man. *Clin Physiol* 2000; 20:134-42.
44. Bosco C, Cardinale M, Tsarpela O. Influence of vibration on mechanical power and electromyogram activity in human arm flexor muscles. *Eur J Appl Physiol Occup Physiol* 1999; 79:306-11.
45. Bosco C, Iacovelli M, Tsarpela O, Cardinale M, Bonifazi M, Tihanyi J, Viru M, De Lorenzo A, Viru A. Hormonal responses to whole-body vibration in men. *Eur J Appl Physiol* 2000; 81:449-54.
46. Pudal V. [Check list protocol as a simple method for obtaining the customary food consumption of the obese]. *Int J Vitam Nutr Res* 1974; 44:246-57.
47. Jackson AS, Pollock ML, Ward A. Generalized equations for predicting body density of women. *Med Sci Sports Exerc* 1980; 12:175-81.
48. Ferretti JL, Capozza R. F., Tysarczik-Niemeyer G, Schiessl H, Steffens M. Tomographic determination of stability parameters allow noninvasive estimation of bending or torsion strength. *Osteoporos Int* 1995; 5:298-304.
49. Augat P, Reeb H, Claes LE. Prediction of fracture load at different skeletal sites by geometric properties of the cortical shell. *J Bone Miner Res* 1996; 11:1356-63.

50. Wilhelm G. FD, Bogusch G., Willnecker J., Thaten I., Gummert P. Biomechanical examinations for validation of the Bone Strength Index SSI, calculated by peripheral computed tomography. In: G.P. L, ed. Musculoskeletal interactions. Vol. 2. Athens, 1999:105-110.
51. Uusi-Rasi K, Sievanen H, Vuori I, Pasanen M, Heinonen A, Oja P. Associations of physical activity and calcium intake with bone mass and size in healthy women at different ages. *J Bone Miner Res* 1998; 13:133-42.
52. Vico L, Pouget JF, Calmels P, Chatard JC, Rehalia M, Minaire P, Geysant A, Alexandre C. The relations between physical ability and bone mass in women aged over 65 years. *J Bone Miner Res* 1995; 10:374-83.
53. Proctor DN, Melton LJ, Khosla S, Crowson CS, O'Connor MK, Riggs BL. Relative influence of physical activity, muscle mass and strength on bone density. *Osteoporos Int* 2000; 11:944-52.
54. Heaney RP, Abrams S, Dawson-Hughes B, Looker A, Marcus R, Matkovic V, Weaver C. Peak bone mass. *Osteoporos Int* 2000; 11:985-1009.
55. Haapasalo H, Sievanen H, Kannus P, Heinonen A, Oja P, Vuori I. Dimensions and estimated mechanical characteristics of the humerus after long-term tennis loading. *J Bone Miner Res* 1996; 11:864-72.
56. Kannus P, Haapasalo H, Sankelo M, Sievanen H, Pasanen M, Heinonen A, Oja P, Vuori I. Effect of starting age of physical activity on bone mass in the dominant arm of tennis and squash players. *Ann Intern Med* 1995; 123:27-31.
57. Wolff I, van Croonenborg JJ, Kemper HC, Kostense PJ, Twisk JW. The effect of exercise training programs on bone mass: a meta-analysis of published controlled trials in pre- and postmenopausal women. *Osteoporos Int* 1999; 9:1-12.
58. Chilibeck PD, Sale DG, Webber CE. Exercise and bone mineral density. *Sports Med* 1995; 19:103-22.
59. Gutin B, Kasper MJ. Can vigorous exercise play a role in osteoporosis prevention? A review. *Osteoporos Int* 1992; 2:55-69.
60. Notelovitz M. Osteoporosis: screening, prevention, and management. *Fertil Steril* 1993; 59:707-25.
61. Umemura Y, Ishiko T, Yamauchi T, Kurono M, Mashiko S. Five jumps per day increase bone mass and breaking force in rats. *J Bone Miner Res* 1997; 12:1480-5.
62. Dishman RK. Motivating older adults to exercise. *South Med J* 1994; 87:S79-82.
63. Fiatarone MA, O'Neill EF, Ryan ND, Clements KM, Solares GR, Nelson ME, Roberts SB, Kehayias JJ, Lipsitz LA, Evans WJ. Exercise training and nutritional supplementation for physical frailty in very elderly people. *N Engl J Med* 1994; 330:1769-75.
64. Sipila S, Suominen H. Effects of strength and endurance training on thigh and leg muscle mass and composition in elderly women. *J Appl Physiol* 1995; 78:334-40.
65. Charette SL, McEvoy L, Pyka G, Snow-Harter C, Guido D, Wiswell RA, Marcus R. Muscle hypertrophy response to resistance training in older women. *J Appl Physiol* 1991; 70:1912-6.

66. Morganti CM, Nelson ME, Fiatarone MA, Dallal GE, Economos CD, Crawford BM, Evans WJ. Strength improvements with 1 yr of progressive resistance training in older women. *Med Sci Sports Exerc* 1995; 27:906-12.
67. Porter MM, Vandervoort AA, Lexell J. Aging of human muscle: structure, function and adaptability. *Scand J Med Sci Sports* 1995; 5:129-42.
68. Evans WJ. Reversing sarcopenia: how weight training can build strength and vitality. *Geriatrics* 1996; 51:46-7, 51-3; quiz 54.
69. American College of Sports Medicine Position Stand. Exercise and physical activity for older adults. *Med Sci Sports Exerc* 1998; 30:992-1008.
70. American College of Sports Medicine position stand. Osteoporosis and exercise. *Med Sci Sports Exerc* 1995; 27:i-vii.
71. Rothmuller C, Cafarelli E. Effect of vibration on antagonist muscle coactivation during progressive fatigue in humans. *J Physiol* 1995; 485:857-64.
72. Bosco C, Colli R, Intorini E, Cardinale M, Tsarpela O, Madella A, Tihanyi J, Viru A. Adaptive responses of human skeletal muscle to vibration exposure. *Clin Physiol* 1999; 19:183-7.
73. Issurin VB, Liebermann DG, Tenenbaum G. Effect of vibratory stimulation training on maximal force and flexibility. *J Sports Sci* 1994; 12:561-6.
74. Schlumberger A, Salin D, Schmidtbleicher D. [Strength training with superimposed vibrations]. *Sportverletz Sportschaden* 2001; 15:1-7.
75. Petrofsky JS, LeDonne DM, Rinehart JS, Lind AR. Isometric strength and endurance during the menstrual cycle. *Eur J Appl Physiol Occup Physiol* 1976; 35:1-10.
76. Phillips SK, Sanderson AG, Birch K, Bruce SA, Woledge RC. Changes in maximal voluntary force of human adductor pollicis muscle during the menstrual cycle. *J Physiol* 1996; 496:551-7.
77. Wameling P, Hartard M, Kleinmond C, Schiessl H, Jeschke D. Einfluss einer neuen Form des Krafttrainings auf kardiopulmonale und muskuläre Funktionsgrößen und sympathoadrenerge Reaktionen. *Deutsche Zeitschrift für Sportmedizin* 2001; 7/8:S84.
78. Bongers PM, Hulshof CT, Dijkstra L, Boshuizen HC, Groenhout HJ, Valken E. Back pain and exposure to whole body vibration in helicopter pilots. *Ergonomics* 1990; 33:1007-26.
79. Boshuizen HC, Bongers PM, Hulshof CT. Self-reported back pain in fork-lift truck and freight-container tractor drivers exposed to whole-body vibration. *Spine* 1992; 17:59-65.
80. Schneider F, Ursoniu C, Bucatea T, Dankner A. [Electroencephalographic aspects of fatigue in men working with pneumatic hammers]. *Fiziol Norm Patol* 1972; 18:409-14.
81. Kerschán-Schindl K, Grampp S, Henk C, Resch H, Preisinger E, Fialka-Moser V, Imhof H. Whole-body vibration exercise leads to alterations in muscle blood volume. *Clin Physiol* 2001; 21:377-82.

82. Flieger J, Karachalios T, Khaldi L, Raptou P, Lyritis G. Mechanical stimulation in the form of vibration prevents postmenopausal bone loss in ovariectomized rats. *Calcif Tissue Int* 1998; 63:510-4.
83. Rubin C, Turner AS, Bain S, Mallinckrodt C, McLeod K. Anabolism. Low mechanical signals strengthen long bones. *Nature* 2001; 412:603-4.
84. Ehlenz H, M. G, E. Z. Krafttraining. BLV Sportwissen: BLV Verlagsgesellschaft mbH München, 1998:120-121.
85. Pruitt LA, Taaffe DR, Marcus R. Effects of a one-year high-intensity versus low-intensity resistance training program on bone mineral density in older women. *J Bone Miner Res* 1995; 10:1788-95.
86. Revel M, Mayoux-Benhamou MA, Rouboudin JP, Bagheri F, Roux C. One-year psoas training can prevent lumbar bone loss in postmenopausal women: a randomized controlled trial. *Calcif Tissue Int* 1993; 53:307-11.
87. Jung C. Kernspintomographische Untersuchung der Relation zwischen Muskelvolumen, Muskelgeometrie und Knochengeometrie am Unterschenkel. University Hospital Benjamin Franklin. Berlin: Free University, 2001:57.
88. Hasegawa Y, Schneider P, Reiners C. Age, sex, and grip strength determine architectural bone parameters assessed by peripheral quantitative computed tomography (pQCT) at the human radius. *J Biomech* 2001; 34:497-503.
89. Ruff CB, Hayes WC. Subperiosteal expansion and cortical remodeling of the human femur and tibia with aging. *Science* 1982; 217:945-8.
90. Heinonen A, Sievanen H, Kannus P, Oja P, Pasanen M, Vuori I. High-impact exercise and bones of growing girls: a 9-month controlled trial. *Osteoporos Int* 2000; 11:1010-7.
91. Schneider PF, Fischer M, Allolio B, Felsenberg D, Schroder U, Semler J, Ittner JR. Alendronate increases bone density and bone strength at the distal radius in postmenopausal women. *J Bone Miner Res* 1999; 14:1387-93.
92. Fujimura R, Ashizawa N, Watanabe M, Mukai N, Amagai H, Fukubayashi T, Hayashi K, Tokuyama K, Suzuki M. Effect of resistance exercise training on bone formation and resorption in young male subjects assessed by biomarkers of bone metabolism. *J Bone Miner Res* 1997; 12:656-62.
93. Recker RR, Davies KM, Dowd RM, Heaney RP. The effect of low-dose continuous estrogen and progesterone therapy with calcium and vitamin D on bone in elderly women. A randomized, controlled trial. *Ann Intern Med* 1999; 130:897-904.
94. Kohrt WM, Snead DB, Slatopolsky E, Birge SJ, Jr. Additive effects of weight-bearing exercise and estrogen on bone mineral density in older women. *J Bone Miner Res* 1995; 10:1303-11.
95. Burr DB, Milgrom C, Fyhrie D, Forwood M, Nyska M, Finestone A, Hoshaw S, Saiag E, Simkin A. In vivo measurement of human tibial strains during vigorous activity. *Bone* 1996; 18:405-10.