

5. References

- Adachi, Y, Pavlakis, GN, and Copeland, TD (1994): Identification of in vivo phosphorylation sites of SET, a nuclear phosphoprotein encoded by the translocation breakpoint in acute undifferentiated leukemia. *FEBS Lett* **340**, 231-5.
- Adachi, Y, Pavlakis, GN, and Copeland, TD (1994): Identification and characterization of SET, a nuclear phosphoprotein encoded by the translocation break point in acute undifferentiated leukemia. *J Biol Chem* **269**, 2258-62.
- Aderem, A (1992): Signal transduction and the actin cytoskeleton: the roles of MARCKS and profilin. *Trends Biochem Sci* **17**, 438-43.
- Adler, HT, Nallaseth, FS, Walter, G, and Tkachuk, DC (1997): HRX leukemic fusion proteins form a heterocomplex with the leukemia-associated protein SET and protein phosphatase 2A. *J Biol Chem* **272**, 28407-14.
- Alexander, SR, Kishimoto, TK, and Walcheck, B (2000): Effects of selective protein kinase C inhibitors on the proteolytic down-regulation of L-selectin from chemoattractant-activated neutrophils. *J Leukoc Biol* **67**, 415-22.
- Allen, JB, Walberg, MW, Edwards, MC, and Elledge, SJ (1995): Finding prospective partners in the library: the two-hybrid system and phage display find a match. *Trends Biochem Sci* **20**, 511-6.
- Allport, JR, Ding, HT, Ager, A, Steeber, DA, Tedder, TF, and Luscinskas, FW (1997): L-selectin shedding does not regulate human neutrophil attachment, rolling, or transmigration across human vascular endothelium in vitro. *J Immunol* **158**, 4365-72.
- Al-Murrani, SW, Woodgett, JR, and Damuni, Z (1999): Expression of I2PP2A, an inhibitor of protein phosphatase 2A, induces c-Jun and AP-1 activity. *Biochem J* **341**, 293-8.
- Alon, R, Kassner, PD, Carr, MW, Finger, EB, Hemler, ME, and Springer, TA (1995): The integrin VLA-4 supports tethering and rolling in flow on VCAM-1. *J Cell Biol* **128**, 1243-53.
- Altman, A, Isakov, N, and Baier, G (2000): Protein kinase Ctheta: a new essential superstar on the T-cell stage. *Immunol Today* **21**, 567-73.
- Anderson, DC, and Springer, TA (1987): Leukocyte adhesion deficiency: an inherited defect in the Mac-1, LFA-1, and p150,95 glycoproteins. *Annu Rev Med* **38**, 175-94.
- Aplin, AE, Howe, A, Alahari, SK, and Juliano, RL (1998): Signal transduction and signal modulation by cell adhesion receptors: the role of integrins, cadherins, immunoglobulin-cell adhesion molecules, and selectins. *Pharmacol Rev* **50**, 197-263.

- Arbones, ML, Ord, DC, Ley, K, Ratech, H, Maynard-Curry, C, Otten, G, Capon, DJ, and Tedder, TF (1994): Lymphocyte homing and leukocyte rolling and migration are impaired in L-selectin-deficient mice. *Immunity* **1**, 247-60.
- Baggiolini, M (1998): Chemokines and leukocyte traffic. *Nature* **392**, 565-8.
- Baier, G, Baier-Bitterlich, G, Meller, N, Coggeshall, KM, Giampa, L, Telford, D, Isakov, N, and Altman, A (1994): Expression and biochemical characterization of human protein kinase C-theta. *Eur J Biochem* **225**, 195-203.
- Barel, M, Le Romancer, M, and Frade, R (2001): Activation of the EBV/C3d receptor (CR2, CD21) on human B lymphocyte surface triggers tyrosine phosphorylation of the 95-kDa nucleolin and its interaction with phosphatidylinositol 3 kinase. *J Immunol* **166**, 3167-73.
- Bargatze, RF, Jutila, MA, and Butcher, EC (1995): Distinct roles of L-selectin and integrins alpha 4 beta 7 and LFA-1 in lymphocyte homing to Peyer's patch-HEV in situ: the multistep model confirmed and refined. *Immunity* **3**, 99-108.
- Bartel, P, Chien, CT, Sternglanz, R, and Fields, S (1993): Elimination of false positives that arise in using the two-hybrid system. *Biotechniques* **14**, 920-4.
- Baumhuter, S, Singer, MS, Henzel, W, Hemmerich, S, Renz, M, Rosen, SD, and Lasky, LA (1993): Binding of L-selectin to the vascular sialomucin CD34. *Science* **262**, 436-8.
- Bennett, TA, Lynam, EB, Sklar, LA, and Rogelj, S (1996): Hydroxamate-based metalloprotease inhibitor blocks shedding of L-selectin adhesion molecule from leukocytes: functional consequences for neutrophil aggregation. *J Immunol* **156**, 3093-7.
- Beresford, PJ, Kam, CM, Powers, JC, and Lieberman, J (1997): Recombinant human granzyme A binds to two putative HLA-associated proteins and cleaves one of them. *Proc Natl Acad Sci U S A* **94**, 9285-90.
- Berg, EL, Yoshino, T, Rott, LS, Robinson, MK, Warnock, RA, Kishimoto, TK, Picker, LJ, and Butcher, EC (1991): The cutaneous lymphocyte antigen is a skin lymphocyte homing receptor for the vascular lectin endothelial cell-leukocyte adhesion molecule 1. *J Exp Med* **174**, 1461-6.
- Berg, EL, McEvoy, LM, Berlin, C, Bargatze, RF, and Butcher, EC (1993): L-selectin-mediated lymphocyte rolling on MAdCAM-1. *Nature* **366**, 695-8.
- Berlin, C, Berg, EL, Briskin, MJ, Andrew, DP, Kilshaw, PJ, Holzmann, B, Weissman, IL, Hamann, A, and Butcher, EC (1993): Alpha 4 beta 7 integrin mediates lymphocyte binding to the mucosal vascular addressin MAdCAM-1. *Cell* **74**, 185-5.
- Berlin, C, Bargatze, RF, Campbell, JJ, von Andrian, UH, Szabo, MC, Hasslen, SR, Nelson, RD, Berg, EL, Erlandsen, SL, and Butcher, EC (1995): alpha 4 integrins mediate lymphocyte attachment and rolling under physiologic flow. *Cell* **80**, 413-22.

- Berton, G, Laudanna, C, Sorio, C, and Rossi, F (1992): Generation of signals activating neutrophil functions by leukocyte integrins: LFA-1 and gp150/95, but not CR3, are able to stimulate the respiratory burst of human neutrophils. *J Cell Biol* **116**, 1007-17.
- Bevilacqua, MP, Pober, JS, Mendrick, DL, Cotran, RS, and Gimbrone, MA, Jr. (1987): Identification of an inducible endothelial-leukocyte adhesion molecule. *Proc Natl Acad Sci U S A* **84**, 9238-42.
- Bevilacqua, MP, and Nelson, RM (1993): Selectins. *J Clin Invest* **91**, 379-87.
- Bi, K, Tanaka, Y, Coudronniere, N, Sugie, K, Hong, S, van Stipdonk, MJ, and Altman, A (2001): Antigen-induced translocation of PKC-theta to membrane rafts is required for T cell activation. *Nat Immunol* **2**, 556-63.
- Biffen, M, McMichael-Phillips, D, Larson, T, Venkitaraman, A, and Alexander, D (1994): The CD45 tyrosine phosphatase regulates specific pools of antigen receptor-associated p59fyn and CD4-associated p56lck tyrosine in human T-cells. *Embo J* **13**, 1920-9.
- Black, EJ, Street, AJ, and Gillespie, DA (1991): Protein phosphatase 2A reverses phosphorylation of c-Jun specified by the delta domain in vitro: correlation with oncogenic activation and deregulated transactivation activity of v-Jun. *Oncogene* **6**, 1949-58.
- Bohnsack, JF (1992): CD11/CD18-independent neutrophil adherence to laminin is mediated by the integrin VLA-6. *Blood* **79**, 1545-52.
- Borer, RA, Lehner, CF, Eppenberger, HM, and Nigg, EA (1989): Major nucleolar proteins shuttle between nucleus and cytoplasm. *Cell* **56**, 379-90.
- Brenner, B, Gulbins, E, Schlottmann, K, Koppenhoefer, U, Busch, GL, Walzog, B, Steinhausen, M, Coggshall, KM, Linderkamp, O, and Lang, F (1996): L-selectin activates the Ras pathway via the tyrosine kinase p56lck. *Proc Natl Acad Sci U S A* **93**, 15376-81.
- Brenner, B, Gulbins, E, Busch, GL, Koppenhoefer, U, Lang, F, and Linderkamp, O (1997a): L-selectin regulates actin polymerisation via activation of the small G-protein Rac2. *Biochem Biophys Res Commun* **231**, 802-7.
- Brenner, B, Gulbins, E, Koppenhoefer, U, Lang, F, and Linderkamp, O (1997b): L-selectin-mediated lymphocyte rolling of Jurkat T lymphocytes depends on functional expression of the tyrosine kinase p56lck. *Cell Physiol Biochem* **7**, 107-118.
- Brenner, B, Weinmann, S, Grassme, H, Lang, F, Linderkamp, O, and Gulbins, E (1997c): L-selectin activates JNK via src-like tyrosine kinases and the small G-protein Rac. *Immunology* **92**, 214-9.
- Brenner, B, Grassme, HU, Muller, C, Lang, F, Speer, CP, and Gulbins, E (1998): L-selectin stimulates the neutral sphingomyelinase and induces release of ceramide. *Exp Cell Res* **243**, 123-8.
- Brick-Ghannam, C, Mooney, N, and Charron, D (1991): Signal transduction in B lymphocytes. *Hum Immunol* **30**, 202-7.

- Briskin, MJ, McEvoy, LM, and Butcher, EC (1993): MAdCAM-1 has homology to immunoglobulin and mucin-like adhesion receptors and to IgA1. *Nature* **363**, 461-4.
- Brumell, JH, Chan, CK, Butler, J, Borregaard, N, Siminovitch, KA, Grinstein, S, and Downey, GP (1997): Regulation of Src homology 2-containing tyrosine phosphatase 1 during activation of human neutrophils. Role of protein kinase C. *J Biol Chem* **272**, 875-82.
- Buckley, CD, Rainger, GE, Bradfield, PF, Nash, GB, and Simmons, DL (1998): Cell adhesion: more than just glue (review). *Mol Membr Biol* **15**, 167-76.
- Butcher, EC, and Picker, LJ (1996): Lymphocyte homing and homeostasis. *Science* **272**, 60-6.
- Cacalano, G, Lee, J, Kikly, K, Ryan, AM, Pitts-Meek, S, Hultgren, B, Wood, WI, and Moore, MW (1994): Neutrophil and B cell expansion in mice that lack the murine IL-8 receptor homolog. *Science* **265**, 682-4.
- Campbell, JJ, Bowman, EP, Murphy, K, Youngman, KR, Siani, MA, Thompson, DA, Wu, L, Zlotnik, A, and Butcher, EC (1998): 6-C-kine (SLC), a lymphocyte adhesion-triggering chemokine expressed by high endothelium, is an agonist for the MIP-3beta receptor CCR7. *J Cell Biol* **141**, 1053-9.
- Carlos, TM, and Harlan, JM (1994): Leukocyte-endothelial adhesion molecules. *Blood* **84**, 2068-101.
- Cepek, KL, Parker, CM, Madara, JL, and Brenner, MB (1993): Integrin alpha E beta 7 mediates adhesion of T lymphocytes to epithelial cells. *J Immunol* **150**, 3459-70.
- Chao, CC, Jensen, R, and Dailey, MO (1997): Mechanisms of L-selectin regulation by activated T cells. *J Immunol* **159**, 1686-94.
- Chen, CY, Gherzi, R, Andersen, JS, Gaietta, G, Jurchott, K, Royer, HD, Mann, M, and Karin, M (2000): Nucleolin and YB-1 are required for JNK-mediated interleukin-2 mRNA stabilization during T-cell activation. *Genes Dev* **14**, 1236-48.
- Chien, CT, Bartel, PL, Sternglanz, R, and Fields, S (1991): The two-hybrid system: a method to identify and clone genes for proteins that interact with a protein of interest. *Proc Natl Acad Sci U S A* **88**, 9578-82.
- Chung, CT, Niemela, SL, and Miller, RH (1989): One-step preparation of competent Escherichia coli: transformation and storage of bacterial cells in the same solution. *Proc Natl Acad Sci U S A* **86**, 2172-5.
- Crockett-Torabi, E, Sulenbarger, B, Smith, CW, and Fantone, JC (1995): Activation of human neutrophils through L-selectin and Mac-1 molecules. *J Immunol* **154**, 2291-302.
- Crockett-Torabi, E, and Fantone, JC (1997): L-selectin stimulation of canine neutrophil initiates calcium signal secondary to tyrosine kinase activation. *Am J Physiol* **272**, h1302-8.

- Crockett-Torabi, E (1998): Selectins and mechanisms of signal transduction. *J Leukoc Biol* **63**, 1-14.
- Dempsey, EC, Newton, AC, Mochly-Rosen, D, Fields, AP, Reyland, ME, Insel, PA, and Messing, RO (2000): Protein kinase C isozymes and the regulation of diverse cell responses. *Am J Physiol Lung Cell Mol Physiol* **279**, L429-38.
- Di, YP, Repasky, EA, and Subjeck, JR (1997): Distribution of HSP70, protein kinase C, and spectrin is altered in lymphocytes during a fever-like hyperthermia exposure. *J Cell Physiol* **172**, 44-54.
- Ding, Z, Kawashima, H, and Miyasaka, M (2000): Sulfatide binding and activation of leukocytes through an L-selectin-independent pathway. *J Leukoc Biol* **68**, 65-72.
- Dore, M, Korhuis, RJ, Granger, DN, Entman, ML, and Smith, CW (1993): P-selectin mediates spontaneous leukocyte rolling in vivo. *Blood* **82**, 1308-16.
- Dundr, M, and Olson, MO (1998): Partially processed pre-rRNA is preserved in association with processing components in nucleolus-derived foci during mitosis. *Mol Biol Cell* **9**, 2407-22.
- Dunon, D, Piali, L, and Imhof, BA (1996): To stick or not to stick: the new leukocyte homing paradigm. *Curr Opin Cell Biol* **8**, 714-23.
- Dustin, ML, Garcia-Aguilar, J, Hibbs, ML, Larson, RS, Stacker, SA, Staunton, DE, Wardlaw, AJ, and Springer, TA (1989): Structure and regulation of the leukocyte adhesion receptor LFA-1 and its counterreceptors, ICAM-1 and ICAM-2. *Cold Spring Harb Symp Quant Biol* **54 Pt 2**, 753-65.
- Dwir, O, Kansas, GS, and Alon, R (2001): Cytoplasmic anchorage of L-selectin controls leukocyte capture and rolling by increasing the mechanical stability of the selectin tether. *J Cell Biol* **155**, 145-56.
- Edelman, GM, and Crossin, KL (1991): Cell adhesion molecules: implications for a molecular histology. *Annu Rev Biochem* **60**, 155-90.
- Elices, MJ, Osborn, L, Takada, Y, Crouse, C, Luhowskyj, S, Hemler, ME, and Lobb, RR (1990): VCAM-1 on activated endothelium interacts with the leukocyte integrin VLA-4 at a site distinct from the VLA-4/fibronectin binding site. *Cell* **60**, 577-84.
- Erlandsen, SL, Hasslen, SR, and Nelson, RD (1993): Detection and spatial distribution of the beta 2 integrin (Mac-1) and L-selectin (LECAM-1) adherence receptors on human neutrophils by high-resolution field emission SEM. *J Histochem Cytochem* **41**, 327-33.
- Etzioni, A, Harlan, JM, Pollack, S, Phillips, LM, Gershoni-Baruch, R, and Paulson, JC (1993): Leukocyte adhesion deficiency (LAD) II: a new adhesion defect due to absence of sialyl Lewis X, the ligand for selectins. *Immunodeficiency* **4**, 307-8.
- Etzioni, A (1996): Adhesion molecules--their role in health and disease. *Pediatr Res* **39**, 191-8.

- Evans, SS, Schleider, DM, Bowman, LA, Francis, ML, Kansas, GS, and Black, JD (1999): Dynamic association of L-selectin with the lymphocyte cytoskeletal matrix. *J Immunol* **162**, 3615-24.
- Fagerholm, S, Morrice, N, Gahmberg, CG, and Cohen, P (2002): Phosphorylation of the cytoplasmic domain of the integrin CD18 chain by protein kinase C isoforms in leukocytes. *J Biol Chem* **277**, 1728-38.
- Fan, H, and Derynck, R (1999): Ectodomain shedding of TGF- α and other transmembrane proteins is induced by receptor tyrosine kinase activation and MAP kinase signaling cascades. *Embo J* **18**, 6962-72.
- Fashena, SJ, Serebriiskii, I, and Golemis, EA (2000): The continued evolution of two-hybrid screening approaches in yeast: how to outwit different preys with different baits. *Gene* **250**, 1-14.
- Feehan, C, Darlak, K, Kahn, J, Walcheck, B, Spatola, AF, and Kishimoto, TK (1996): Shedding of the lymphocyte L-selectin adhesion molecule is inhibited by a hydroxamic acid-based protease inhibitor. Identification with an L-selectin-alkaline phosphatase reporter. *J Biol Chem* **271**, 7019-24.
- Feng, D, Nagy, JA, Pyne, K, Dvorak, HF, and Dvorak, AM (1998): Neutrophils emigrate from venules by a transendothelial cell pathway in response to FMLP. *J Exp Med* **187**, 903-15.
- Fieger, CB (1997): Klonierung und Expression von humanem L-Selektin - Charakterisierung der rekombinanten Proteinformen: Dissertation. *Fachbereich Chemie*, Freie Universität, Berlin.
- Fields, S, and Song, O (1989): A novel genetic system to detect protein-protein interactions. *Nature* **340**, 245-6.
- Fields, S, and Sternglanz, R (1994): The two-hybrid system: an assay for protein-protein interactions. *Trends Genet* **10**, 286-92.
- Filippova, GN, Fagerlie, S, Klenova, EM, Myers, C, Dehner, Y, Goodwin, G, Neiman, PE, Collins, SJ, and Lobanenkova, VV (1996): An exceptionally conserved transcriptional repressor, CTCF, employs different combinations of zinc fingers to bind diverged promoter sequences of avian and mammalian c-myc oncogenes. *Molecular and Cellular Biology* **16**, 2802-2813.
- Folks, T, Benn, S, Rabson, A, Theodore, T, Hoggan, MD, Martin, M, Lightfoote, M, and Sell, K (1985): Characterization of a continuous T-cell line susceptible to the cytopathic effects of the acquired immunodeficiency syndrome (AIDS)-associated retrovirus. *Proc Natl Acad Sci U S A* **82**, 4539-43.
- Frey, M, Appenheimer, MM, and Evans, SS (1997): Tyrosine kinase-dependent regulation of L-selectin expression through the Leu-13 signal transduction molecule: evidence for a protein kinase C-independent mechanism of L-selectin shedding. *J Immunol* **158**, 5424-34.

- Furie, MB, Tancinco, MC, and Smith, CW (1991): Monoclonal antibodies to leukocyte integrins CD11a/CD18 and CD11b/CD18 or intercellular adhesion molecule-1 inhibit chemoattractant-stimulated neutrophil transendothelial migration in vitro. *Blood* **78**, 2089-97.
- Gallatin, WM, Weissman, IL, and Butcher, EC (1983): A cell-surface molecule involved in organ-specific homing of lymphocytes. *Nature* **304**, 30-4.
- Genot, EM, Parker, PJ, and Cantrell, DA (1995): Analysis of the role of protein kinase C- α , - ϵ , and - ζ in T cell activation. *J Biol Chem* **270**, 9833-9.
- Ghaffari-Tabrizi, N, Bauer, B, Villunger, A, Baier-Bitterlich, G, Altman, A, Utermann, G, Uberall, F, and Baier, G (1999): Protein kinase C θ , a selective upstream regulator of JNK/SAPK and IL-2 promoter activation in Jurkat T cells. *Eur J Immunol* **29**, 132-42.
- Gibbons, GH, and Dzau, VJ (1996): Molecular therapies for vascular diseases. *Science* **272**, 689-93.
- Giblin, PA, Hwang, ST, Katsumoto, TR, and Rosen, SD (1997): Ligation of L-selectin on T lymphocytes activates β 1 integrins and promotes adhesion to fibronectin. *J Immunol* **159**, 3498-507.
- Gietz, RD, and Woods, RA (1994): High efficiency transformation in yeast., pp. 121-134. In JA Johnston (Ed.): *Molecular genetics of yeast: practical approaches*, Oxford University Press.
- Gietz, RD, and Schiestl, RH (1995): Transforming yeast with DNA. *Methods in molecular and cellular biology* **5**, 255-69.
- Gil, D, Gutierrez, D, and Alarcon, B (2001): Intracellular redistribution of nucleolin upon interaction with the CD3 ϵ chain of the T cell receptor complex. *J Biol Chem* **276**, 11174-9.
- Ginisty, H, Sicard, H, Roger, B, and Bouvet, P (1999): Structure and functions of nucleolin. *J Cell Sci* **112**, 761-72.
- Girard, JP, and Springer, TA (1995): High endothelial venules (HEVs): specialized endothelium for lymphocyte migration. *Immunol Today* **16**, 449-57.
- Golemis, EA, and Brent, R (1992): Fused protein domains inhibit DNA binding by LexA. *Mol Cell Biol* **12**, 3006-14.
- Grodberg, J, and Dunn, JJ (1988): ompT encodes the Escherichia coli outer membrane protease that cleaves T7 RNA polymerase during purification. *J Bacteriol* **170**, 1245-53.
- Hafezi-Moghadam, A, Thomas, KL, Prorock, AJ, Huo, Y, and Ley, K (2001): L-selectin shedding regulates leukocyte recruitment. *J Exp Med* **193**, 863-72.
- Hallmann, R, Jutila, MA, Smith, CW, Anderson, DC, Kishimoto, TK, and Butcher, EC (1991): The peripheral lymph node homing receptor, LECAM-1, is involved in CD18-independent adhesion of human neutrophils to endothelium. *Biochem Biophys Res Commun* **174**, 236-43.

- Haribabu, B, Steeber, DA, Ali, H, Richardson, RM, Snyderman, R, and Tedder, TF (1997): Chemoattractant receptor-induced phosphorylation of L-selectin. *J Biol Chem* **272**, 13961-5.
- Haverstick, DM, Sakai, H, and Gray, LS (1992): Lymphocyte adhesion can be regulated by cytoskeleton-associated, PMA-induced capping of surface receptors. *Am J Physiol* **262**, C916-26.
- Hendrich, B, and Bird, A (1998): Identification and characterization of a family of mammalian methyl-CpG binding proteins. *Mol Cell Biol* **18**, 6538-47.
- Hibbs, ML, Jakes, S, Stacker, SA, Wallace, RW, and Springer, TA (1991): The cytoplasmic domain of the integrin lymphocyte function-associated antigen 1 beta subunit: sites required for binding to intercellular adhesion molecule 1 and the phorbol ester-stimulated phosphorylation site. *J Exp Med* **174**, 1227-38.
- Hibbs, ML, Xu, H, Stacker, SA, and Springer, TA (1991): Regulation of adhesion of ICAM-1 by the cytoplasmic domain of LFA-1 integrin beta subunit. *Science* **251**, 1611-3.
- Hoke, D, Mebius, RE, Dybdal, N, Dowbenko, D, Gribling, P, Kyle, C, Baumhueter, S, and Watson, SR (1995): Selective modulation of the expression of L-selectin ligands by an immune response. *Curr Biol* **5**, 670-8.
- Hollander, BA, Liang, MY, and Besharse, JC (1999): Linkage of a nucleolin-related protein and casein kinase II with the detergent-stable photoreceptor cytoskeleton. *Cell Motil Cytoskeleton* **43**, 114-27.
- Horvath, A, and Riezman, H (1994): Rapid protein extraction from *Saccharomyces cerevisiae*. *Yeast* **10**, 1305-10.
- Hou, S, Hyland, L, Bradley, LM, Watson, SR, and Doherty, PC (1995): Subverting lymph node trafficking by treatment with the Mel-14 monoclonal antibody to L-selectin does not prevent an effective host response to Sendai virus. *J Immunol* **155**, 252-8.
- Hsu-Lin, S, Berman, CL, Furie, BC, August, D, and Furie, B (1984): A platelet membrane protein expressed during platelet activation and secretion. Studies using a monoclonal antibody specific for thrombin-activated platelets. *J Biol Chem* **259**, 9121-6.
- Humphries, MJ (1996): Integrin activation: the link between ligand binding and signal transduction. *Curr Opin Cell Biol* **8**, 632-40.
- Hurley, TR, Luo, K, and Sefton, BM (1989): Activators of protein kinase C induce dissociation of CD4, but not CD8, from p56lck. *Science* **245**, 407-9.
- Hwang, ST, Singer, MS, Giblin, PA, Yednock, TA, Bacon, KB, Simon, SI, and Rosen, SD (1996): GlyCAM-1, a physiologic ligand for L-selectin, activates beta 2 integrins on naive peripheral lymphocytes. *J Exp Med* **184**, 1343-8.

- Hyatt, SL, Liao, L, Chapline, C, and Jaken, S (1994): Identification and characterization of alpha-protein kinase C binding proteins in normal and transformed REF52 cells. *Biochemistry* **33**, 1223-8.
- Hynes, RO (1992): Integrins: versatility, modulation, and signaling in cell adhesion. *Cell* **69**, 11-25.
- Hynes, RO (1999): Cell adhesion: old and new questions. *Trends Cell Biol* **9**, M33-7.
- Ivetic, A, Deka, J, Ridley, A, and Ager, A (2002): The cytoplasmic tail of L-selectin interacts with members of the Ezrin-Radixin-Moesin (ERM) family of proteins: cell activation-dependent binding of Moesin but not Ezrin. *J Biol Chem* **277**, 2321-9.
- Jaken, S, and Parker, PJ (2000): Protein kinase C binding partners. *Bioessays* **22**, 245-54.
- Janssens, V, and Goris, J (2001): Protein phosphatase 2A: a highly regulated family of serine/threonine phosphatases implicated in cell growth and signalling. *Biochem J* **353**, 417-39.
- Johnson, RC, Mayadas, TN, Frenette, PS, Mebius, RE, Subramaniam, M, Lacasce, A, Hynes, RO, and Wagner, DD (1995): Blood cell dynamics in P-selectin-deficient mice. *Blood* **86**, 1106-14.
- Johnson-Leger, C, Aurrand-Lions, M, and Imhof, BA (2000): The parting of the endothelium: miracle, or simply a junctional affair? *J Cell Sci* **113**, 921-33.
- Junge, S, Brenner, B, Lepple-Wienhues, A, Nilius, B, Lang, F, Linderkamp, O, and Gulbins, E (1999): Intracellular mechanisms of L-selectin induced capping. *Cell Signal* **11**, 301-8.
- Jutila, MA (1992): Leukocyte traffic to sites of inflammation. *Apmis* **100**, 191-201.
- Kahn, J, Walcheck, B, Migaki, GI, Jutila, MA, and Kishimoto, TK (1998): Calmodulin regulates L-selectin adhesion molecule expression and function through a protease-dependent mechanism. *Cell* **92**, 809-18.
- Kansas, GS, Spertini, O, Stoolman, LM, and Tedder, TF (1991): Molecular mapping of functional domains of the leukocyte receptor for endothelium, LAM-1. *J Cell Biol* **114**, 351-8.
- Kansas, GS (1992): Structure and function of L-selectin. *Apmis* **100**, 287-93.
- Kansas, GS, Ley, K, Munro, JM, and Tedder, TF (1993): Regulation of leukocyte rolling and adhesion to high endothelial venules through the cytoplasmic domain of L-selectin. *J Exp Med* **177**, 833-8.
- Kansas, GS (1996): Selectins and their ligands: current concepts and controversies. *Blood* **88**, 3259-87.
- Keenan, C, and Kelleher, D (1998): Protein kinase C and the cytoskeleton. *Cell Signal* **10**, 225-32.

- Kelleher, D, Murphy, A, Feighery, C, and Casey, EB (1995): Leukocyte function-associated antigen 1 (LFA-1) and CD44 are signalling molecules for cytoskeleton-dependent morphological changes in activated T cells. *J Leukoc Biol* **58**, 539-46.
- Kishimoto, TK, Jutila, MA, Berg, EL, and Butcher, EC (1989): Neutrophil Mac-1 and MEL-14 adhesion proteins inversely regulated by chemotactic factors. *Science* **245**, 1238-41.
- Kishimoto, TK, Warnock, RA, Jutila, MA, Butcher, EC, Lane, C, Anderson, DC, and Smith, CW (1991): Antibodies against human neutrophil LECAM-1 (LAM-1/Leu-8/DREG-56 antigen) and endothelial cell ELAM-1 inhibit a common CD18-independent adhesion pathway in vitro. *Blood* **78**, 805-11.
- Koeffler, HP, Billing, R, Lusic, AJ, Sparkes, R, and Golde, DW (1980): An undifferentiated variant derived from the human acute myelogenous leukemia cell line (KG-1). *Blood* **56**, 265-73.
- Kolch, W, Heidecker, G, Kochs, G, Hummel, R, Vahidi, H, Mischak, H, Finkenzeller, G, Marme, D, and Rapp, UR (1993): Protein kinase C alpha activates RAF-1 by direct phosphorylation. *Nature* **364**, 249-52.
- Labow, MA, Norton, CR, Rumberger, JM, Lombard-Gillooly, KM, Shuster, DJ, Hubbard, J, Bertko, R, Knaack, PA, Terry, RW, Harbison, ML, and et al. (1994): Characterization of E-selectin-deficient mice: demonstration of overlapping function of the endothelial selectins. *Immunity* **1**, 709-20.
- Laemmli, UK (1970): Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* **227**, 680-5.
- Larson, RS, and Springer, TA (1990): Structure and function of leukocyte integrins. *Immunol Rev* **114**, 181-217.
- Lee, JS, Favre, B, Hemmings, BA, Kiefer, B, and Nagamine, Y (1994): Okadaic acid-dependent induction of the urokinase-type plasminogen activator gene associated with stabilization and autoregulation of c-Jun. *J Biol Chem* **269**, 2887-94.
- Levinovitz, A, Muhlhoff, J, Isenmann, S, and Vestweber, D (1993): Identification of a glycoprotein ligand for E-selectin on mouse myeloid cells. *J Cell Biol* **121**, 449-59.
- Ley, K, Gaehtgens, P, Fennie, C, Singer, MS, Lasky, LA, and Rosen, SD (1991): Lectin-like cell adhesion molecule 1 mediates leukocyte rolling in mesenteric venules in vivo. *Blood* **77**, 2553-5.
- Ley, K, Tedder, TF, and Kansas, GS (1993): L-selectin can mediate leukocyte rolling in untreated mesenteric venules in vivo independent of E- or P-selectin. *Blood* **82**, 1632-8.
- Ley, K, Bullard, DC, Arbones, ML, Bosse, R, Vestweber, D, Tedder, TF, and Beaudet, AL (1995): Sequential contribution of L- and P-selectin to leukocyte rolling in vivo. *J Exp Med* **181**, 669-75.

- Ley, K, and Tedder, TF (1995): Leukocyte interactions with vascular endothelium. New insights into selectin-mediated attachment and rolling. *J Immunol* **155**, 525-8.
- Ley, K (1996): Molecular mechanisms of leukocyte recruitment in the inflammatory process. *Cardiovasc Res* **32**, 733-42.
- Li, M, Guo, H, and Damuni, Z (1995): Purification and characterization of two potent heat-stable protein inhibitors of protein phosphatase 2A from bovine kidney. *Biochemistry* **34**, 1988-96.
- Li, M, Makkinje, A, and Damuni, Z (1996): The myeloid leukemia-associated protein SET is a potent inhibitor of protein phosphatase 2A. *J Biol Chem* **271**, 11059-62.
- Liu, WS, and Heckman, CA (1998): The sevenfold way of PKC regulation. *Cell Signal* **10**, 529-42.
- Liu, Y, Witte, S, Liu, YC, Doyle, M, Elly, C, and Altman, A (2000): Regulation of protein kinase C θ function during T cell activation by Lck-mediated tyrosine phosphorylation. *J Biol Chem* **275**, 3603-9.
- Lo, SK, Lee, S, Ramos, RA, Lobb, R, Rosa, M, Chi, RG, and Wright, SD (1991): Endothelial-leukocyte adhesion molecule 1 stimulates the adhesive activity of leukocyte integrin CR3 (CD11b/CD18, Mac-1, α m β 2) on human neutrophils. *J Exp Med* **173**, 1493-500.
- Lozzio, BB, and Lozzio, CB (1977): Properties of the K562 cell line derived from a patient with chronic myeloid leukemia. *Int J Cancer* **19**, 136.
- Marks, F, and Gschwendt, M (1996): Protein kinase C, pp. 81-116. In F Marks (Ed.): *Protein Phosphorylation*, VHC, Weinheim.
- Martiny-Baron, G, Kazanietz, MG, Mischak, H, Blumberg, PM, Kochs, G, Hug, H, Marme, D, and Schachtele, C (1993): Selective inhibition of protein kinase C isozymes by the indolocarbazole Go 6976. *J Biol Chem* **268**, 9194-7.
- Matala, E, Alexander, SR, Kishimoto, TK, and Walcheck, B (2001): The cytoplasmic domain of L-selectin participates in regulating L-selectin endoproteolysis. *J Immunol* **167**, 1617-23.
- McAlister-Henn, L, Gibson, N, and Panisko, E (1999): Applications of the yeast two-hybrid system. *Methods* **19**, 330-7.
- McEver, RP (1993): Misguided leukocyte adhesion. *J Clin Invest* **91**, 2340-1.
- McEver, RP (1994): Selectins. *Curr Opin Immunol* **6**, 75-84.
- Meller, N, Altman, A, and Isakov, N (1998): New perspectives on PKC θ , a member of the novel subfamily of protein kinase C. *Stem Cells* **16**, 178-92.
- Monks, CR, Kupfer, H, Tamir, I, Barlow, A, and Kupfer, A (1997): Selective modulation of protein kinase C- θ during T-cell activation. *Nature* **385**, 83-6.

- Mooney, NA, Grillot-Courvalin, C, Hivroz, C, Ju, LY, and Charron, D (1990): Early biochemical events after MHC class II-mediated signaling on human B lymphocytes. *J Immunol* **145**, 2070-6.
- Moore, KL, Patel, KD, Bruehl, RE, Li, F, Johnson, DA, Lichenstein, HS, Cummings, RD, Bainton, DF, and McEver, RP (1995): P-selectin glycoprotein ligand-1 mediates rolling of human neutrophils on P-selectin. *J Cell Biol* **128**, 661-71.
- Muller, WA, Weigl, SA, Deng, X, and Phillips, DM (1993): PECAM-1 is required for transendothelial migration of leukocytes. *J Exp Med* **178**, 449-60.
- Murakawa, Y, Minami, Y, Strober, W, and James, SP (1992): Association of human lymph node homing receptor (Leu 8) with the TCR/CD3 complex. *J Immunol* **148**, 1771-6.
- Nagata, K, Kawase, H, Handa, H, Yano, K, Yamasaki, M, Ishimi, Y, Okuda, A, Kikuchi, A, and Matsumoto, K (1995): Replication factor encoded by a putative oncogene, set, associated with myeloid leukemogenesis. *Proc Natl Acad Sci U S A* **92**, 4279-83.
- Nakamura, F, Amieva, MR, and Furthmayr, H (1995): Phosphorylation of threonine 558 in the carboxyl-terminal actin-binding domain of moesin by thrombin activation of human platelets. *J Biol Chem* **270**, 31377-85.
- Nakamura, T, Barbara, JG, Nakamura, K, and Ross, WN (1999): Synergistic release of Ca²⁺ from IP₃-sensitive stores evoked by synaptic activation of mGluRs paired with backpropagating action potentials. *Neuron* **24**, 727-37.
- Nelson, RM, Venot, A, Bevilacqua, MP, Linhardt, RJ, and Stamenkovic, I (1995): Carbohydrate-protein interactions in vascular biology. *Annu Rev Cell Dev Biol* **11**, 601-31.
- Newham, P, and Humphries, MJ (1996): Integrin adhesion receptors: structure, function and implications for biomedicine. *Mol Med Today* **2**, 304-13.
- Nishikawa, K, Toker, A, Johannes, FJ, Songyang, Z, and Cantley, LC (1997): Determination of the specific substrate sequence motifs of protein kinase C isozymes. *J Biol Chem* **272**, 952-60.
- Oh, ES, Woods, A, Lim, ST, Theibert, AW, and Couchman, JR (1998): Syndecan-4 proteoglycan cytoplasmic domain and phosphatidylinositol 4,5-bisphosphate coordinately regulate protein kinase C activity. *J Biol Chem* **273**, 10624-9.
- Oppenheimer-Marks, N, Davis, LS, Bogue, DT, Ramberg, J, and Lipsky, PE (1991): Differential utilization of ICAM-1 and VCAM-1 during the adhesion and transendothelial migration of human T lymphocytes. *J Immunol* **147**, 2913-21.

- Oshevski, S, Le Bousse-Kerdiles, MC, Clay, D, Levashova, Z, Debili, N, Vitral, N, Jasmin, C, and Castagna, M (1999): Differential expression of protein kinase C isoform transcripts in human hematopoietic progenitors undergoing differentiation. *Biochem Biophys Res Commun* **263**, 603-9.
- Palecanda, A, Walcheck, B, Bishop, DK, and Jutila, MA (1992): Rapid activation-independent shedding of leukocyte L-selectin induced by cross-linking of the surface antigen. *Eur J Immunol* **22**, 1279-86.
- Parekh, DB, Ziegler, W, and Parker, PJ (2000): Multiple pathways control protein kinase C phosphorylation. *Embo J* **19**, 496-503.
- Parsey, MV, and Lewis, GK (1993): Actin polymerization and pseudopod reorganization accompany anti-CD3-induced growth arrest in Jurkat T cells. *J Immunol* **151**, 1881-93.
- Pavalko, FM, and Otey, CA (1994): Role of adhesion molecule cytoplasmic domains in mediating interactions with the cytoskeleton. *Proc Soc Exp Biol Med* **205**, 282-93.
- Pavalko, FM, Walker, DM, Graham, L, Goheen, M, Doerschuk, CM, and Kansas, GS (1995): The cytoplasmic domain of L-selectin interacts with cytoskeletal proteins via alpha-actinin: receptor positioning in microvilli does not require interaction with alpha-actinin. *J Cell Biol* **129**, 1155-64.
- Pearson, RB, and Kemp, BE (1991): Protein kinase phosphorylation site sequences and consensus specificity motifs: tabulations. *Methods Enzymol* **200**, 62-81.
- Peschon, JJ, Slack, JL, Reddy, P, Stocking, KL, Sunnarborg, SW, Lee, DC, Russell, WE, Castner, BJ, Johnson, RS, Fitzner, JN, Boyce, RW, Nelson, N, Kozlosky, CJ, Wolfson, MF, Rauch, CT, Cerretti, DP, Paxton, RJ, March, CJ, and Black, RA (1998): An essential role for ectodomain shedding in mammalian development. *Science* **282**, 1281-4.
- Peter, K, and O'Toole, TE (1995): Modulation of cell adhesion by changes in alpha L beta 2 (LFA-1, CD11a/CD18) cytoplasmic domain/cytoskeleton interaction. *J Exp Med* **181**, 315-26.
- Petruzzelli, L, Takami, M, and Humes, HD (1999): Structure and function of cell adhesion molecules. *Am J Med* **106**, 467-76.
- Phillips, TA, VanBogelen, RA, and Neidhardt, FC (1984): lon gene product of Escherichia coli is a heat-shock protein. *J Bacteriol* **159**, 283-7.
- Picker, LJ, Michie, SA, Rott, LS, and Butcher, EC (1990): A unique phenotype of skin-associated lymphocytes in humans. Preferential expression of the HECA-452 epitope by benign and malignant T cells at cutaneous sites. *Am J Pathol* **136**, 1053-68.
- Picker, LJ, Kishimoto, TK, Smith, CW, Warnock, RA, and Butcher, EC (1991): ELAM-1 is an adhesion molecule for skin-homing T cells. *Nature* **349**, 796-9.

- Pietromonaco, SF, Simons, PC, Altman, A, and Elias, L (1998): Protein kinase C-theta phosphorylation of moesin in the actin-binding sequence. *J Biol Chem* **273**, 7594-603.
- Pinol-Roma, S (1999): Association of nonribosomal nucleolar proteins in ribonucleoprotein complexes during interphase and mitosis. *Mol Biol Cell* **10**, 77-90.
- Plopper, G, and Ingber, DE (1993): Rapid induction and isolation of focal adhesion complexes. *Biochem Biophys Res Commun* **193**, 571-8.
- Preece, G, Murphy, G, and Ager, A (1996): Metalloproteinase-mediated regulation of L-selectin levels on leucocytes. *J Biol Chem* **271**, 11634-40.
- Rhoads, AR, and Friedberg, F (1997): Sequence motifs for calmodulin recognition. *Faseb J* **11**, 331-40.
- Robles-Flores, M, and Garcia-Sainz, JA (1994): Immunological crossreactivity of G-protein beta subunit and receptors for activated C-kinase. *Biochem Mol Biol Int* **34**, 465-73.
- Rosen, SD (1999): Endothelial ligands for L-selectin: from lymphocyte recirculation to allograft rejection. *Am J Pathol* **155**, 1013-20.
- Ross, GD, and Vetvicka, V (1993): CR3 (CD11b, CD18): a phagocyte and NK cell membrane receptor with multiple ligand specificities and functions. *Clin Exp Immunol* **92**, 181-4.
- Sako, D, Chang, XJ, Barone, KM, Vachino, G, White, HM, Shaw, G, Veldman, GM, Bean, KM, Ahern, TJ, Furie, B, and et al. (1993): Expression cloning of a functional glycoprotein ligand for P-selectin. *Cell* **75**, 1179-86.
- Schechtman, D, and Mochly-Rosen, D (2001): Adaptor proteins in protein kinase C-mediated signal transduction. *Oncogene* **20**, 6339-47.
- Schneider, U, Schwenk, HU, and Bornkamm, G (1977): Characterization of EBV-genome negative "null" and "T" cell lines derived from children with acute lymphoblastic leukemia and leukemic transformed non-Hodgkin lymphoma. *Int J Cancer* **19**, 621-6.
- Schwartz, BR, Wayner, EA, Carlos, TM, Ochs, HD, and Harlan, JM (1990): Identification of surface proteins mediating adherence of CD11/CD18-deficient lymphoblastoid cells to cultured human endothelium. *J Clin Invest* **85**, 2019-22.
- Serebriiskii, I, Estojak, J, Berman, M, and Golemis, EA (2000): Approaches to detecting false positives in yeast two-hybrid systems. *Biotechniques* **28**, 328-30, 332-6.
- Siegel, JN, Klausner, RD, Rapp, UR, and Samelson, LE (1990): T cell antigen receptor engagement stimulates c-raf phosphorylation and induces c-raf-associated kinase activity via a protein kinase C-dependent pathway. *J Biol Chem* **265**, 18472-80.

- Sikorski, MA, Staunton, DE, and Mier, JW (1996): L-selectin crosslinking induces integrin-dependent adhesion: evidence for a signaling pathway involving PTK but not PKC. *Cell Adhes Commun* **4**, 355-67.
- Sim, AT, and Scott, JD (1999): Targeting of PKA, PKC and protein phosphatases to cellular microdomains. *Cell Calcium* **26**, 209-17.
- Simon, SI, Burns, AR, Taylor, AD, Gopalan, PK, Lynam, EB, Sklar, LA, and Smith, CW (1995): L-selectin (CD62L) cross-linking signals neutrophil adhesive functions via the Mac-1 (CD11b/CD18) beta 2-integrin. *J Immunol* **155**, 1502-14.
- Simon, SI, Cherapanov, V, Nadra, I, Waddell, TK, Seo, SM, Wang, Q, Doerschuk, CM, and Downey, GP (1999): Signaling functions of L-selectin in neutrophils: alterations in the cytoskeleton and colocalization with CD18. *J Immunol* **163**, 2891-901.
- Simons, M, and Horowitz, A (2001): Syndecan-4-mediated signalling. *Cell Signal* **13**, 855-62.
- Skene, JH (1990): GAP-43 as a 'calmodulin sponge' and some implications for calcium signalling in axon terminals. *Neurosci Res Suppl* **13**, S112-25.
- Smith, CW, Kishimoto, TK, Abbassi, O, Hughes, B, Rothlein, R, McIntire, LV, Butcher, E, Anderson, DC, and Abbass, O (1991): Chemotactic factors regulate lectin adhesion molecule 1 (LECAM-1)-dependent neutrophil adhesion to cytokine-stimulated endothelial cells in vitro. *J Clin Invest* **87**, 609-18.
- Southern, C, Wilkinson, PC, Thorp, KM, Henderson, LK, Nemeč, M, and Matthews, N (1995): Inhibition of protein kinase C results in a switch from a non-motile to a motile phenotype in diverse human lymphocyte populations. *Immunology* **84**, 326-32.
- Spertini, O, Freedman, AS, Belvin, MP, Penta, AC, Griffin, JD, and Tedder, TF (1991a): Regulation of leukocyte adhesion molecule-1 (TQ1, Leu-8) expression and shedding by normal and malignant cells. *Leukemia* **5**, 300-8.
- Spertini, O, Kansas, GS, Munro, JM, Griffin, JD, and Tedder, TF (1991b): Regulation of leukocyte migration by activation of the leukocyte adhesion molecule-1 (LAM-1) selectin. *Nature* **349**, 691-4.
- Spertini, O, Luscinskas, FW, Kansas, GS, Munro, JM, Griffin, JD, Gimbrone, MA, Jr., and Tedder, TF (1991c): Leukocyte adhesion molecule-1 (LAM-1, L-selectin) interacts with an inducible endothelial cell ligand to support leukocyte adhesion. *J Immunol* **147**, 2565-73.
- Springer, TA (1994): Traffic signals for lymphocyte recirculation and leukocyte emigration: the multistep paradigm. *Cell* **76**, 301-14.
- Springer, TA (1995): Traffic signals on endothelium for lymphocyte recirculation and leukocyte emigration. *Annu Rev Physiol* **57**, 827-72.
- Srivastava, M, and Pollard, HB (1999): Molecular dissection of nucleolin's role in growth and cell proliferation: new insights. *Faseb J* **13**, 1911-22.

- Steggmaier, M, Borges, E, Berger, J, Schwarz, H, and Vestweber, D (1997): The E-selectin-ligand ESL-1 is located in the Golgi as well as on microvilli on the cell surface. *J Cell Sci* **110**, 687-94.
- Stoddart, JH, Jr., Jasuja, RR, Sikorski, MA, von Andrian, UH, and Mier, JW (1996): Protease-resistant L-selectin mutants. Down-modulation by cross-linking but not cellular activation. *J Immunol* **157**, 5653-9.
- Su, B, Cheng, J, Yang, J, and Guo, Z (2001): MEKK2 is required for T-cell receptor signals in JNK activation and interleukin-2 gene expression. *J Biol Chem* **276**, 14784-90.
- Szabo, G, Jr., Pine, PS, Weaver, JL, Rao, PE, and Aszalos, A (1994): The L-selectin (Leu8) molecule is associated with the TcR/CD3 receptor; fluorescence energy transfer measurements on live cells. *Immunol Cell Biol* **72**, 319-25.
- Tedder, TF, Steeber, DA, Chen, A, and Engel, P (1995a): The selectins: vascular adhesion molecules. *Faseb J* **9**, 866-73.
- Tedder, TF, Steeber, DA, and Pizcueta, P (1995b): L-selectin-deficient mice have impaired leukocyte recruitment into inflammatory sites. *J Exp Med* **181**, 2259-64.
- Tegge, W, Frank, R, Hofmann, F, and Dostmann, WR (1995): Determination of cyclic nucleotide-dependent protein kinase substrate specificity by the use of peptide libraries on cellulose paper. *Biochemistry* **34**, 10569-77.
- Thiagarajan, RR, Winn, RK, and Harlan, JM (1997): The role of leukocyte and endothelial adhesion molecules in ischemia-reperfusion injury. *Thromb Haemost* **78**, 310-4.
- Toby, GG, and Golemis, EA (2001): Using the yeast interaction trap and other two-hybrid-based approaches to study protein-protein interactions. *Methods* **24**, 201-17.
- Toker, A, Meyer, M, Reddy, KK, Falck, JR, Aneja, R, Aneja, S, Parra, A, Burns, DJ, Ballas, LM, and Cantley, LC (1994): Activation of protein kinase C family members by the novel polyphosphoinositides PtdIns-3,4-P2 and PtdIns-3,4,5-P3. *J Biol Chem* **269**, 32358-67.
- Toker, A (1998): Signaling through protein kinase C. *Front Biosci* **3**, D1134-47.
- Toullec, D, Pianetti, P, Coste, H, Bellevergue, P, Grand-Perret, T, Ajakane, M, Baudet, V, Boissin, P, Boursier, E, Loriolle, F, and et al. (1991): The bisindolylmaleimide GF 109203X is a potent and selective inhibitor of protein kinase C. *J Biol Chem* **266**, 15771-81.
- Tsang, YT, Neelamegham, S, Hu, Y, Berg, EL, Burns, AR, Smith, CW, and Simon, SI (1997): Synergy between L-selectin signaling and chemotactic activation during neutrophil adhesion and transmigration. *J Immunol* **159**, 4566-77.

- Uberall, F, Giselsbrecht, S, Hellbert, K, Fresser, F, Bauer, B, Gschwendt, M, Grunicke, HH, and Baier, G (1997): Conventional PKC-alpha, novel PKC-epsilon and PKC-theta, but not atypical PKC-lambda are MARCKS kinases in intact NIH 3T3 fibroblasts. *J Biol Chem* **272**, 4072-8.
- Vaesens, M, Barnikol-Watanabe, S, Gotz, H, Awni, LA, Cole, T, Zimmermann, B, Kratzin, HD, and Hilschmann, N (1994): Purification and characterization of two putative HLA class II associated proteins: PHAPI and PHAPII. *Biol Chem Hoppe Seyler* **375**, 113-26.
- Valmu, L, and Gahmberg, CG (1995): Treatment with okadaic acid reveals strong threonine phosphorylation of CD18 after activation of CD11/CD18 leukocyte integrins with phorbol esters or CD3 antibodies. *J Immunol* **155**, 1175-83.
- Valmu, L, Fagerholm, S, Suila, H, and Gahmberg, CG (1999): The cytoskeletal association of CD11/CD18 leukocyte integrins in phorbol ester-activated cells correlates with CD18 phosphorylation. *Eur J Immunol* **29**, 2107-18.
- Vaporciyan, AA, DeLisser, HM, Yan, HC, Mendiguren, II, Thom, SR, Jones, ML, Ward, PA, and Albelda, SM (1993): Involvement of platelet-endothelial cell adhesion molecule-1 in neutrophil recruitment in vivo. *Science* **262**, 1580-2.
- Varki, A (1997): Selectin ligands: will the real ones please stand up? *J Clin Invest* **100**, S31-5.
- Vedder, NB, and Harlan, JM (1988): Increased surface expression of CD11b/CD18 (Mac-1) is not required for stimulated neutrophil adherence to cultured endothelium. *J Clin Invest* **81**, 676-82.
- von Andrian, UH, Chambers, JD, McEvoy, LM, Bargatze, RF, Arfors, KE, and Butcher, EC (1991): Two-step model of leukocyte-endothelial cell interaction in inflammation: distinct roles for LECAM-1 and the leukocyte beta 2 integrins in vivo. *Proc Natl Acad Sci U S A* **88**, 7538-42.
- von Andrian, UH, Hasslen, SR, Nelson, RD, Erlandsen, SL, and Butcher, EC (1995): A central role for microvillous receptor presentation in leukocyte adhesion under flow. *Cell* **82**, 989-99.
- von Lindern, M, van Baal, S, Wiegant, J, Raap, A, Hagemeijer, A, and Grosveld, G (1992): Can, a putative oncogene associated with myeloid leukemogenesis, may be activated by fusion of its 3' half to different genes: characterization of the set gene. *Mol Cell Biol* **12**, 3346-55.
- Waddell, TK, Fialkow, L, Chan, CK, Kishimoto, TK, and Downey, GP (1994): Potentiation of the oxidative burst of human neutrophils. A signaling role for L-selectin. *J Biol Chem* **269**, 18485-91.
- Waddell, TK, Fialkow, L, Chan, CK, Kishimoto, TK, and Downey, GP (1995): Signaling functions of L-selectin. Enhancement of tyrosine phosphorylation and activation of MAP kinase. *J Biol Chem* **270**, 15403-11.

- Wakelin, MW, Sanz, MJ, Dewar, A, Albelda, SM, Larkin, SW, Boughton-Smith, N, Williams, TJ, and Nourshargh, S (1996): An anti-platelet-endothelial cell adhesion molecule-1 antibody inhibits leukocyte extravasation from mesenteric microvessels in vivo by blocking the passage through the basement membrane. *J Exp Med* **184**, 229-39.
- Walzog, B, Seifert, R, Zakrzewicz, A, Gaehtgens, P, and Ley, K (1994): Cross-linking of CD18 in human neutrophils induces an increase of intracellular free Ca²⁺, exocytosis of azurophilic granules, quantitative up-regulation of CD18, shedding of L-selectin, and actin polymerization. *J Leukoc Biol* **56**, 625-35.
- Wang, WC, Goldman, LM, Schleider, DM, Appenheimer, MM, Subjeck, JR, Repasky, EA, and Evans, SS (1998): Fever-range hyperthermia enhances L-selectin-dependent adhesion of lymphocytes to vascular endothelium. *J Immunol* **160**, 961-9.
- Wang, XY, Ostberg, JR, and Repasky, EA (1999): Effect of fever-like whole-body hyperthermia on lymphocyte spectrin distribution, protein kinase C activity, and uropod formation. *J Immunol* **162**, 3378-87.
- Wange, RL (2000): LAT, the linker for activation of T cells: a bridge between T cell-specific and general signaling pathways. *Sci STKE* **2000**, RE1.
- Watson, SR, Fennie, C, and Lasky, LA (1991): Neutrophil influx into an inflammatory site inhibited by a soluble homing receptor-IgG chimaera. *Nature* **349**, 164-7.
- Way, KJ, Chou, E, and King, GL (2000): Identification of PKC-isoform-specific biological actions using pharmacological approaches. *Trends Pharmacol Sci* **21**, 181-7.
- Werlen, G, Jacinto, E, Xia, Y, and Karin, M (1998): Calcineurin preferentially synergizes with PKC-theta to activate JNK and IL-2 promoter in T lymphocytes. *Embo J* **17**, 3101-11.
- Wu, R, Shen, Q, and Newburger, PE (2000): Recognition and binding of the human selenocysteine insertion sequence by nucleolin. *J Cell Biochem* **77**, 507-16.
- Yanagida, M, Shimamoto, A, Nishikawa, K, Furuichi, Y, Isobe, T, and Takahashi, N (2001): Isolation and proteomic characterization of the major proteins of the nucleolin-binding ribonucleoprotein complexes. *Proteomics* **1**, 1390-404.
- Yoshida, M, Westlin, WF, Wang, N, Ingber, DE, Rosenzweig, A, Resnick, N, and Gimbrone, MA, Jr. (1996): Leukocyte adhesion to vascular endothelium induces E-selectin linkage to the actin cytoskeleton. *J Cell Biol* **133**, 445-55.
- Zaidi, SH, and Malter, JS (1995): Nucleolin and heterogeneous nuclear ribonucleoprotein C proteins specifically interact with the 3'-untranslated region of amyloid protein precursor mRNA. *J Biol Chem* **270**, 17292-8.

- Zhang, J, Salojin, K, and Delovitch, TL (1998): Sequestration of CD4-associated Lck from the TCR complex may elicit T cell hyporesponsiveness in nonobese diabetic mice. *J Immunol* **160**, 1148-57.
- Zimmerman, GA, McIntyre, TM, Prescott, SM, and Otsuka, K (1990): Brief review: molecular mechanisms of neutrophil binding to endothelium involving platelet-activating factor and cytokines. *J Lipid Mediat* **2 Suppl**, S31-43.