

8 Literaturverzeichnis

Abdoun, K., Martens, H. (1999)

Effect of ammonia on Na transport across the ruminal epithelium of sheep in vitro

Proc. Soc. Nutr. Physiol. **8**: 87

Abdoun, K., Martens, H. (2000)

Luminal pH-dependent effects of ammonia on Na transport across the ruminal epithelium of sheep in vitro

Proc. Soc. Nutr. Physiol. **9**: 127

Ambühl, P., Amemiya, M., Preisig, P. A., Moe, O. W., Alpern, R. J. (1998)

Chronic hyperosmolality increases NHE3 activity in OKP cells

J. Clin. Invest. **101**: 170-177

Bendzko, S. (1998)

In vitro Untersuchungen der Effekte erhöhter Osmolaritäten auf den Natriumtransport am Blättermagenepithel des Schafes

Dissertation, Freie Universität Berlin

Berg, R., Edvi, P. (1976)

Morphologische Untersuchungen an der Pansenmukosa von Schafen mit gleichzeitigen klinischen Kontrollen bei Fütterung verschiedener Rationstypen

Arch. Anim. Nutr. **26**: 147-157

Bindslev, N., Tormey, J. M., Wright, E. M. (1974)

The effects of electrical and osmotic gradients on lateral intercellular spaces and membrane conductance in a low resistance epithelium

J. Membr. Biol. **19**: 357-380

Bolten, J. R., Merritt, A. M., Carlson, G. M., Donawick, W. J. (1976)

Normal abomasal electromyography and emptying in sheep and the effects of intraabomasal volatile fatty acid infusion

Am. J. Vet. Res. **37**: 1387-1392

Böttcher, A. (2000)

Funktionelle Charakterisierung des Na/H-Austauschers an kultivierten ruminalen Epithelzellen: Einfluss verschiedener extrazellulärer Faktoren und mögliche Regulationsmechanismen
Dissertation, Freie Universität Berlin

Böttcher, A., Martens, H., Schweigel, M. (2000)

Hemmung des Na/H-Austauschers ruminaler Epithelzellen durch Hyperosmolarität - Regulation durch cAMP und PGE₂
Proc. Soc. Nutr. Physiol. **9**: 130

Breukink, H. J., de Ruyter, T. (1976)

Abomasal displacement in cattle: influence of concentrates in the ration on fatty acid concentrations in ruminal, abomasal, and duodenal contents
Am. J. Vet. Res. **37**: 1181-1184

Brosius, F.

SPSS 8.0 – Professionelle Statistik unter Windows
MITP-Verlag, Bonn 1998

Buddington, R. K., Chen, J. W., Diamond, J. M. (1991)

Dietary regulation of intestinal brush-border sugar and amino acid transport in carnivores
Am. J. Physiol. **261**: R793-801

Buddington, R. K., Diamond, J. (1992)

Ontogenetic development of nutrient transporters in cat intestine
Am. J. Physiol. **263**: G605-616

Cameron, R. E., Dyk, P. B., Herdt, T. H., Kaneene, J. B., Miller, R., Bucholtz, H. F., Liesman, J. S., Vandehaar, M. J., Emery, R. S. (1998)

Dry cow diet, management, and energy balance as risk factors for displaced abomasum in high producing dairy herds
J. Dairy Sci. **81**: 132-139

Literaturverzeichnis

Chien, W.-J., Stevens, C. E. (1972)

Coupled active transport of Na and Cl across forestomach epithelium

Am. J. Physiol. **223**: 997-1003

Chow, C. W., Khurana, S., Woodside, M., Grinstein, S., Orlowski, J. (1999)

The epithelial Na(+)/H(+) exchanger, NHE3, is internalized through a clathrin-mediated pathway

J. Biol. Chem. **274**: 37551-37558

Constable, P. D., Miller, G. Y., Hoffsis, G. F., Hull, B. L., Rings, D. M. (1992)

Risk factors for abomasal volvulus and left abomasal displacement in cattle

Am. J. Vet. Res. **53**: 1184-1192

Coppock, C. E. (1974)

Displaced abomasum in dairy cattle: etiological factors

J. Dairy Sci. **57**: 926-933

Coppock, C. E., Noller, C. H., Wolfe, S. A., Callahan, C. J., Baker, J. S. (1972)

Effect of forage-concentrate ratio in complete feeds fed ad libitum on feed intake prepartum and the occurrence of abomasal displacement in dairy cows

J. Dairy Sci. **55**: 783-789

Dawson, L. J., Aalseth, E. P., Rice, L. E., Adams, G. D. (1992)

Influence of fiber form in a complete mixed ration on incidence of left displaced abomasum in postpartum dairy cows

J. Am. Vet. Med. Assoc. **200**: 1989-1992

Diamond, J. (1991)

Evolutinary design of intestinal nutrient absorption: Enough but not too much

News Physiol. Sci. **6**: 92-96

DiBona, D. R. (1972)

Passive intercellular pathway in amphibian epithelia

Nature **238**: 179-181

Literaturverzeichnis

DiBona, D. R., Civan, M. M. (1973)

Pathways for movement of ions and water across toad urinary bladder (Anatomic site of transepithelial shunt pathways)

J. Membr. Biol. **12**: 101-128

Diehl, J. M., Arbinger, R.

Einführung in die Interferenzstatistik

Klotz-Verlag, Eschborn, 1990

Dirksen, G. (1960)

Vorkommen, Ursachen und Entwicklung der linksseitigen Labmagenverlagerung
(Dislocatio abomasi sinistra) des Rindes

Dtsch. Tierärztl. Wochenschr. **68**: 8-12

Dirksen, G., Ahrens, F., Schön, J., Mayer, E., Liebich, H. G. (1992)

Vorbereitungsfütterung der trockenstehenden Kuh im Hinblick auf Ernährungszustand und Status von Pansenschleimhaut und Pansenflora bei der Kalbung [Preparatory feeding of the dry stage cow in regard to nutritional condition and the status of the rumen mucosa and rumen flora at calving]

Berl. Münch. Tierärztl. Wochenschr. **105**: 1-4

Dirksen, G., Liebich, H. G., Brosi, G., Hagemeister, H., Mayer, E. (1984)

Morphologie der Pansenschleimhaut und Fettsäureresorption beim Rind - bedeutende Faktoren für Gesundheit und Leistung
Zentralbl. Veterinärmed. [A] **31**: 414-430

Dobson, A. (1959)

Active transport through the epithelium of the reticulo-rumen sac

J. Physiol. **146**: 235-251

Dobson, A., Sellers, A. F., Gatewood, V. H. (1976)

Dependence of Cr-EDTA absorption from the rumen on luminal osmotic pressure

Am. J. Physiol. **231**: 1595-1600

Literaturverzeichnis

Doreau, M., Ferchal, E., Beckers, Y. (1997)

Effects of level of intake and of available volatile fatty acids on the absorptive capacity of sheep rumen

Small Ruminant Res. **25**: 99-105

Edmonds, C. J., Mackenzie, J. (1984)

Amiloride sensitive and insensitive sodium pathways and the cellular sodium transport pool of colonic epithelium in rats

J. Physiol. **346**: 61-71

Engelage, O. I. (1999)

Osmotisch bedingter Wassertransport durch das isolierte Pansenepithel des Schafes. In vitro Untersuchung

Dissertation, Freie Universität Berlin

Engelhardt, W. von (1969)

Der osmotische Druck im Panseninhalt

Zentralbl. Veterinärmed. [A] **16**: 665-690

Erlij, D., Martinez-Palomo, A. (1972)

Opening of tight junctions in frog skin by hypertonic urea solutions

J. Membr. Biol. **9**: 229-240

Ferraris, R. P., Diamond, J. (1992)

Crypt-villus site of glucose transporter induction by dietary carbohydrate in mouse intestine

Am. J. Physiol. **262**: G1069-1073

Ferreira, H. G., Harrison, F. A., Keynes, R. D. (1966a)

The potential and short-circuit current across isolated rumen epithelium of the sheep

J. Physiol. **187**: 631-644

Ferreira, H. G., Harrison, F. A., Keynes, R. D., Nauss, A. H. (1966b)

Observations on the potential across the rumen of the sheep

J. Physiol. **187**: 615-630

Literaturverzeichnis

Ferreira, H. G., Harrison, F. A., Keynes, R. D., Zurich, L. (1972)

Ion transport across an isolated preparation of sheep rumen epithelium

J. Physiol. **222**: 77-93

Franz, T. J., Galey, W. R., Van Bruggen, J. T. (1968)

Further observations on asymmetrical solute movement across membranes

J. Gen. Physiol. **51**: 1-12

Franz, T. J., Van Bruggen, J. T. (1967)

Hyperosmolarity and the net transport of nonelectrolytes in frog skin

J. Gen. Physiol. **50**: 933-949

Freyer, M., Martens, H. (1998)

In vitro Untersuchungen zur Widerstandsanalyse des Pansenepithels von Schafen in Abhängigkeit vom luminalen osmotischen Druck [In vitro studies on epithelial resistances in sheep rumen epithelium upon increased luminal osmotic pressure]

Proc. Soc. Nutr. Physiol. **8**: 80

Frizzell, R. A., Koch, M. J., Schultz, S. G. (1976)

Ion transport by rabbit colon (I. Active and passive components)

J. Membr. Biol. **27**: 297-316

Frizzell, R. A., Schultz, S. G. (1972)

Ionic conductances of extracellular shunt pathway in rabbit ileum (Influence of shunt on transmural sodium transport and electrical potential differences)

J. Gen. Physiol. **59**: 318-346

Fromm, M., Schulzke, J. D., Hegel, U. (1985)

Epithelial and subepithelial contributions to transmural electrical resistance of intact rat jejunum, *in vitro*

Pflügers Arch. **405**: 400-402

Frömter, E. (1986)

The paracellular shunt in leaky epithelia

Pflügers Arch. Suppl. **406**: R3

Fürll, M., Dabbagh, M. N., Jakel, L. (1999)

Körperkondition und Dislocatio abomasi (DA): Vergleichende Untersuchungen zum Verhalten der Rückenfettdicke sowie weiterer Kriterien bei Rindern [Body condition and dislocated abomasum: comparative investigations into back fat thickness and additional criteria in cattle]

Dtsch. Tierärztl. Wochenschr. **106**: 5-9

Gäbel, G. (1988)

Natrium- und Chloridtransport im Pansen von Schafen: Mechanismen und ihre Beeinflussung durch intraruminale Fermentationsprodukte
Habilitation, Tierärztliche Hochschule Hannover

Gäbel, G., Aschenbach, J. R., Müller, F. (2001)

Energy transfer across the ruminal epithelium: Implications and limitations
Anim. Health Res. Rev. (Eingereicht)

Gäbel, G., Bell, M., Martens, H. (1989)

The effect of low mucosal pH on sodium and chloride movement across the isolated rumen mucosa of sheep
Q. J. Exp. Physiol. **74**: 35-44

Gäbel, G., Bestmann, M., Martens, H. (1991)

Influences of diet, short-chain fatty acids, lactate and chloride on bicarbonate movement across the reticulo-rumen wall of sheep
J. Vet. Med. A **38**: 523-529

Gäbel, G., Butter, H., Martens, H. (1999)

Regulatory role of cAMP in transport of Na^+ , Cl^- and short-chain fatty acids across sheep ruminal epithelium
Exp. Physiol. **84**: 333-345

Gäbel, G., Marek, M., Martens, H. (1993)

Influence of food deprivation on SCFA and electrolyte transport across sheep reticulorumen
J. Vet. Med. A **40**: 339-344

Literaturverzeichnis

Gäbel, G., Martens, H., Suendermann, M., Galfi, P. (1987b)

The effect of diet, intraruminal pH and osmolarity on sodium, chloride and magnesium absorption from the temporarily isolated and washed reticulo-rumen of sheep

Q. J. Exp. Physiol. **72**: 501-11

Gäbel, G., Suendermann, M., Martens, H. (1987a)

The influence of osmotic pressure, lactic acid and pH on ion and fluid absorption from the washed and temporarily isolated reticulo-rumen of sheep

J. Vet. Med. A **34**: 220-226

Gäbel, G., Vogler, S., Martens, H. (1991)

Short-chain fatty acids and CO₂ as regulators of Na⁺ and Cl⁻ absorption in isolated sheep rumen mucosa

J. Comp. Physiol. [B] **161**: 419-426

Geishauser, T. (1995)

Abomasal displacement in the bovine - a review on character, occurrence, aetiology and pathogenesis

Zentralbl. Veterinärmed [A] **42**: 229-251

Geishauser, T., Diederichs, M., Beuing, R. (1996)

Schätzung der Erblichkeit von Labmagenverlagerung bei Deutsch-Schwarzbunten

Rindern in Hessen [Estimation of the heritability of abomasal displacement in German black-pied cattle in Hesse]

Zentralbl. Veterinärmed. [A] **43**: 87-92

Gemmell, R. T., Stacy, B. D. (1973)

Effects of ruminal hyperosmolality on the ultrastructure of ruminal epithelium and their relevance to sodium transport

Q. J. Exp. Physiol. **58**: 315-323

Gitter, A. H., Bendfeldt, K., Schulzke, J. D., Fromm, M. (2000)

Trans/paracellular, surface/crypt, and epithelial/subepithelial resistances of mammalian colonic epithelia

Pflügers Arch. **439**: 477-482

Good, D. W. (1995)

Hyperosmolality inhibits bicarbonate absorption in rat medullary thick ascending limb via a protein-tyrosine kinase-dependent pathway

J. Biol. Chem. **270**: 9883-9889

Good, D. W., Di Mari, J. F., Watts, B. A. 3rd (2000)

Hyposmolality stimulates Na(+) / H(+) exchange and HCO₃(-) absorption in thick ascending limb via PI 3-kinase [In Process Citation]

Am. J. Physiol. **279**: C1443-1454

Grymer, J., Hesselholt, M., Willeberg, P. (1981)

Feed composition and left abomasal displacement in dairy cattle. A case-control study
Nordisk Veterinaermedicin **33**: 306-309

Harrison, F. A., Keynes, R. D., Rankin, J. C., Zurich, L. (1975)

The effect of ouabain on ion transport across isolated sheep rumen epithelium
J. Physiol. **249**: 669-677

Henrikson, R. C. (1971)

Mechanism of sodium transport across ruminal epithelium and histochemical localization of ATPase
Exp. Cell Res. **68**: 456-458

Huntington, G., Britton, R. (1978)

Effect of dietary lactic acid content and energy level on rumen lactate metabolism in sheep

J. Anim. Sci. **47**: 241-246

Jackson, J., Norris, S. H. (1985)

Transport of sodium and chloride across rat gastric mucosa in vitro

J. Physiol. **360**: 293-310

Kapus, A., Grinstein, S., Wasan, S., Kandasamy, R., Orlowski, J. (1994)

Functional characterization of three isoforms of the Na⁺/H⁺ exchanger stably expressed in Chinese hamster ovary cells (ATP dependence, osmotic sensitivity and role in cell proliferation)

J. Biol. Chem. **269**: 23544-23552

Literaturverzeichnis

Kay, R. N. B. (1960)

The rate of flow and composition of various salivary secretions in sheep and calves
J. Physiol. **150**: 515-537

Keynes, R. D. (1969)

From frog skin to sheep rumen: a survey of transport of salts and water across
multicellular structures
Q. Rev. Biophys. **2**: 177-281

Koch, J.-P., Korbmacher, C. (1999)

Osmotic shrinkage activates nonselective cation (NSC) channels in various cell types
J. Membr. Biol. **168**: 131-139

Kovbasnjuk, O. N., Smulowicz, U., Spring, K. R. (1998)

Regulation of the MDCK cell tight junction
J. Membr. Biol. **161**: 93-104

Lang, F., Busch, G. L., Ritter, M., Völkl, H., Waldegger, S., Gulbins, E., Häussinger, D.
(1998)

Functional significance of cell volume regulatory mechanisms
Physiol. Rev. **78**: 247-306

Lang, I. (1997)

In-vitro-Untersuchungen zur Charakterisierung eines spannungsabhängigen
Kationenkanals in der luminalen Membran des Pansenepithels beim Schaf
Dissertation, Freie Universität Berlin

Lang, I., Martens, H. (1999)

Na transport in sheep rumen is modulated by voltage-dependent cation conductance in
apical membrane
Am. J. Physiol. **277**: G609-618

Leclercq, S. (1999)

Transportphysiologische Untersuchungen am isolierten Pansenepithel des Schafes unter
Berücksichtigung verschiedener osmotischer Gradienten [Transportphysiological
examinations on isolated rumen epithelium of the sheep with regard to different osmotic
gradients]
Dissertation, Freie Universität Berlin

Literaturverzeichnis

- Liebich, H.-G., Dirksen, G., Arbel, A., Dori, S., Mayer, E. (1987)
Fütterungsabhängige Veränderungen der Pansenschleimhaut von Hochleistungskühen
im Zeitraum von der Trockenstellung bis acht Wochen post partum
J. Vet. Med. A **34**: 661-672
- Martens, H. (1994)
Saturation kinetics of electrogenic and electroneutral Na transport of sheep rumen
epithelium
Proc. Soc. Nutr. Physiol. **3**: 87
- Martens, H. (2000)
Beziehungen zwischen Fütterung, Physiologie der Vormägen und der Pathogenese der
Dislocatio abomasi
In: Ätiologie, Pathogenese, Diagnostik, Prognose, Therapie und Prophylaxe der
Dislocatio Abomasi, Leipzig Universitätsverlag 2000, Editor M. Fürll: 81-101
- Martens, H., Blume, I. (1987)
Studies on the absorption of sodium and chloride from the rumen of sheep
Comp. Biochem. Phys. A **86**: 653-656
- Martens, H., Gäbel, G. (1988)
Transport of Na and Cl across the epithelium of ruminant forestomachs: rumen and
omasum. A review
Comp. Biochem. Physiol. A **90**: 569-575
- Martens, H., Gäbel, G., Strozyk, B. (1991)
Mechanism of electrically silent Na and Cl transport across the rumen epithelium of
sheep
Exp. Physiol. **76**: 103-114
- Martinez-Palomo, A., Erlj, D., Bracho, H. (1971)
Localization of permeability barriers in the frog skin epithelium
J. Cell. Biol. **50**: 277-287
- Matsumoto, P. S., Mo, L., Wills, N. K. (1997)
Osmotic regulation of Na transport across A6 epithelium: Interactions with
Prostaglandin E2 and cyclic AMP
J. Membr. Biol. **160**: 27-38

Moe, O. W. (1999)

Acute regulation of proximal tubule apical membrane Na/H exchanger NHE-3: role of phosphorylation, protein trafficking, and regulatory factors
J. Am. Soc. Nephrol. **10**: 2412-2425

Nath, S. K., Yue Hang, C., Levine, S. A., Chris Yun, C. H., Montrose, M. H., Donowitz, M., Tse, C.-M. (1996)

Hyperosmolarity inhibits the Na⁺/H⁺ exchanger isoforms NHE2 and NHE3: an effect opposite to that on NHE1
Am. J. Physiol. **270**: G431-G441

Nocek, J. E., Heald, C. W., Polan, C. E. (1984)

Influence of ration physical form and nitrogen availability on ruminal morphology of growing bull calves
J. Dairy Sci. **67**: 334-343

Nocek, J. E., Herbein, J. H., Polan, C. E. (1980)

Influence of ration physical form, ruminal degradable nitrogen and age on rumen epithelial and some enzymatic activities
J. Nutr. **110**: 2355-2364

Nocek, J. E., Kesler, E. M. (1980)

Growth and rumen characteristics of Holstein steers fed pelleted or conventional diets
J. Dairy Sci. **63**: 249-254

Okada, Y., Maeno, E., Shimizu, T., Dezaki, K., Wang, J., Morishima, S. (2001)

Receptor-mediated control of regulatory volume decrease (RVD) and apoptotic volume decrease (AVD)
J. Physiol. **532**: 3-16

Oshio, S., Tahata, I. (1984)

Absorption of dissociated volatile fatty acids through the rumen wall of sheep
Can. J. Anim. Sci. (Suppl.) **64**: 167-168

Petersen, K. U., Wood, J. R., Schulze, G., Heintze, K. (1981)

Stimulation of gallbladder fluid and electrolyte absorption by butyrate
J. Membr. Biol. **62**: 183-93

Literaturverzeichnis

Powell, D. W. (1981)

Barrier function of epithelia

Am. J. Physiol. **241**: G275-G288

Rehn, M., Weber, W.-M., Clauss, W. (1998)

Role of the cytoskeleton in stimulation of Na⁺ channels in A6 cells by changes in osmolality

Pflügers Arch. **436**: 270-279

Reuss, L., Finn, A. L. (1977)

Effects of luminal hyperosmolality on electrical pathways of Necturus gallbladder

Am. J. Physiol. **232**: C99-108

Robertson, J. M. (1968)

Left displacement of the bovine abomasum: epizootiologic factors

Am. J. Vet. Res. **29**: 421-434

Rohrbach, B. W., Cannedy, A. L., Freeman, K., Slenning, B. D. (1999)

Risk factors for abomasal displacement in dairy cows

J. Am. Vet. Med. Assoc. **214**: 1660-1663

Rübelke, M. K. (1998)

In vitro Untersuchungen des Pansenepithels von Schafen zur Charakterisierung eines elektrogenen, Calcium-sensitiven Natriumtransportes

Dissertation, Freie Universität Berlin

Sarashina, T., Ichijo, S., Takahashi, J., Osame, S. (1990)

Origin of abomasum gas in the cows with displaced abomasum

Nippon Juigaku Zasshi **52**: 371-378

Scharrer, E., Medl, M., Liebich, H. G. (1983)

Changes in the structure and function of the rumen epithelium during development

3. Effect of liquid versus solid diet on Na and Cl transport across lamb rumen epithelium

Zentralbl. Veterinärmed. [A] **30**: 767-774

Scheffler, A. (1984)

Charakterisierung der Wirkung von Pharmaka auf die elektrophysiologischen Parameter gastrointestinaler Epithelgewebe mit einer mikrocomputer-gesteuerten Strom- und Spannungsklemmeneinrichtung

Dissertation, Med. Fak. der Rhein.-Westfäl. Technischen Hochschule, Aachen

Schultz, S. G. (1974)

Principles of electrophysiology and their application to epithelial tissues

In: Gastrointestinal Physiology (Hrsg. Guyton, A. C., Jacobson, E. D., Shanhoer, L. K.)

Butterworth, London: 69-103

Schultz, S. G. (1981)

Homocellular regulatory mechanisms in sodium-transporting epithelia: avoidance of extinction by "flush-through"

Am. J. Physiol. **241**: F579-590

Scott, D. (1966)

The effects of sodium depletion and potassium supplements upon electrical potentials in the rumen of the sheep

Q. J. Exp. Physiol. **51**: 60-69

Secor, S. M., Stein, E. D., Diamond, J. (1994)

Rapid upregulation of snake intestine in response to feeding: a new model of intestinal adaptation

Am. J. Physiol. **266**: G695-705

Sehested, J., Diernaes, L., Moller, P. D., Skadhauge, E. (1996)

Transport of sodium across the isolated bovine rumen epithelium: interaction with short-chain fatty acids, chloride and bicarbonate

Exp. Physiol. **81**: 79-94

Shakespeare, A. (1997)

Left displaced abomasum in sheep [letter]

Vet. Rec. **141**: 527-528

Shaver, R. D. (1997)

Nutritional risk factors in the etiology of left displaced abomasum in dairy cows: a review

J. Dairy Sci. **80**: 2449-2453

Smulders, A. P., Tormey, J. M., Wright, E. M. (1972)

The effect of osmotically induced water flows on the permeability and ultrastructure of the rabbit gallbladder

J. Membr. Biol. **7**: 164-197

Soleimani, M., Watts, B. A. 3rd, Singh, G., Good, D. W. (1998)

Effect of long-term hyperosmolality on the Na⁺/H⁺ exchanger isoform NHE-3 in LLC-PK1 cells

Kidney Int. **53**: 423-431

Soybel, D. I., Ashley, S. W., DeSchryver-Kecskemeti, K., Cheung, L. Y. (1987)

Effects of luminal hyperosmolality on cellular and paracellular ion transport pathways in *Necturus* antrum

Gastroenterology **93**: 456-65

Stacy, B. D., Warner, A. C. I. (1966)

Balances of water and sodium in the rumen during feeding: Osmotic stimulation of sodium absorption in the sheep

J. Exp. Physiol. **51**: 79-93

Stevens, C. E. (1964)

Transport of sodium and chloride by the isolated rumen epithelium

Am. J. Physiol. **206**: 1099-1105

Svendsen, P. (1969)

Etiology and pathogenesis of abomasal displacement in cattle

Nordisk Veterinaermedicin **21**: 1-60

Svendsen, P. E. (1975)

Experimental studies of gastro-intestinal atony in ruminants

In: Digestion and Metabolism in the Ruminant. Edit. I. W. McDonald and A. C. I.

Warner: 563-575

Literaturverzeichnis

Tabaru, H., Ikeda, K., Kadota, E., Murakami, Y., Yamada, H., Sasaki, N., Takeuchi, A. (1990)

Effects of osmolality on water, electrolytes and VFAs absorption from the isolated ruminoreticulum in the cow

Jpn. J. Vet. Sci. **52**: 91-96

Toloza, E. M., Diamond, J. (1992)

Ontogenetic development of nutrient transporters in rat intestine

Am. J. Physiol. **263**: G593-604

Ussing, H. H. (1965)

Relationship between osmotic reactions and active sodium transport in the frog skin epithelium

Acta Physiol. Scand. **63**: 141-155

Ussing, H. H. (1966)

Anomalous transport of electrolytes and sucrose through the isolated frog skin induced by hypertonicity of the outside bathing solution

Ann. NY. Acad. Sci. **137**: 543-555

Ussing, H. H., Windhager, E. E. (1964)

Nature of shunt path and active sodium transport path through frog skin epithelium

Acta Physiol. Scand. **61**: 484-504

Ussing, H. H., Zehran, K. (1951)

Active transport of sodium as the source of electric current in the short-circuited isolated frog skin

Acta Physiol. Scand. **23**: 110-127

Van Meirhaeghe, H., Deprez, P., van den Hende, C., Muylle, E. (1988)

The influence of insulin on abomasal emptying in cattle

Zentralbl. Veterinärmed. [A] **35**: 213-20

Wakabayashi, S., Shigekawa, M., Pouyssegur, J. (1997)

Molecular physiology of vertebrate Na^+/H^+ exchangers

Physiol. Rev. **77**: 51-74

Literaturverzeichnis

Warner, A. C. I., Stacy, B. D. (1965)

Solutes in the rumen of the sheep

Q. J. Exp. Physiol. **50**: 169-184

Warner, A. C. I., Stacy, B. D. (1972)

Water, sodium and potassium movements across the rumen wall of sheep

Q. J. Exp. Physiol. **57**: 103-119

Watts, B. A. 3rd, Good, D. W. (1994)

Apical membrane Na⁺/H⁺ exchange in rat medullary thick ascending limb. pH-dependence and inhibition by hyperosmolality

J. Biol. Chem. **269**: 20250-20255

Wehner, F., Böhmer, C., Heinzinger, H., van den Boom, F., Tinel, H. (2000)

The hypertonicity-induced Na conductance of rat hepatocytes: physiological significance and molecular correlate

Cell Physiol. Biochem. **10**: 335-340

Whitlock, R. H. (1969)

Diseases of the abomasum associated with current feeding practices

J. A. V. M. A. **154**: 1203-1205

Wiederkehr, M. R., Zhao, H., Moe, O. W. (1999)

Acute regulation of Na/H exchanger NHE3 activity by protein kinase C: role of NHE3 phosphorylation

Am. J. Physiol. **276**: C1205-C1217