

## 8. References

- Aldred, P., Fu, P., Barrett, G., Penschow, J.D., Wright, R.D., Coghlan, J.P., Fernley, R.T. (1991). Human secreted carbonic anhydrase: cDNA cloning, nucleotide sequence, and hybridization histochemistry. *Biochemistry*, **30**, 569-75.
- Altschul, S., Madden, T.L., Schaffer, A.A., Zhang, J., Zhang, Z., Miller, W., Lipman, D.J. (1997). Gapped BLAST and PSI-BLAST: A new generation of protein database search programs. *Nucleic Acids Res.*, **25**, 3389-402.
- Ang, S., and Rossant, J. (1994). NHF-3 beta is essential for node and notochord formation in mouse development. *Cell*, **79**, 561-74.
- Ausubel, F., Brent, R., Kingston, R.E., Moore, D.D., Seidman, J.G., Smith, J.A., Struhl, K. (1992). Current protocols in molecular biology. , **1 - 3**.
- Ben Ze'ev, A., and Geiger, B. (1998). Differential molecular interactions of beta-catenin and placoglobin in adhesion, signaling and cancer. *Curr Opin Cell Biol*, **10**, 629-39.
- Birchmeier, C., and Birchmeier, W. (1993). Molecular aspects of mesenchymal-epithelial interaction. *Annu Rev Cell Biol*, **9**, 511-40.
- Birchmeier, W., and Behrens, J. (1994). Cadherin expression in carcinomas: role in the formation of cell junctions and the prevention of invasiveness. *Biochim Biophys Acta*, **1198**, 11-26.
- Bitgood, M., and McMahon, A.P. (1995). Hedgehog and Bmp genes are coexpressed at many diverse sites of cell-cell interaction in the mouse embryo. *Dev Biol*, **172**, 126-38.
- Bladt, F., Riethmacher, D., Isenmann, S., Aguzzi, A., Birchmeier, C. (1995). Essential role for the c-met receptor in the migration of myogenic precursor cells into the limb bud. *Nature*, **376**, 768-71.
- Blok, V.T., Daha, M.R., Tijsma, O., Harris, C.L., Morgan, B.P., Fleuren, G.J., Gorter, A. (1998). A bispecific monoclonal antibody directed against both the membrane-bound complement regulator CD55 and the renal tumor-associated antigen G250 enhances C3 deposition and tumor cell lysis by complement. *J Immunol*, **160**, 3437-43.
- Brewer, M., Liao, S.Y., Wilczynski, S.P., Pastorekova, S., Pastorek, J., Zavada, J., Kurosaki, T., Manetta, A., Berman, M.L., DiSaia, P.J., Stanbridge, E.J. (1996). A study of biomarkers in cervical carcinoma and clinical correlation of the novel biomarker MN. *Gynecol Oncol*, **63**, 337-44.
- Canfield, V., West, A.B., Goldenring, J.R., Levenson, R. (1996). Genetic ablation of parietal cells in transgenic mice: A new model for analyzing cell lineage relationships in the gastric mucosa. *Proc Natl Acad Sci USA*, **93**, 2431-35.

- Capecci, M.R. (1989). Altering the genome by homologous recombination. *Science*, **244**, 1288-92.
- Chegwidden, R. (2000). The carbonic anhydrases. New horizons. *Birkhaeuser, Basel ; ISBN 3-7643-5670-0*.
- Cho, M., Grabmaier, K., Kitahori, Y., Hiasa, Y., Nakagawa, Y., Uemura, H., Hirao, Y., Ohnishi, T., Yoshikawa, K., Oosterwijk, E. (2000). Activation of the MN/CA9 gene is associated with hypomethylation in human renal cell carcinoma cell line. *Mol Carcinog*, **27**, 184-9.
- Christianson, D., and Cox, J.D. (1999). Catalysis by metal-activated hydroxide in zinc and manganese metalloenzymes. *Annu. Rev. Biochem.*, **68**, 33-57.
- Costa, M., Ndoye, A., Treford, J.D. (1995). MN protein immunolocalization in uterine cervix carcinoma with glandular differentiation. *Int J Surg Pathol*, **3**, 73-82.
- Cowin, P., and Burke, B. (1996). Cytoskeletal-membrane interactions. *Curr Opin Cell Biol*, **8**, 56-65.
- Deng, C., and Capecchi, M.R. (1992). Reexamination of gene targeting frequency as a function of the extent of homology between the targeting vector and the target locus. *Mol Cell Biol*, **12**, 3365-71.
- Earnhardt, J., Qian, M., Tu, C., Lakkis, M.M., Bergenhem, N.C.H., Laipis, P.J., Tashian, R.E., Silverman, D.N. (1998). The catalytic properties of murine carbonic anhydrase VII. *Biochemistry*, **37**, 10837-45.
- Echelard, Y., Epstein, D.J., St-Jacques, B., Shen, L., Mohler, J., McMahon, J.A., McMahon, A.P. (1993). Sonic hedgehog, a member of a family of putative signaling molecules, is implicated in the regulation of CNS polarity. *Cell*, **75**, 1417-30.
- Ekker, S., McGrew, L.L., Lai, C.J., Lee, J.J., von Kessler, D.P., Moon, R.T., Beachy, P.A. (1995). Distinct expression and shared activities of members of the hedgehog gene family of *Xenopus laevis*. *Development*, **121**, 2337-47.
- Evans, M., and Kaufmann, M.H. (1981). Establishment in culture of pluripotent cells from mouse embryos. *Nature*, **292**, 223-31.
- Falkbring, S., Goethe, P.O., Nyman, P.O. (1972). Affinity chromatography of carbonic anhydrase. *FEBS Letters*, **24**, 229-35.
- Fedorov, L., Haegel-Kronenberger, H., Hirchenhain, J. (1997). A comparison of the germline potential of differently aged ES cell lines and their transfected descendants. *Transgenic Res*, **6**, 223-31.
- Fleming, R., Parkkila, S., Parkkila, A.K., Rajaniemi, H., Waheed, A., Sly, W. (1995). Carbonic anhydrase IV expression in rat and human gastrointestinal tract regional, cellular and subcellular localization. *J Clin Invest*, **96**, 2907-13.

- Fujikawa-Adachi, K., Nishimori, I., Taguchi, T., Onishi, S. (1999a). Human mitochondrial carbonic anhydrase VB. *J Biol Chem*, **274**, 21228-33.
- Fujikawa-Adachi, K., Nishimori, I., Taguchi, T., Onishi, S. (1999b). Human carbonic anhydrase XIV (CA14): cloning, mRNA expression, and mapping to chromosome 1. *Genomics*, **61**, 74-81.
- Fukata, M., Kuroda, S., Nakagawa, M., Kawajiri, A., Itoh, N., Shoji, I., Matsuura, Y., Yonehara, S., Fujisawa, H., Kikuchi, A., Kaibuchi, K. (1997). Cdc42 and rac1 regulate the interaction of IQGAP1 with beta-catenin. *J Biol Chem*, **274**, 26044-50.
- Gilbert, S. (1988). Developmental biology. *Sinauer Associates, Inc. Publisher; Sunderland, Massachusetts*.
- Gordon, J., and Hermiston, M.L. (1994). Differentiation and self-renewal in the mouse gastrointestinal epithelium. *Curr Opin Cell Biol*, **6**, 795-803.
- Grabmaier, K., Vissers, J.L., De Weijert, M.C., Oosterwijk-Wakka, J.C., Bokhoven, A., Brakenhoff, R.H., Noessner, E., Mulders, P.A., Merkx, G., Figdor, C.G., Adema, G.J., Oosterwijk, E. (2000). Molecular cloning and immunogenicity of renal cell carcinoma-associated antigen G250. *Int J Cancer*, **85**, 865-70.
- Grabmaier, K. (2000). Expression of the renal cell carcinoma (RCC)-associated antigen G250: promotor studies indicate a role for the von Hippel-Lindau gene product. *91st Annual Meeting of the American Association for Cancer Research, April 1- 5, 2000, San Francisco, CA*, **41**.
- Griffiths, J. (1991). Are cancer cells acidic. *Br J Cancer*, **64**, 425-7.
- Guilford, P., Hopkins, J., Harraway, J., McLeod, M., McLeod, N., Harawira, P., Taite, H., Scouler, R., Miller, A., Reeve, A. (1998). E-cadherin germline mutations in familial gastric cancer. *Nature*, **392**, 402-5.
- Gumbiner, B. (1996). Cell adhesion: The molecular basis of tissue architecture and morphogenesis. *Cell*, **84**, 345-57.
- Gumbiner, B. (2000). Regulation of cadherin adhesive activity. *J Cell Biol*, **148**, 399-403.
- Haegel, H., Larue, L., Ohsugi, M., Fedorov, L., Herrenknecht, K., Kemler, R. (1995). Lack of beta-catenin affects mouse development at gastrulation. *Development*, **9**, 3529-37.
- Hewett-Emmett, D., and Tashian, R.E. (1996). Functional diversity, conservation and convergence in the evolution of the alpha, beta and gamma- carbonic anhydrase gene families. *Mol Phylogenet Evol*, **5**, 50-77.
- Hocker, M., Zhang, Z., Fenstermacher, D.A., Tagerud, S., Chulak, M., Joseph, D., Wang, T.C. (1996). Rat histidine decarboxylase promoter is regulated by gastrin through a protein kinase C pathway. *Am J Physiol*, **270(4 Pt 1)**, G619-33.

- Hooper, M., Hardy, K., Handyside, A., Hunter, S., Monk, M. (1987). HPRT-deficient (Lesch-Nyhan) mouse embryos derived from germline colonization by cultured cells. *Nature*, **326**, 292-5.
- Hynes, R. (1992a). Specificity of cell adhesion in development: the cadherin superfamily. *Curr Opin Gen Dev*, **2**, 621-4.
- Hynes, R. (1992b). Integrins: versatility, modulation and signaling in cell adhesion. *Cell*, **69**, 11-25.
- Ikeda, W., Nakanishi, H., Miyoshi, J., Mandai, K., Ishizaki, H., Tanaka, M., Togawa, A., Takahashi, K., Nishioka, H. (1999). Afadin: a key molecule essential for structural organization of cell-cell junctions of polarized epithelia during embryogenesis. *J Cell Biol*, **146**, 1117-32.
- Ivanov, V., Kuzmin, I., Wei, M.-H., Pack, S., Geil, L., Johnson, B.E., Stanbridge, E.J., Lerman, M. (1998). Down-regulation of transmembrane carbonic anhydrases in renal cell carcinoma cell lines by wild-type von Hippel-Lindau transgenes. *Proc Natl Acad Sci*, **95**, 12596-12601.
- Jhappan, C., Stahle, C., Harkins, R.N., Fausto, N., Smith, G.H., Merlino, G.T. (1990). TGF $\alpha$  overexpression in transgenic mice induces liver neoplasia and abnormal development of the mammary gland and pancreas. *Cell*, **61**, 1137-46.
- Jiang, W., and Gupta, D. (1999). Structure of the carbonic anhydrase VI (CA6) gene: evidence for two distinct groups within the alpha-CA gene family. *Biochem J*, **344**, 385-390.
- Joyner, A. (1993). Gene targeting a Practical approach; The practical approach series. Edited by D. Rick wood and B.D. Hames. IRL Press at Oxford University Press, New York.
- Kaestner, K., Hiemisch, H., Schutz, G. (1998). Targeted disruption of the gene encoding hepatocyte nuclear factor 3 $\gamma$  results in reduced transcription of hepatocyte-specific genes. *Mol Cell Biol*, **18**, 4245-51.
- Kaluz, S., Kaluzova, M., Opavsky, R., Pastorekova, S., Gibadulinova, A., Dequiedt, F., Kettmann, R., Pastorek, J. (1999). Transcriptional regulation of the MN/CA9 gene coding for the tumor-associated carbonic anhydrase IX. *J Biol Chem*, **46**, 32588-95.
- Kaluzova, M., Pastorekova, S., Pastorek, J., Kaluz, S. (2000). P53 tumour suppressor modulates transcription of the TATA-less gene coding for the tumour-associated carbonic anhydrase MN/CAIX in MaTu cells. *Biochim Biophys Acta*, **1491**, 20-26.
- Karam, S., and Leblond, C.P. (1992). Identifying and counting all epithelial cell types present in the "corpus" of the mouse stomach. *Anat Rec*, **232**, 231-46.
- Karam, S. (1993). Dynamics of epithelial cells in the corpus of the mouse stomach. IV. Bidirectional migration of parietal cells ending in their gradual degeneration and loss. *Anat Rec*, **236**, 314-32.

- Karam, S., and Leblond, C.P. (1993a). Dynamics of epithelial cells in the corpus of the mouse stomach. II. Outward migration of pit cells. *Anat Rec*, **236**, 259-79.
- Karam, S., and Leblond, C.P. (1993b). Dynamics of epithelial cells in the corpus of the mouse stomach. II. Outward migration of pit cells. *Anat Rec*, **236**, 280-96.
- Karam, S., and Leblond, C.P. (1993c). Dynamics of epithelial cells in the corpus of the mouse stomach. III. Inward migration of neck cells followed by progressive transformation into zymogenic cells. *Anat Rec*, **236**, 297-313.
- Karam, S. (1998). Cell lineage relationship in the stomach of normal and genetically manipulated mice. *Braz J Med Biol Res*, **31**, 271-9.
- Karam, S. (1999). Lineage commitment and maturation of epithelial cells in the gut. *Front Biosci*, **4**, 286-98.
- Karhumaa, P., Parkkila, S., Waheed, A., Parkkila, A.K., Kaunisto, K., Tucker, P.W., Huang, C.J., Sly, W.S., Rajaniemi, H. (2000). Nuclear NonO/p54(nrb) protein is a nonclassical carbonic anhydrase. *J Biol Chem*, **275**, 16044-9.
- Kaufman, M. (1992). The atlas of mouse development. Academic Press Limited, ISBN 0 12 402035 6.
- Kinzler, K., and Vogelstein, B. (1996). Lessons from hereditary colorectal cancer. *Cell*, **87**, 159-70.
- Kivela, J., Parkkila, S., Parkkila, A.K., Leinonen, J., Rajaniemi, H. (1999). Salivary carbonic anhydrase isozyme VI. *J Physiol*, **520**, 315-20.
- Kivela, A., Parkkila, S., Saarnio, J., Karttunen, T.J., Kivela, J., Parkkila, A.K., Waheed, A., Sly, W.S., Grubb, J.H., Shah, G., Tureci, O., Rajaniemi, H. (2000). Expression of novel transmembrane carbonic anhydrase isozyme XII in normal human gut and colorectal tumors. *Am J Pathol*, **156**, 577-84.
- Kuroda, S., Fukata, M., Nakagawa, M., Fujii, K., Nakamura, T., Ohkubo, T., Izawa, I., Nagase, T., Nomura, N., Tani, H. (1998). Role of IQGAP1, a target of the small GTPases Cdc42 and Rac1, in regulation of E-cadherin-mediated cell-cell adhesion. *Science*, **281**, 832-5.
- Laird, P., Zijderveld, A., Linders, K., Rudnicki, M.A., Jaenisch, R., Berns, A. (1991). A simplified mammalian DNA isolation procedure. *Nucleic Acids Res*, **19**, 4293.
- Larue, L.O., M, Hirchenhain, J., Kemler, R. (1994). E-cadherin null mutant embryos fail to form a trophectoderm epithelium. *Proc Natl Acad Sci USA*, **91**, 8263-67.
- Leblond, C., Messier, B., Kopriwa, B. (1959). Thimidine-H3 as a tool for the investigation of the renewal of cell populations. *Lab Invest*, **8**, 296-308.
- Lengyel, J., Liu, X.J. (1998). Posterior gut development in Drosophila: a model system for identifying genes controlling epithelial morphogenesis. *Cell Res*, **8**, 273-84.

- Lewis, S., Erickson, R.P., Barnett, L.B., Venta, P.J., Tashian, R.E. (1988). N-ethyl-N-nitrosourea-induced null mutation at the mouse Car-2 locus: an animal model for human carbonic anhydrase II deficiency syndrome. *Proc Natl Acad Sci USA*, **85**, 1962-6.
- Li, Q., Karam, S.M., Gordon, J.I. (1996). Diphtheria toxin mediated ablation of parietal cells in the stomach of transgenic mice. *J Biol Chem*, **271**, 3671-6.
- Li, S., Wang, Q., Chakladar, A., Bronson, R.T., Bernards, A. (2000). Gastric hyperplasia in mice lacking the putative Cdc42 effector IQGAP1. *Mol Cell Biol*, **20**, 697-701.
- Liao, S.B., Zavada, J., Pastorek, J., Pastorekova, S., Manetta, A., Berman, M.L., DiSaia, P., Stanbridge, E.J. (1994). Identification of the MN antigen as a diagnostic biomarker of cervical intraepithelial squamous and glandular neoplasia and cervical carcinoma. *Am J Pathol*, **145**, 598-609.
- Liao, S., Aureliio, O.N., Jan, K., Zavada, J., Stanbridge, E.J. (1997). Identification of the MN/CA9 protein as a reliable diagnostic biomarker of clear cell carcinoma of the kidney. *Cancer Res*, **57**, 2827-31.
- Liao, S., and Stanbridge, E.J. (2000). Expression of MN/CA9 protein in Papanicolaou smears containing atypical glandular cells of undetermined significance is a diagnostic biomarker of cervical dysplasia and neoplasia. *Cancer*, **88**, 1108-1121.
- Lieskovska, J., Kaluzova, M., Opavsky, R., Pastorek, J., Kettmann, R., Pastorekova, S. (1998). Up-regulation of p53 by antisense expression of HPV18 E6 oncogene does not influence the level of MN/CA IX tumor-associated protein in HeLa cervical carcinoma cells. *Int J Oncol*, **13**, 1081-6.
- Lieskovska, J., Opavsky, R., Zacikova, L., Glasova, M., Pastorek, J., Pastorekova, S. (1999). Study of in vitro conditions modulating expression of MN/CA IX protein in human cell lines derived from cervical carcinoma. *Neoplasma*, **46**, 17-24.
- Liu, J., Baker, J., Perkins, A.S., Robertson, E.J., Efstradiadis, A. (1993). Mice carrying null mutation of the genes encoding insulin-like growth factor I (IGF-1) and type 1 igf receptor (Igf 1r). *Cell*, **75**, 59-72.
- Lloyd, J., Isenberg, H., Hopkinson, D.A., Edwards, Y.H. (1985). Isolation of a cDNA clone for the human muscle specific carbonic anhydrase, CAIII. *Ann Hum Genet*, **49**, 241-51.
- Longo, L., Bygrave, A., Grosveld, F.G., Pandolfi, P.P. (1997). The chromosome make-up of mouse stem cells is predictive of somatic and germ cell chimerism. *Transgenic Res*, **6**, 321-8.
- Luetteke, N., Qiu, T.H., Peiffer, R.L., Oliver, P., Smithies, O., Lee, D.C. (1993). TGF alfa deficiency results in hair follicle and eye abnormalities in targeted waved-1 mice. *Cell*, **73**, 263-78.

- Luiten, R., Coney, L.R., Fleuren, G.J., Warnaar, S.O., Litvinov, S.V. (1996). Generation of chimeric bispecific G250/anti-CD3 monoclonal antibody, a tool to combat renal cell carcinoma. *Br J Cancer*, **74**, 735-44.
- Mann, G., Fowler, K.J., Gabriel, A., Nice, E.C., Williams, R.L., Dunn, A.R. (1993). Mice with a null mutation of the TGF alpha gene have abnormal skin architecture, wavy hair, and curly whiskers and often develop corneal inflammation. *Cell*, **73**, 249-61.
- McKiernan, J., Buttyan, R., Bander, N.H., Taille de la, A., Stifelman, M.D., Emanuel, E.R., Bagiella, E., Rubin, M.A., Katz, A.E., Olsson, C.A., Sawczuk, I.S. (1999). The detection of renal carcinoma cells in the peripheral blood with an enhanced reverse transcriptase-polymerase chain reaction assay for MN/CA9. *Cancer*, **86**, 492-7.
- Meldrum, N., and Roughton F.J.W. (1933). Carbonic anhydrase. Its preparation and properties. *J Physiol (London)*, **80**, 113-42.
- Ménétrier, P. (1888). Des polyadenomes gastrique et de leurs rapports avec le cancer de l'estomach. *Arch Physiol Norm Pathol*, **1**, 32-55.
- Miller, J., and Moon, R.T. (1996). Signal transduction through beta-catenin and specification of cell fate during embryogenesis. *Genes Dev*, **10**, 2527-39.
- Ming, S., and Goldman, H. (1992). Pathology of the gastrointestinal tract: Mucosal hypertrophy and hyperplasia of the stomach. *Editor J. Mitchell; W. B. Sounders Company; Harcourt Brace Jovanovich, Inc.*
- Montgomery, J., Venta, P.J., Eddy, R.L., Fukushima, Y.S., Shows, T.B., Tashian, R.E. (1991). Characterization of human gene for a newly discovered carbonic anhydrase, CA VII, and its localization to chromosome 16. *Genomics*, **11**, 835-48.
- Mori, K., Ogawa, Y., Ebihara, K., Tamura, N., Tashiro, K., Kuwahara, T., Mukoyama, M., Sugawara, A., Ozaki, S., Tanaka, I., Nakao, K. (1999). Isolation and characterization of CA XIV, a novel membrane-bound carbonic anhydrase from mouse kidney. *J Biol Chem*, **274**, 15701-5.
- Mount, S. (1982). A catalogue of splice junction sequences. *Nucleic Acids Res.*, **10**, 459-72.
- Nakagawa, Y., Uemura, H., Hirao, Y., Yoshida, K., Saga, S., Yoshikawa, K. (1998). Radiation hybrid mapping of the human MN/CA9 locus to chromosome band 9p12-p13. *Genomics*, **53**, 118-9.
- Okuyama, T., Sato, S., Zhu, X.L., Waheed, A., Sly, W.S. (1992). Human carbonic anhydrase IV: cDNA cloning, sequence comparison, and expression in COS cell membrane. *Proc Natl Acad Sci USA*, **89**, 1315-9.
- Oosterwijk, E., Ruiter, D.J., Hoedemaeker, P.J., Pauwels, E.K.J., Jonas, U., Zwartendijk, J., Warnaar, S.O. (1986). Monoclonal antibody G250 recognizes a determinant present in renal-cell carcinoma and absent from normal kidney. *Int J Cancer*, **38**, 489-94.

- Oosterwijk, E., Bander, N.H., Divgi, C.R., Welt, S., Wakka, J.C., Finn, R.D., Carswell, A.E., Larson, S.M., Warnaar, S.O., Fleuren, G.J., Oettgen, H.F., Old, L.J. (1993). Antibody localization in human renal cell carcinoma: a phase I study of monoclonal antibody G250. *J Clin Oncol*, **11**, 738-50.
- Opavsky, R., Pastorekova, S., Zelnik, V., Gibadulinova, A., Stanbridge, E.J., Zavada, J., Kettman, R., Pastorek, J. (1996). Human MN/CA9 gene, a novel member of the carbonic anhydrase family: structure and exon to protein domain relationships. *Genomics*, **33**, 480-7.
- Parkkila, S., Parkkila, A.K., Juvonen, T., Rajaniemi, H. (1994). Distribution of the carbonic anhydrase isoenzymes I, II, VI in the human alimentary tract. *Gut*, **35**, 646-50.
- Parkkila, S., Parkkila, A.K., Juvonen, T., Lehto, V.P., Rajaniemi, H. (1995a). Immunohistochemical demonstration of the carbonic anhydrase isoenzymes I and II in pancreatic tumors. *Histochem J*, **27**, 133-8.
- Parkkila, A., Herva, R., Parkkila, S., Rajaniemi, H. (1995b). Immunohistochemical demonstration of human carbonic anhydrase isozyme II in brain tumors. *Histochem J*, **27**, 974-82.
- Parkkila, S., Parkkila, A.K., Lehtola, J., Reinila, A., Sodervik, H.J., Rannisto, M., Rajaniemi, H. (1997). Salivary carbonic anhydrase protects gastroesophageal mucosa from acid injury. *Dig Dis Sci*, **42**, 1013-9.
- Parkkila, S., Rajaniemi, H., Parkkila, A.K., Kivela, J., Waheed, A., Pastorekova, S., Pastorek, J., Sly, W.S. (2000). Carbonic anhydrase inhibitor suppresses invasion of renal cancer cells in vitro. *Proc Natl Acad Sci USA*, **97**, 2220-4.
- Pastorek, J., Pastorekova, S., Callebaut, I., Mornon, J.P., Zelnik, V., Opavsky, R., Zatovicova, M., Liao, S., Portetelle, D., Stanbridge, E.J., Zavada, J., Burny, A., and Kettmann, R. (1994). Cloning and characterization of MN, a human tumor-associated protein with a domain homologous to carbonic anhydrase and putative helix-loop-helix DNA binding segment. *Oncogene*, **9**, 2877-88.
- Pastorekova, S., Zavadova, Z., Kostal, M., Babusikova, O., Zavada, J. (1992). A novel quasi-viral agent, MaTu, is a two-component system. *Virology*, **187**, 620-6.
- Pastorekova, S., Parkkila, S., Parkkila, A.-K., Opavsky, R., Zelnik, V., Saarnio, J., Pastorek, J. (1997). Carbonic anhydrase IX, MN/CAIX: Analysis of stomach complementary DNA sequence and expression in human and rat alimentary tracts. *Gastroenterology*, **112**, 398-408.
- Peles, E., Nativ, M., Campbell, P.L., Sakurai, T., Martinez, R., Lev, S., Clary, D.O., Schilling, J., Barnea, G., Plowman, G.D., Grumet, M., Schlessinger, J. (1995). The carbonic anhydrase domain of receptor tyrosine phosphatase beta is a functional ligand for the axonal cell recognition molecule contactin. *Cell*, **82**, 251-60.
- Ramalho-Santos, M., Melton, D.A., McMahon, A.P. (2000). Hedgehog signals regulate multiple aspects of gastrointestinal development. *Development*, **127**, 2763-72.

- Reiserova, L., Kaluzova, M., Kaluz, S., Willi.s, A.C., Zavada, J., Zavodska, E., Zavadova, Z., Ciampor, F., Pastorek, J., Pastorekova, S. (1999). Identification of MaTu-MX agent as a new strain of lymphocytic choriomeningitis virus (LCMV) and serological indication of horizontal spread of LCMV in human population. *Virology*, **257**, 73-83.
- Roberts, D., Johnson, R.L., Burke, A.C., Nelson, C.E., Morgan, B.A., Tabin, C. (1995). Sonic hedgehog is an endodermal signal inducing Bmp-4 and Hox genes during induction and regionalization of the chick hindgut. *Development*, **121**, 3163-74.
- Rogers, J. (1990). The role of introns in evolution. *FEBS lett.*, **268**, 339-43.
- Rossant, J., and Nagy, A. (1995). Genome engineering: the new mouse genetics. *Nature Med*, **1**, 592-4.
- Rubin, D., Swietlicki, E., Gordon, J.I. (1994). Use of isografts to study proliferation and differentiation programs of the mouse stomach's epithelial cell lineages. *AM J Physiol*, **267**, G27-G39.
- Ruiz, P., Brinkmann, V., Ledermann, B., Behrend, M., Grund, C., Thalhammer, C., Vogel, F., Birchmeier, C., Gunthert, U., Franke, W.W., Birchmeier, W. (1996). Targeted mutation of plakoglobin in mice reveals essential function of desmosomes in the embryonic heart. *J Cell Biol*, **135**, 215-25.
- Saarnio, J., Parkkila, S., Parkkila, A.-K., Waheed, A., Casey, M.C., Zhou, X.Y., & Pastorekova, S., Pastorek, J., Karttunen, T., Haukipuro, K., Kairaluoma, M.I., Sly, W.S. (1998a). Immunochemistry of carbonic anhydrase isozyme IX (MN/CA IX) in human gut reveals polarized expression in the epithelial cells with the highest proliferative capacity. *J Histochem Cytochem*, **46**, 497-504.
- Saarnio, J., Parkkila, S., Parkkila, A.-K., Haukipuro, K., Pastorekova, S., Pastorek, J., Kairaluoma, M.I., Karttunen, T.J. (1998b). Immunohistochemical study of colorectal tumors for expression of a novel transmembrane carbonic anhydrase, MN/CA IX, with potential value as a marker of cell proliferation. *Am J Pathol*, **153**, 279-284.
- Saarnio, J., Parkkila, S., Parkkila, A.K., Waheed, A., Karttunen, T., Sly, W.S. (1999). Cell-specific expression of mitochondrial carbonic anhydrase in the human and rat gastrointestinal tract. *J Histochem Cytochem*, **47**, 517-24.
- Sakurai, T., Lustig, M., Nativ, M., Hemperly, J.J., Schlessinger, J., Peles, E., Grumet, M. (1997). Induction of neurite outgrowth through contactin and Nr-CAM by extracellular regions of glial receptor tyrosine phosphatase beta. *Journal Cell Biology*, **136**, 907-918.
- Sambrook, J., Fritsch, E.F., Maniatis, T. (1989). Molecular cloning: A laboratory manual. *Cold Spring Harbor Laboratory*, Cold spring Harbor, New York.
- Schmidt, C., Bladt, F., Goedecke, S., Brinkmann, V., Zschiesche, W., Sharpe, M., Gherardi, E., Birchmeier, C. (1995). Scater factor / hepatocyte growth factor is essential for liver development. *Nature*, **373**, 699-702.

- Schorle, H., Holtschke, T., Hunig, T., Schimpl, A., Horak, I. (1991). Development and function of T cells in mice rendered interleukin-2 deficient by gene targeting. *Nature*, **352**, 621-4.
- Sharp, R., Babyatsky, M.W., Takagi, H., Tagerud, S., Wang, T.C., Bockman, D.E., Brand, S.J., Merlino, G. (1995). Transforming growth factor alfa disrupts the normal program of cellular differentiation in the gastric mucosa of transgenic mice. *Development*, **121**, 149-1.
- Shull, M., Ormsby, I., Kier, A.B., Pawlowski, S., Diebold, R.J., Yin, M., Allen, R., Sidman, C., Poetzel, G., Calvin, D., Annunziata, N., Doetschman, T. (1992). Targeted disruption of the mouse transforming growth factor beta-1 gene results in multifocal inflammatory disease. *Nature*, **359**, 693-9.
- Sibilia, M., and Wagner, E.F. (1995). Strain dependent epithelial defects in mice lacking the EGF receptor. *Science*, **269**, 234-8.
- Siebert, P.D., and Chenchik, A. (1993). Modified acid guanidinium thiocyanate-phenol-chloroform RNA extraction method which greatly reduces DNA contamination. *Nucleic Acids Res*, **21**, 2019-20.
- Silverman, D. (2000). Marcus rate theory applied to enzymatic protein transfer. *Biochim Biophys Acta*, **1**, 88-103.
- Sleisenger, M., and Fordtran, J.S. (1989). Gastrointestinal disease; Vol. I. *Fourth edition*; Editor E. Wickland; W.B. Saunders Company. Harcourt Brace Jovanovich, Inc.
- Sly, W., Hewett-Emmett, D., Whyte, M.P., Yu, Y.S., Tashian, R.E. (1983). The carbonic anhydrase II deficiency identified as the primary defect in the autosomal recessive syndrome of osteopetrosis with renal tubular acidosis and cerebral calcification. *Proc Acad Sci USA*, **80**, 2752-6.
- Sly, W., and Hu, P. (1995). Human carbonic anhydrases and carbonic anhydrases deficiencies. *Annu Rev Biochem*, **64**, 375-401.
- Stanbridge, E., Flandermayer, R.R., Daniels D.W., Nelson-Rees, W.A. (1981). Specific chromosome loss associated with the expression of tumorigenicity in human cell hybrids. *Somatic Cell Genet*, **7**, 699-712.
- Stanbridge, E., Der, C.J. Doersesn, C.J., Nishimi, R.Y., Peehl, D.M., Weissman, B.E., Wilkinson, J.E. (1982). Human cell hybrids: analysis of transformation and tumorigenicity. *Science*, **215**, 252-9.
- Steffens, M., Boerman O.C., Oosterwijk-Wakka J.C., Oosterhof, G.O.N., Witjes, J.A., Koenders, E.B., Oyen, W.J.G., Buijs, W.C.A.M., Debruyne, M.J., Corstens, F.H.M., Oosterwijk, E. (1997). Targeting of renal cell carcinoma with iodine-131-labeled chimeric monoclonal antibody G250. *J Clin Oncol*, **15**, 1529-37.
- Steffens, M., Boerman, O.C., de Mulder, P.H., Oyen, W.J., Buijs, W.C., Witjes, J.A., van den Broek, W.J., Oosterwijk-Wakka, J.C., Debruyne, F.M., Corstens, F.H., Oosterwijk, E.

- (1999). Phase I radioimmunotherapy of metastatic renal cell carcinoma with <sup>131</sup>I-labeled chimeric monoclonal antibody G250. *Clin Cancer Res*, **5**, 3268-74.
- Steffens, M., Boerman, O.C., Oyen, W.J., Kniest, P.H., Witjes, J.A., Oosterhof, G.O., van Leenders, G.J., Debruyne, F.M., Corstens, F.H., Oosterwijk, E. (1999a). Intratumoral distribution of two consecutive injections of chimeric antibody G250 in primary renal cell carcinoma: implications for fractionated dose radioimmunotherapy. *Cancer Res*, **59**, 1615-9.
- Takagi, H., Jhappan, C., Sharp, R., Merlini, G. (1992). Hypertrophic gastropathy resembling Ménétrier's disease in transgenic mice overexpressing transforming growth factor alfa in the stomach. *J Clin Invest*, **90**, 1161-7.
- Takeichi, M. (1991). Cadherin cell adhesion receptors as a morphogenic regulators. *Science*, **251**, 1451-5.
- Tashian, R. (1989). The carbonic anhydrases: Widening perspectives on their evolution, expression and function. *BioEssays*, **10**, 186-92.
- Tormanen, U., Eerola, A.K., Rainio, P., Vahakangas, K., Soini, Y., Sormunen, R., Bloigu, R., Lehto, V.P., Paakko, P. (1995). Enhanced apoptosis predicts shortened survival in non-small cell lung carcinoma. *Cancer Res*, **55**, 5595-602.
- Torres, R., and Kuhn, R. (1997). Laboratory protocols for conditional gene targeting. *Oxford University Press; Published by Oxford University Press Inc., New York*.
- Tureci, O., Sahin, U., Vollmar, E., Siemer, S., Gottert, E., Seitz, G., Parkkila, A.K., Shah, G.N., Grubb, J.H., Pfreundschuh, M., Sly, W.S. (1998). Human carbonic anhydrase XII: cDNA cloning, expression and chromosomal localization of a carbonic anhydrase gene that is overexpressed in some renal cell cancers. *Proc Natl Acad Sci USA*, **95**, 7608-13.
- Turner, J., Odze, R.D., Crum, C.P., Resnick, M.B. (1997). MN antigen expression in normal, preneoplastic, and neoplastic esophagus: clinicopathological study of a new cancer-associated biomarker. *Hum Pathol*, **28**, 740-4.
- Uehara, Y., Minowa, O., Mori, C., Shiota, K., Kuno, J., Noda, T., Kitamura, N. (1995). Placental defect and embryonic lethality in mice lacking hepatocyte growth factor/scatter factor. *Nature*, **373**, 702-5.
- Uemura, H., Nakagawa, Y., Yoshida, Y., Saga, S., Yoshikawa, K., Hirao, Y., Oosterwijk, E. (1999). MN/CA IX/G250 as a potential target for immunotherapy of renal cell carcinomas. *Br J Cancer*, **81**, 741-6.
- van Goor, H. (1948). Carbonic anhydrase - its properties, distribution and significance for carbon dioxide transport. *Enzymologia*, **13**, 73.
- Velisek, L., Moshe, S.L., Xu, S.G., Cammer, W. (1993). Reduced susceptibility to seizures in carbonic anhydrase II deficient mutant mice. *Epilepsy Res*, **14**, 115-21.

- Vermylen, P., Roufosse, C., Burny, A., Verhest, A., Bosschaerts, T., Pastorekova, S., Ninane, V., Sculier, J.P. (1999). Carbonic anhydrase IX antigen differentiates between preneoplastic malignant lesions in non-small cell lung carcinoma. *Eur Respir J*, **14**, 806-11.
- Warburg, O. (1926). Ueber den Stoffwechsel der Tumoren. *Cambridge Univ. Press.; Cambridge; U.K.*
- Wykoff C.C., Beasley N.J., Watson P.H., Turner K.J., Pastorek J., Sibtain A., Wilson G.D., Turley H., Talks K.L., Maxwell P.H., Pugh C.W., Ratcliffe P.J., Harris A.L. (2000). Hypoxia-inducible expression of tumor-associated carbonic anhydrases. *Cancer Res.* **60**, 7075-83.
- Yang, X., Li, C., Xu, X., Deng, C. (1998). The tumor suppressor SMAD/DPC4 is essential for epiblast proliferation and mesoderm induction in mice. *Proc Natl Acad Sci USA*, **95**, 3667-72.
- Yang, H., Kang, S.H., Kim, Y.S., Won, K., Bang, Y.J., Kim, S.J. (1999). Truncation of the TGF-beta type II receptor gene results in insensitivity to TGF-beta in human gastric cancer cells. *Oncogene*, **18**, 2213 -19.
- Zavada, J., Zavadova, Z., Malir, A., Kocent, A. (1972). VSV pseudotype produced in a cell line derived from human mammary carcinoma. *Nature New Biol*, **240**, 124-5.
- Zavada, J., Zavadova, Z., Pastorekova, S., Ciampor, F., Pastorek, J., Zelnik, V. (1993). Expression of MaTu - MN protein in human tumor cultures and in clinical specimens. *Int J Cancer*, **54**, 268-74.
- Zavada, J., Zavadova, Z., Machon, O., Pastorekova, S., Pastorek, J. (1997). Transient transformation of mammalian cells by MN protein, a tumor-associated cell adhesion molecule with carbonic anhydrase activity. *Int J Oncol*, **10**, 857-63.
- Zavada, J., Zavadova, Z., Pastorek, J., Biesova, Z., Jezek, J., Velek, J. (2000). Human tumour-associated cell adhesion protein MN/CA IX: identification of M75 epitope and of the region mediating cell adhesion. *Br J Cancer*, **82**, 1808-13.
- Zavadova, Z., Zavada, J., Machon, O., Pastorek, J., Zelnik, V. (1997). Novel tumor-associated MN protein is a cell adhesion molecule. *Abstract; p. B-50, Second Joint Conference AACR/EACR, Oxford, Great Britain, 9-13th of September.*
- Zhang, H., Hasty, P., Bradley, A. (1994). Targeting frequency for deletion vectors in embryonic stem cells. *Mol Cell Biol*, **14**, 2404-10.