

---

## 6 Literaturverzeichnis

- 1 Aisaka K, Gross SS, Griffith OW, Levi R. L-arginine availability determines the duration of acetylcholine-induced systemic vasodilation in vivo. *Biochem Biophys Res Commun* 1989; 163: 710-717
- 2 Aisaka K, Gross SS, Griffith OW, Levi R. N-methylarginine, an inhibitor of endothelium-derived nitric oxide synthesis, is a potent pressor agent in the guinea-pig: does nitric oxide regulate blood pressure in vivo?. *Biochem Biophys Res Commun* 1989; 160: 881-886
- 3 Alexander JW, Boyce ST, Babcock GF, Gianotti L, Peck MD, Dunn DL, Pyles T, Childress CP, Ash SK. The process of microbial Translocation. *Ann Surg* 1990; 212: 496-512
- 4 Alexander JW, Gianotti L, Pyles T, Carey MA, Babcock GF. Distribution and survival of *Escherichia coli* translocation from the intestine after thermal injury. *Ann Surg* 1990; 213: 558-566
- 5 Alverdy JC, Aoye E, Moss GS. Total parenteral nutrition promotes bacterial translocation from the gut. *Surgery* 1988; 104: 185-190
- 6 American College of Chest Physicians / Society of Critical Care Medicine Consensus Conference. Definition for sepsis and organ failure and guidelines for the use of innovative therapies in sepsis. *Crit Care Med* 1992; 20: 864-874
- 7 Amezcua JL, Palmer RMJ, De Souza BM, Moncada S. Nitric oxide synthesized from L-arginine regulates vascular tone in the coronary circulation of the rabbit. *Br J Pharmacol* 1989; 97: 1119-1124
- 8 Arden WA, Yacko MA, Jay M, Beihn RM, Derbin M, Gross DR. Scintigraphic evaluation of bacterial translocation during hemorrhagic shock. *J Surg Res* 1993; 54: 102-106
- 9 Ayala A, Perrin MM, Meldrum DR, Ertel W, Chaudry ICH. Hemorrhage induces an increase in serum TNF which is not associated with elevated levels of endotoxin. *Cytokine* 1990; 2: 170-174
- 10 Ayres SM. SCCM's new horizons conference on sepsis and septic shock. *Crit Care Med* 1985; 13: 864-866
- 11 Balk RA, Bone RC. The septic syndrome: Definition and clinical implications. *Crit Care Clin* 1989; 5: 1-8

- 12 Beck G, Benach JL, Habicht GS. Isolation of Interleukin-1 from joint fluids of patients with lyme disease. *J Rheumatol* 1989; 16: 800-806
- 13 Berg RD, Garlington AW. Translocation of certain indigenous bacteria from the gastrointestinal tract to the mesenteric lymph nodes and other organs in a gnotobiotic mouse model. *Infect Immun* 1979; 23: 403-411
- 14 Berg RD. Bacterial translocation from the gastrointestinal tracts of mice receiving immunosuppressive chemotherapeutic agents. *Curr Microbiol* 1983; 8: 285
- 15 Berg RD. Promotion of the translocation of enteric bacteria from the gastrointestinal tracts of mice by oral treatment with penicillin, clindamycin, or metronidazole. *Infect Immun* 1981; 33: 854-861
- 16 Boeckxstaens GE, Pelckmans PA, Ruytjens IF, Bult H, DeMan JG, Herman AG, VanMaercke YM. Bioassay of nitric oxide released upon stimulation of non-adrenergic non-cholinergic nerves in the canine ileocolonic junction. *Br J Pharmacol* 1991; 103: 1085-1091
- 17 Bone RC. Sepsis, the Sepsis syndrom, Multi-Organ Failure: A Plea for Comparable Definitions. *Ann Intern Med* 1991; 114: 332-333
- 18 Bone RC. Gram-Negative Sepsis: Background, Clinical Features, and Intervention. *Chest* 1991; 100: 802-808
- 19 Boughton-Smith NK, Evans SM, Laszlo F, Whittle BJR, Moncada S. The induction of nitric oxide synthase and intestinal vascular permeability by endotoxin in the rat. *Br J Pharmacol* 1993; 110: 1189-1195
- 20 Bredt DS, Snyder SH. Isolation of nitric oxide synthetase, a calmodulin-requiring enzyme. *Proc Natl Acad Sci USA* 1990; 87: 682-685
- 21 Busse R, Mülsch A. Induction of nitric oxide synthase by cytokines in vascular smooth muscle cells. *Febs Lett* 1990; 275: 87-90
- 22 Buxton ILO, Cheek DJ, Eckman D, Westfall DP, Sanders KM, Keef KD. N-Nitro L-arginine and other alkyl esters of arginine are muscarinic receptor antagonists. *Circ Res* 1993; 72: 387-395
- 23 Coalson JJ, Benjamin B, Archer LT. Prolonged shock in the baboon subjected to infusion of E. coli endotoxin. *Circ Shock* 1978; 5: 423-437
- 24 Coffey JA Jr, Milhoan RA, Abdullah A. Bombesin inhibits bacterial translocation from the gut in burned rats. *Surg Forum* 1988; 39: 109-110
- 25 Danial EE, Furness JB, Costa M, Belbeck L. The projection of chemically identified nerve fibres in canine ileum. *Cell Tissue Res* 1987; 247: 377-384

- 26 Deitch EA, Berg RD. Endotoxin but not malnutrition promotes bacterial translocation of the gut flora in burned mice. *J Trauma* 1987; 27: 161-166
- 27 Deitch EA, Bridges W, Baker J, Ma JW, Ma L, Grisham MB, Granger DN, Specian RD, Berg RD. Hemorrhagic shock-induced bacterial translocation is reduced by xanthine oxidase inhibition or inactivation. *Surgery* 1988; 104: 191-198
- 28 Deitch EA, Ma L, Ma WJ, Grisham MB, Granger DN, Specian RD, Berg RD. Inhibition of endotoxin-induced bacterial translocation in mice. *J Clin Invest* 1989; 84: 36-42
- 29 Deitch EA, Ma WJ, Ma L, Berg RD, Specian RD. Endotoxin-induced bacterial translocation: a study of mechanisms. *Surgery* 1989; 106: 292-299
- 30 Deitch EA, Maejima K, Berg RD. Effect of oral antibiotics and bacterial overgrowth on the translocation of the gastrointestinal tract microflora in burned rats. *J Trauma* 1985; 25: 385-392
- 31 Deitch EA. Simple intestinal obstruction causes bacterial translocation in man. *Arch Surg* 1989; 124: 699-701
- 32 Dimmeler S, Neugebauer E. Die Bedeutung von Toxinen in der Sepsis. In: Vogt S., Metzner G., Haverich A. (Hrsg) *Immundiagnostik und Immuntherapie in der modernen Intensivmedizin (Leipziger Symposium)*. Pabst, Leipzig. S.194
- 33 Epstein MD, Tchervenkov JI, Inoue S. Effect of intraluminal antibiotics on the translocation of *Candida albicans* in burned guinea pigs. *Burns* 1990; 16: 105-108
- 34 Eskandari MK, Kalff JC, Billiar TR, Lee KKW, Bauer AJ. Lipopolysaccharide activates the muscularis macrophage network and suppresses circular smooth muscle activity. *Am J Physiol* 1997; 273: G727-G734
- 35 Ferrero E, Goyert SM. Nucleotide sequence of the gene encoding the monocyte differentiation antigen, CD14. *Nucleic Acids Res* 1988; 16: 4173
- 36 Foitzik T, Mithofer K, Ferraro MJ, Fernandez del Castillo C, Lewandrowski KB, Rattner DW, Warshaw A. Time course of bacterial infection of the pancreas and its relation to disease severity in a rodent model of acute necrotizing pancreatitis. *Ann Surg* 1994; 220: 193-198
- 37 Fong Y, Lowry SF, Cerami A. Cachectin/TNF: a macrophage protein that induces cachexia and shock. *J Parenter Enterol Nutr* 1988; 12: 72S-77S
- 38 Forth W, Henschler D, Rummel W, Starke K. *Allgemeine und spezielle Pharmakologie und Toxikologie*. Wissenschaftsverlag Mannheim/ Leipzig/ Wien/ Zürich 1992; 6. Auflage S.101

- 
- 39 Forth W, Henschler D, Rummel W, Starke K. Allgemeine und spezielle Pharmakologie und Toxikologie. Wissenschaftsverlag Mannheim/ Leipzig/ Wien/ Zürich 1992; 6. Auflage S.156
- 40 Forth W, Henschler D, Rummel W, Starke K. Allgemeine und spezielle Pharmakologie und Toxikologie. Wissenschaftsverlag Mannheim/ Leipzig/ Wien/ Zürich 1992; 6. Auflage S.422
- 41 Forth W, Henschler D, Rummel W, Starke K. Allgemeine und spezielle Pharmakologie und Toxikologie. Wissenschaftsverlag Mannheim/ Leipzig/ Wien/ Zürich 1992; 6. Auflage S.126
- 42 Forth W, Henschler D, Rummel W, Starke K. Allgemeine und spezielle Pharmakologie und Toxikologie. Wissenschaftsverlag Mannheim/ Leipzig/ Wien/ Zürich 1992; 6. Auflage S.105
- 43 Fox AD, Kripke SA, De Paula J. Effect of a glutamin-supplement enteral diet on methotrexat-induced enterocolitis. JPEN 1988; 12: 325-331
- 44 Freudenberg MA, Keppler D, Galanos C. Requirement for lipopolysaccharid-responsive macrophages in galactosamine-induced sensitization to endotoxin. Infect Immun 1986; 51: 891-895
- 45 Fukushima R, Gianotti L, Alexander JW, Pyles T. The degree of bacterial translocation is a determinant factor for mortality after burn injury and is improved by prostaglandin analogs. Ann Surg 1992; 216: 438-445
- 46 Gathiram P, Gaffin SL, Brock-Utne JG, Wells MT. Time course of endotoxemia and cardiovascular changes in heat-stressed primates. Aviation Space Environ Med 1987; 58: 1071-1074
- 47 Gianotti L, Munda R, Alexander JW, Tchervenkov JI, Babcock GF. Bacterial translocation: a potential source for infection in acute pancreatitis. Pancreas 1993, 8: 551-558
- 48 Guzman-Stein G, Bonsack M, Liberty J, Delaney JP. Abdominal radiation causes bacterial translocation. J Surg Res 1989; 46: 104-107
- 49 HSE - Hugo Sachs Elektronik. Biomedical research instrumentations. Hugo Sachs Elektronik D- 79232 March
- 50 Isaji S, Suzuki M, Frey CF, Ruebner B, Carlson J. Role of bacterial infection in diet-induced acute pancreatitis in mice. Int J Pancreatol 1992; 11: 49-57

- 
- 51 Ishii K, Chang B, Kerwin JF Jr, Huang Z, Murad F. N-Nitro-L-arginine: a potent inhibitor of endothelium-derived relaxing factor formation. *Eur J Pharmacol* 1990; 176: 219-223
- 52 Jacobs RF, Tabor DR. Immune cellular interactions during sepsis and septic injury. *Crit Care Clin* 1989, 5: 9-26
- 53 Kazantsev GB, Hecht DW, Rao R, Fedorak IJ, Gattuso P, Thompson K, Djuricin G, Prinz RA. Plasmid labeling confirms bacterial translocation in pancreatitis. *Am J Surg* 1994; 167: 201-207
- 54 King LS. Dr. Koch's postulate. *J Hist Med Allied Sci* 1957; 7: 350-361
- 55 Knowles RG, Palacios M, Palmer RMJ, Moncada S. Kinetic characteristics of nitric oxide synthase from rat brain. *Biochem J* 1990; 269: 207-210
- 56 Knowles RG, Salter M, Brooks SL, Moncada S. Anti-inflammatory glucocorticoids inhibit the induction by endotoxin of nitric oxide synthase in the lung, liver and aorta of the rat. *Biochem Biophys Res Commun* 1990; 172: 1042-1048
- 57 Koike K, Moore EE, Moore FA, Read RA, Carl VS, Banerjee A. Gut ischemia/reperfusion produces lung injury independent of endotoxin. *Crit Care Med* 1994; 22: 1438-1444
- 58 Lee JD, Kravchenko V, Kirkland TN. Glycosylphosphatidylinositol anchored or integral membrane forms of CD14 mediate identical cellular response to endotoxin. *Proc Natl Acad Sci USA* (in press)
- 59 Lepple-Wienhues A, Stahl F, Willner U, Schäfer R, Wiederholt M. Endothelin-evoked contraction in bovine ciliary muscle and trabecular meshwork: Interaction with calcium, nifedipine and nickel. *Curr Eye Res* 1991; 10: 983-989
- 60 Laveau P, Wang X, Soltesz V, Ihse I, Andersson R. Alterations in intestinal motility and microflora in experimental acute pancreatitis. *Int J Pancreatol* 1996; 20: 119-125
- 61 Levi R, Gross SS, Lamparter B, Fasehun OH, Aisaka K, Jaffe EA, Griffith OW, Stuehr DJ. Evidence that L-arginine is the biosynthetic precursor of vascular and cardiac nitric oxide. In *Nitric Oxide from L-arginine: a Bioregulatory System*, ed. Moncada S. & Higgs EA, pp. 35-45, Amsterdam: Elsevier
- 62 Maddaus MA, Wells C, Billiar T, Simmons RL. Simple mechanical intestinal obstruction induces translocation of gram-negative bacteria to the mesenteric lymph nodes. *Surg Forum* 1989; 40: 186-188

- 
- 63 Maddaus MA, Wells CL, Platt JL, Condie RM, Simmons RL. Effect of T cell modulation on the translocation of the bacteria from the gut and mesenteric lymph node. *Ann Surg* 1988; 207: 387-398
- 64 Maejima K, Deitch EA, Berg RD. Bacterial translocation from the gastrointestinal tracts of rats receiving thermal injury. *Infect Immun* 1984; 43: 6-10
- 65 Maier RV, Hahnel GB. Microthrombosis during endotoxemia: the role of hepatic versus alveolar macrophages. *J Surg Res* 1984; 36: 362-370
- 66 Mainous M, Tso P, Berg RD, Deitch EA. Studies of the route, magnitude and time course of bacterial translocation in a model of systemic inflammation. *Arch Surg* 1991; 126: 33-37
- 67 Malech HL, Gallin JI. Neutrophils in human diseases. *N Engl J Med* 1987; 317: 687-694
- 68 Marshall J, Sweeney D. Microbial infection and the septic response in critical surgical illness. *Arch Surg* 1990; 125: 17-23
- 69 Medich DS, Lee TK, Melhem MF, Rowe MI, Schraut WH, Lee KK. Pathogenesis of pancreatic sepsis. *Am J Surg* 1993; 165: 46-50
- 70 Miksits K, Großgebauer K, Hahn H. *Medizinische Mikrobiologie und Infektiologie*. 1992; Springer Verlag
- 71 Moncada S, Palmer RMJ, Higgs EA. Nitric Oxide: Physiology, Pathophysiology, and Pharmacology. *Pharmacol Rev* 1991; 43: 109-142
- 72 Moncada S, Palmer RMJ, Higgs EA. Biosynthesis of nitric oxide from L-arginine: a pathway for the regulation of cell function and communication. *Biochem Pharmacol* 1989; 38: 1709-1715
- 73 Moncada S. The L-arginine: Nitric oxide pathway. *Acta Physiol Scand* 1992; 145: 201-227
- 74 Morehouse JL, Specian RD, Stewart JJ, Berg RD. Translocation of indigenous bacteria from the gastrointestinal tract of mice after oral ricinoleic acid treatment. *Gastroenterology* 1986; 91: 673
- 75 Morris SE, Navaratnam N, Townsend CM Jr, Herndon DN. Bacterial translocation and mesenteric blood flow in a large animal model after cutaneous thermal and smoke inhalation injury. *Surg Forum* 1988; 39: 189-190
- 76 Morrison DC, Ryan JL. Bacterial endotoxins and host immune response. *Adv Immunol* 1979; 28: 293-450

- 77 Morrison DC, Ulevitch RJ. The effects of bacterial endotoxins on host mediation systems. *Am J Pathol* 1978; 93: 526-617
- 78 Mulsch A, Busse R. N-nitro-L-arginine impairs endothelium-dependent dilation by inhibiting cytosolic nitric oxide synthesis from L-arginine. *Naunyn Schmiedebergs Arch Pharmacol* 1990; 341: 143-147
- 79 Natanson C, Hoffman WD, Suffredini AF, Eichacker PQ, Danner RL. Selected treatment strategies for septic shock based on proposed mechanisms of pathogenesis. *Ann Intern Med* 1994; 120: 771-783
- 80 Nathan C. Nitric oxide as a secretory product of mammalian cells. *FASEB* 1992; 6: 3051-3064
- 81 Neugebauer E, Dimmeler S, Lechleuthner A, Bouillon B. Das Sepsis-Syndrom. In: *Klinik der Gegenwart, VIII/3*. Urban & Schwarzenberg, München Wien Baltimore, S. 1
- 82 Neugebauer E, Dimmeler S, Troidl H. Mediatorensysteme und Sepsis. *Chirurg* 1995; 66: 2-10
- 83 Neugebauer E, Lechleuthner A, Dietrich A, Saad S, Rixen D. Mediatoren und ihre Antagonisten in der Schocktherapie. *Langenbecks Arch Chir*, 1991; Suppl II (Kongressbericht), 309-318
- 84 Neugebauer E, Lorenz W, Maroske D, Barthlen W. Mediatoren beim septischen Schock: Strategien zu ihrer Sicherung und zur Einschätzung ihrer kausalen Bedeutung. *Chirurg* 1987; 58: 470-481
- 85 Niederman MS, Fein AM. Sepsis syndrom, the adult respiratory distress syndrom, and nosocomial pneumonia: A common clinical sequence. *Clin. Chest Med* 1990; 11: 633-650
- 86 Owens WE, Berg RD. Bacterial translocation from the gastrointestinal tract of athymic (nu/nu) mice. *Infect Immun* 1982; 27: 461
- 87 Palacios M, Knowles RG, Palmer RMJ, Moncada S. Nitric oxide from L-arginine stimulates the soluble guanylate cyclase in adrenal glands. *Biochem Biophys Res Commun* 1989; 165: 802-809
- 88 Palmer RMJ, Ashton DS, Moncada S. Vascular endothelial cells synthesize nitric oxide from L-arginin. *Nature* 1988; 333: 664-666
- 89 Palmer RMJ, Ferrige AG, Moncada S. Nitric oxide release accounts for the biological activity of endothelium-derived relaxing factor. *Nature* 1987; 327: 524-526

- 
- 90 Palmer RMJ, Rees DD, Ashton DS, Moncada S. L-arginine is the physiological precursor for the formation of nitric oxide in endothelium-dependent relaxation. *Biochem Biophys Res Commun* 1988; 153: 1251-1256
- 91 Parrillo, JE, Parker MM, Natanson C. Septic shock: Advances in the understanding of pathogenesis, cardiovascular dysfunction, and therapy. *Ann Intern Med* 1990; 113: 227-242
- 92 Ravin HA, Fine J. Biological implications of intestinal endotoxins. *Fed Proc* 1962; 21: 65-68
- 93 Redan JA, Rush BF, Lysz TW, Smith S, Machiedo GW. Organ distribution of gut-derived bacteria caused by bowel manipulation ischemia. *Am J Surg* 1990; 159: 85
- 94 Rees DD, Cellek S, Palmer RMJ, Moncada S. Dexamethasone prevents the induction by endotoxin of a nitric oxide synthase and the associated effects on vascular tone: an insight into endotoxin shock. *Biochem Biophys Res Commun* 1990; 173: 541-547
- 95 Rees DD, Palmer RMJ, Hodson HF, Moncada S. A specific inhibitor of nitric oxide formation from L-arginine attenuates endothelium-dependent relaxation. *Br J Pharmacol* 1989; 96: 418-424
- 96 Rees DD, Palmer RMJ, Moncada S. Role of endothelium-derived nitric oxide in the regulation of blood pressure. *Proc Natl Acad Sci USA* 1989; 86: 3375-3378
- 97 Rees DD, Palmer RMJ, Schulz R, Hodson HF, Moncada S. Characterization of three inhibitors of endothelial nitric oxide synthase in vitro and in vivo. *Br J Pharmacol* 1990; 101: 746-752
- 98 Rees DD, Schulz R, Hodson HF, Palmer RMJ, Moncada S. Identification of some novel inhibitors of the vascular nitric oxide synthase in vivo and in vitro. In: *Nitric Oxide from L-Arginine: A Bioregulatory System*, ed. By S. Moncada and E.A. Higgs, 1990; pp. 485-487, Elsevier, Amsterdam
- 99 Riede U-N, Schaefer H-E. *Allgemeine und spezielle Pathologie*. Georg Thieme Verlag Stuttgart New York, 1995; 4. Auflage S.141
- 100 Runkel N, Moody FG, Smith GS, Rodriguez LF, LaRocco MT, Miller TA. The role of the gut in the development of sepsis in acute pancreatitis. *J Surg Res* 1991; 51: 18-23
- 101 Runkel N, Rodriguez L, LaRocco M, Moody FG. Pathways of pancreatic infection in acute pancreatitis in opossums. *Am J Surg* 1995; 169: 227-232
- 102 Runkel N, Smith GS, Rodriguez LF, LaRocco MT, Moody FG, Miller TA. Influence of shock on development of infection during acute pancreatitis in the rat. *Dig Dis Sci* 1992; 37: 1418-1425



- 
- 103 Rush BF, Sori AJ, Murphy TF. Endotoxemia and bacteremia during hemorrhagic shock. The link between trauma and sepsis?. *Ann Surg* 1988; 207: 549-554
- 104 Sakuma I, Stuehr DJ, Gross SS, Nathan C, Levi R. Identification of arginine as a precursor of endothelium-derived relaxing factor (EDRF). *Proc Natl Acad Sci USA* 1988; 85: 8664-8667
- 105 Salter M, Knowles RG, Moncada M. Widespread tissue distribution, species distribution and changes in activity of  $\text{Ca}^{2+}$ -dependent and  $\text{Ca}^{2+}$ -independent nitric oxide synthases. *Febs Lett* 1991; 291: 145-149
- 106 Sanders KM, Ward SM. Nitric oxide as a mediator of nonadrenergic noncholinergic neurotransmission. *Am J Physiol* 1992; 262: G379-G392
- 107 Schmidt J, Lewandrowski K, Warshaw AL, Compton CC, Rattner DW. Morphometric characteristics and homogeneity of a new model of acute pancreatitis in the rat. *Int J Pancreatol* 1992; 12: 41-51
- 108 Schmidt J, Rattner DW, Lewandrowski K, Compton CC. A better model of acute pancreatitis for evaluating therapy. *Ann Surg* 1992; 215: 44-56
- 109 Schoeffel U, Shiga J, Mittermayer C. The proliferation-inhibiting effect of endotoxin on human endothelial cells in culture and its possible implication in states of shock. *Circ Shock* 1982; 9: 499-508
- 110 Schultz KD, Schultz K, Schultz G. Sodium nitroprusside and other smooth muscle relaxants increase cyclic GMP levels in rat ductus deferens. *Nature* 1977; 265: 750-751
- 111 Schumann RR, Leong SR, Flaggs GW. Structure and function of lipopolysaccharide binding protein. *Science* 1990; 249: 1429-1431
- 112 Sibbald WJ, Marshall J, Christou N. "Sepsis" - Clarity of existing terminology. Or more confusion?. *Crit Care Med* 1991; 19: 996-998
- 113 Tarpila E, Nyström PO, Franzen L, Ihse I. Bacterial translocation during acute pancreatitis in rats. *Eur J Surg* 1993; 159: 109-113
- 114 Tepperman BL, Brown JF, Whittle BJR. Nitric oxide synthase induction and intestinal epithelial cell viability in rats. *Am J Physiol* 1993; 265: G214-G218
- 115 Thiemeermann C, Szabo C, Mitchell JA, Vane JR. Vascular hyporeactivity to vasoconstrictor agents and hemodynamic decompensation in hemorrhagic shock is mediated by nitric oxide. *Proc Natl Acad Sci USA* 1993; 90: 267-271

- 
- 116 Tobias PS, Soldau K, Kline L, Lee J-D, Kato K, Martin TP, Ulevitch RJ. Cross-linking of lipopolysaccharide (LPS) to CD14 on THP-1 cells mediated by LPS-binding protein. *J Immunol* 1993; 150: 3011-3021
- 117 Tobias PS, Ulevitch RJ. Lipopolysaccharide Binding Protein and CD14 in LPS Dependent Macrophage Activation. *Immunobiol* 1993; 187: 227-232
- 118 Tracey KJ, Lowry SF, Cerami A. Cachectin/TNF-alpha in septic shock and septic adult respiratory distress syndrome. *Am Rev Resp Dis* 1988; 138: 1377-1379
- 119 Van Deventer SJH, Ten Cate JW, Tytgat GNJ. Intestinal Endotoxemia - Clinical Significance. *Gastroenterology* 1988; 94: 825-831
- 120 Ward SM, Dalziel HH, Thornbury KD, Westfall DP, Sanders KM. Nonadrenergic, noncholinergic inhibition and rebound excitation in canine colon depend on nitric oxide. *Am J Physiol* 1992; 262: G237-G243
- 121 Weisbrodt NW, Pressley TA, Li Y, Zembowicz MJ, Higham SC, Zembowicz A, Lodato RF, Moody FG. Decreased ileal muscle contractility and increased NOS II expression induced by lipopolysaccharide. *Am J Physiol* 1996; 271: G454-G460
- 122 Wiederholt M, Lepple-Wienhues A, Stahl F. Contractile properties of trabecular meshwork and ciliary muscle. In: Lütjen-Drecoll E, ed. *Basic aspects of Glaucoma Research III*. Stuttgart: Schattauer, 1993; S. 287-306
- 123 Wiederholt M, Strum A, Lepple-Wienhues A. Relaxation of trabecular meshwork and ciliary muscle by release of nitric oxide. *Investigative Ophthalmology & Visual Science* 1994; 35:2515-2520
- 124 Wilson C, Imrie CW, Carter DC. Fatal acute pancreatitis. *Gut* 1988; 29: 782-788
- 125 Wright SD, Jong MTC. Adhesion-promoting receptors on human macrophages recognize *Escherichia coli* by binding to lipopolysaccharide. *J Exp Med* 1986; 164: 1876-1888
- 126 Wright SD, Ramos RA, Tobias PS, Ulevitch RJ, Mathison JC. CD14, a receptor for complexes of lipopolysaccharide (LPS) and LPS binding protein. *Science* 1990; 249: 1431-1433
- 127 Wright SD, Tobias PS, Ulevitch RJ, Ramos RA. Lipopolysaccharide (LPS) binding protein opsonizes LPS-bearing particle for recognition by a novel receptor on macrophages. *J Exp Med* 1989; 170: 1231-1241

## **Danksagung**

Hiermit bedanke ich mich ganz herzlich bei Herrn Prof. Dr. med. N. Runkel, leitender Oberarzt der Chirurgischen Klinik und Poliklinik I, Allgemein-, Gefäß- und Thoraxchirurgie des Universitätsklinikums Benjamin Franklin der Freien Universität Berlin für das Thema und die und die intensive Förderung.

Für die freundliche Überlassung des Organbads bedanke ich mich bei Herrn PD Dr. med. H.-H. Knispel, Urologische Abteilung des St. Hedwig Krankenhauses.

Ganz besonders möchte ich mich auch bei Herrn Dr. med. J. Spröder und Herrn Dr. med. G. Kolb bedanken, die für eine motivierende Betreuung gesorgt haben und jederzeit für Hilfestellungen und Beantwortung von Fragen bereit waren.

Weiterhin bedanke ich mich bei allen Mitarbeitern des chirurgischen Forschungslabors, insbesondere bei Frau A. Panhorst und Frau B. Hotz, für die vielen Tips und Hilfen.

Für die besonders freundliche Beratung bei der statistischen Auswertung bedanke ich mich bei Frau Dipl.-Soz. S. Bisson, Institut für medizinische Statistik, Epidemiologie und Informatik des Universitätsklinikums Benjamin Franklin.

Bei Herrn Dr. med. C. Rancsó, Institut für Pathologie des Universitätsklinikums Benjamin Franklin, bedanke ich mich für die Hilfe beim Färben und Schneiden der histologischen Präparate.

Ganz speziellen Dank gilt meinem Bruder, Herrn Dr.-Ing. Alexander Rosemann, der mir bei dem mühevollen Korrekturlesen hilfreich zur Seite gestanden hat. Außerdem bedanke ich mich bei ihm für die zeitaufwendige Hilfestellung bei der Bearbeitung der Grafiken und der Bilder in dieser Arbeit.



## Lebenslauf

Geboren am	24.4.74 in Wolfsburg, Niedersachsen
Eltern	Prof. Dr.-Ing. Axel Rosemann und Anita, geb. Freiin Ostman von der Leye
Grundschule	8/81 –6/85: Dornberger Grundschule, Bielefeld
Gymnasium	8/85 – 6/94: Max – Planck – Gymnasiums, Bielefeld
Abitur	6/94
Krankenpflegepraktikum	8 – 9/94: Gynäkologie und Geburtshilfe, St. Franziskus Hospital, Bielefeld
Studienbeginn	WS 94/95: Humanmedizin an der Freien Universität Berlin
Physikum	4/97
Erster Abschnitt der ärztlichen Prüfung	4/98
Famulaturen	8/97: Anästhesie, Praxis Dr. med. W. Naggert, Krankenhaus Werther 9/97: Augenheilkunde, Altnagelvin Hospital, Londonderry 8/98: Orthopädie, Altnagelvin Hospital, Londonderry 3/99: Augenheilkunde, Universitätsklinikum Benjamin Franklin, Berlin
Zweiter Abschnitt der ärztlichen Prüfung	4/00
Dritter Abschnitt der ärztlichen Prüfung	6/01