

## 7. Literatur

1. Alexander, F.:  
Emotionale Faktoren bei gastrointestinalen Störungen.  
In: Psychosomatische Medizin. Alexander, F. (Hrsg.), de Gruyter, Berlin, New York, 4. Auflage, S. 67-81 (1985)
2. Andersen, L.P., Kiilerick, S., Pedersen, G., Thoreson, A.C., Jørgensen, F., Rath, J., Larsen, N.-E., Børup, O., Krogfelt, K., Scheibel, J., Rune, S.:  
An analysis of seven different methods to diagnose Helicobacter pylori infections.  
Scand. J. Gastroenterol. 33: 24-30 (1998)
3. Ansorg, R., von Recklinghausen, G., Pomarius, R., Schmid, E.N.:  
Evaluation of techniques for isolation, subcultivation, and preservation of Helicobacter pylori.  
J. Clin. Microbiol. 29: 51-53 (1991)
4. Appelmelk, B.J., Negrini, R., Moran, A., Kuipers, E.J.:  
Molecular mimicry between Helicobacter pylori and the host.  
Trends in Microbiol. 5: 70-73 (1997)
5. Arnold, R., Koop, H., Katschinski, M.:  
Erkrankungen des Magens und des Duodenums.  
In: Die Innere Medizin. Gross, R., Schölmerich, P., Gerok, W. (Hrsg.), Schattauer, Stuttgart, New York, 9. Auflage, S. 499-519 (1996)
6. Assous, M., Zone, A., Watine, J., Paul, G., Guerre, G.:  
Frozen biopsy specimens and culture rates of Helicobacter pylori.  
Lancet 337: 1412-1413 (1991)
7. Barthel, J.S., Everett, E.D.:  
Diagnosis of Campylobacter pylori infections: The „gold standard“ and the alternatives.  
Rev. Infect. Dis. 12 (Suppl. 1): 107-114 (1990)
8. Bauernfeind, A., Shah, P.M. (Hrsg.):  
Lexikon der Mikrobiologie und der Infektiologie.  
Schattauer, Stuttgart, New York, 2. Auflage, 204-204 (1995)
9. Bayerdörffer, E., Miehlke, S., Lehn, N., Mannes, G.A., Hochter, W., Weingart, J., Klann, H., Sommer, A., Heldwein, W., Hatz, R., Simon, T., Bolle, K.H., Bastlein, E., Meining, A., Ruckdeschel, G., Stolte, M.:  
Cure of gastric ulcer disease after cure of Helicobacter pylori infection - German gastric ulcer study.  
Eur. J. Gastroenterol. Hepatol. 8: 343-349 (1996)

10. Bayerdörffer, E., Neubauer, A.:  
*Helicobacter pylori und Magenlymphom.*  
In: *Helicobacter pylori - Von der Grundlage zur Therapie.* Malfertheiner, P. (Hrsg.), Georg Thieme Verlag, Stuttgart, New York, 2. Auflage, S. 97-107 (1996)
11. Bezerra, J. de M., Vale, A.V., Lobato Filho, J.C., Martins, S.F., Albarelli, A.L., Freire, S. de J., de Oliveira, E.G., Longo, J.C.:  
*Helicobacter pylori gastric infection in symptomatic patients from Sao Luis Island, MA: endoscopic, anatomicopathologic and microbiological correlations.*  
Rev. Soc. Bras. Med. Trop. 29: 245-250 (1996)
12. Bizzozero, G.:  
*Ueber die schlauchförmigen Drüsen des Magendarmkanals und die Beziehungen ihres Epithels zu dem Oberflächenepithel der Schleimhaut.*  
Arch. Mikr. Anat. (Bonn) 42: 82-152 (1893)
13. Bytzer, P., Hansen, J.M., Schaffalitzky de Muckadell, O.B.:  
*Empirical H<sub>2</sub>-blocker therapy or prompt endoscopy in management of dyspepsia.*  
Lancet 343: 811-816 (1994)
14. Cave, D.R.:  
*Transmission and epidemiology of Helicobacter pylori.*  
Am. J. Med. 100 (5A): 12-17 (1996)
15. Chodos, J.E., Dworkin, B.M., Smith, F., van Horn, K., Weiss, L., Rosenthal, W.S.:  
*Campylobacter pylori and gastroduodenal disease: a prospective endoscopic study and comparison of diagnostic tests.*  
Am. J. Gastroenterol. 83: 1226-1230 (1988)
16. Clyne, M., Labigne, A., Drumm, B.:  
*Helicobacter pylori requires an acidic environment to survive in the presence of urea.*  
Infect. Immun. 63: 1669-1673 (1995)
17. Coghlan, J.G., Gilligan, D., Humphries, H., McKenna, D., Dooley, C., Sweeney, E., Keane, C., O'Morain, C.:  
*Campylobacter pylori and recurrence of duodenal ulcers: A 12-month follow-up study.*  
Lancet ii: 1109-1111 (1987)
18. Correa, P.:  
*Is gastric carcinoma an infectious disease?*  
N. Engl. J. Med. 325: 1170-1171 (1991)
19. Coudron, Ph.E., Kirby, D.F.:  
*Comparison of rapid urease tests, staining techniques, and growth on different solid media for detection of Campylobacter pylori.*  
J. Clin. Microbiol. 27: 1527-1530 (1989)

20. Crabtree, J.E.:  
Immune and inflammatory response to Helicobacter pylori infection.  
Scand. J. Gastroenterol. 31(Suppl 215): 3-10 (1996)
21. Cutler, A.F.:  
Testing for Helicobacter pylori in clinical practice.  
Am. J. Med. 100 Suppl. 5A: 25-39 (1996)
22. Czinn, S.J., Carr, H.:  
Rapid diagnosis of Campylobacter pyloridis-associated gastritis.  
Pediatr. 110: 569-570 (1987)
23. Debongnie, J.C., Delmée, M., Mainguet, P.:  
Cytology: A simple, rapid, sensitive method in the diagnosis of Helicobacter pylori.  
Am. J. Gastroenterol. 87: 20-23 (1992)
24. Deltenre, M., Glupczynski, Y., de Prez, C., Nyst, J.F., Burette, A., Labbé, M., Jonas, C., de Koster, E.:  
The reliability of urease tests, histology and culture in the diagnosis of Campylobacter pylori infection.  
Scand. J. Gastroenterol. 24 (Suppl. 160): 19-24 (1989)
25. Desai, H.G., Gill, H.H., Shankaran, K., Mehta, P.R., Prabhu, S.R.:  
Dental plaque: A permanent reservoir of Helicobacter pylori?  
Scand. J. Gastroenterol. 26: 1205-1208 (1991)
26. Doenges, J.L.:  
Spirochetes in gastric glands of Macacus rhesus and humans without definite history of related disease.  
Proc. Soc. Exp. Biol. Med. 38: 536-538 (1938)
27. Dooley, C.P., Cohen, H.:  
The clinical significance of Campylobacter pylori.  
Ann. Intern. Med. 108: 70-79 (1988)
28. Eaton, K.A., Morgan, D.R., Krakowka, S.:  
Motility as a factor in the colonisation of gnotobiotic piglets by Helicobacter pylori.  
J. Med. Microbiol. 37: 123-127 (1992)
29. Eaton, K.A., Suerbaum, S., Josenhans, C., Krakowka, S.:  
Colonization of gnotobiotic piglets by Helicobacter pylori deficient in two flagellin genes.  
Infect. Immun. 64: 2445-2448 (1996)

30. Ewe, K., Karbach, U.:  
Funktionen des Magen-Darm-Kanals.  
In: Physiologie des Menschen. Schmidt, R.F., Thews, G. (Hrsg.), Springer-Verlag, Berlin, Heidelberg, New York, 25. Auflage, S. 733-777 (1993)
31. The Eurogast Study Group:  
An international association between Helicobacter pylori infection and gastric cancer.  
*Lancet* 341: 1359-1362 (1993)
32. Forbes, G.M., Glaser, M.E., Cullen, D.J.E., Warren, J.R., Christiansen, K.J., Marshall, B.J., Collins, B.J.:  
Duodenal ulcer treated with Helicobacter pylori eradication: Seven-year follow-up.  
*Lancet* 343: 258-260 (1994)
33. Forman, D.:  
Helicobacter pylori and gastric cancer.  
*Scand. J. Gastroenterol.* 31 (Suppl. 214): 31-33 (1996)
34. Freedberg, A.S., Barron, L.E.:  
The presence of spirochetes in human gastric mucosa.  
*Am. J. Dig. Dis.* 7: 443-445 (1940)
35. Furuta, T., Baba, S., Takashima, M., Futami, H., Arai, H., Kajimura, M., Hanai, H., Kaneko, E.:  
Effect of Helicobacter pylori infection on gastric juice pH.  
*Scand. J. Gastroenterol.* 33: 357-363 (1998)
36. The Gastrointestinal Physiology Working Group:  
Rapid identification of pyloric Campylobacter in peruvians with gastritis.  
*Dig. Dis. Sci.* 31: 1089-1094 (1986)
37. Geis, G., Suerbaum, S., Forsthoff, B., Leying, H., Opferkuch, W.:  
Ultrastructural and biochemical studies of the flagellar sheath of Helicobacter pylori.  
*J. Med. Microbiol.* 38: 371-377 (1993)
38. Glupczinski, Y.:  
Culture of Helicobacter pylori from gastric biopsies and antimicrobial susceptibility testing.  
In: *Helicobacter pylori: Techniques for clinical diagnosis and basic research*. Lee, A., Mégraud, F. (Hrsg.), W.B. Saunders Co. Ltd., London, Philadelphia, Toronto, Marrickville, Tokyo, 2. ed., pp. 17-31 (1996)
39. Goodman, K.J., Correa, P.:  
The transmission of Helicobacter pylori. A critical review of the evidence.  
*Int. J. Epidemiol.* 24: 875-887 (1995)

40. Goodwin, C.S., Armstrong, J.A.:  
Microbiological aspects of Helicobacter pylori (Campylobacter pylori).  
Eur. J. Clin. Microbiol. Infect. Dis. 9 (Review): 1-13 (1990)
41. Goodwin, C.S., Blincow, E.D., Warren, J.R., Waters, T.E., Sanderson, C.R., Easton, L.:  
Evaluation of cultural techniques for isolating Campylobacter pyloridis from endoscopic biopsies of gastric mucosa.  
J. Clin. Pathol. 38: 1127-1131 (1985)
42. Hachem, C.Y., Clarridge, J.E., Evans, D.G., Graham, D.Y.:  
Comparison of agar based media for primary isolation of Helicobacter pylori.  
J. Clin. Pathol. 48: 714-716 (1995)
43. Hackelsberger, A., Malfertheiner, P.:  
Helicobacter pylori und gastroduodenale Physiologie.  
In: Helicobacter pylori - Von der Grundlage zur Therapie. Malfertheiner, P. (Hrsg.),  
Georg Thieme Verlag, Stuttgart, New York, 2. Auflage, S. 63-71 (1996)
44. Hahn, H., Miksits, K., Bhakdi, S.:  
Infektion.  
In: Medizinische Mikrobiologie und Infektiologie. Hahn, H., Falke, D., Kaufmann,  
S.H.E., Ullmann, U. (Hrsg.), Springer, Berlin, Heidelberg, New York, 3. Auflage, S. 20-36 (1999)
45. Han, S.W., Flamm, R., Hachem, C.Y.:  
Transport and storage of Helicobacter pylori from gastric mucosal biopsies and clinical isolates.  
Eur. J. Clin. Microbiol. Infect. Dis. 14: 349-352 (1995)
46. Hansson, L.-E., Engstrand, L., Nyrén, O., Evand, D.J., Lindgren, A., Bergstrom, R.,  
Andersson, B., Athlin, L., Bendtsen, O., Tracz, P.:  
Helicobacter pylori infection: independent risk indicator of gastric adenocarcinoma.  
Gastroenterol. 105: 1098-1103 (1993)
47. Hartmann, D., von Graevenitz, A.:  
A note on name, viability and urease tests of Campylobacter pylori.  
Eur. J. Clin. Microbiol. 6: 82-83 (1987)
48. Hattori, T., Sugihara, H.:  
The pathological sequence in the development of gastric cancer: I.  
Scand. J. Gastroenterol. 31 (Suppl. 214): 34-35 (1996)
49. Hazell, S.L., Borody, T.J., Gal, A., Lee, A.:  
Campylobacter pyloridis gastritis I: Detection of urease as a marker of bacterial colonization and gastritis.  
Am. J. Gastroenterol. 82: 292-296 (1987)

50. Heep, M., Scheibl, K., Degrell, A., Lehn, N.:  
Transport and storage of fresh and frozen gastric biopsy specimens for optimal recovery of *Helicobacter pylori*.  
*J. Clin. Microbiol.* 37: 3764-3766 (1999)
51. Henriksen, T.H., Brorson, Ö., Schøyen, R., Thoresen, T., Setegn, D., Madebo, T.:  
Rapid growth of *Helicobacter pylori*.  
*Eur. J. Clin. Microbiol. Infect. Dis.* 14: 1008-1011 (1995)
52. Hirschl, A.M., Brandstatter, G., Dragosics, B.:  
Kinetics of specific IgG antibodies for monitoring the effect of anti-*Helicobacter pylori* chemotherapy.  
*J. Infect. Dis.* 168: 763-766 (1993)
53. Hoffmann:  
Über das Vorkommen von Spirochäten bei ulcerierten Carzinomen (mit Mülzer).  
*Berl. Klin. Wochenschr.* 28: 880 (1905)
54. van der Hulst, R.W.M., Verheul, S.B., Weel, J.F.L., Gerrits, Y., ten Kate, F.J.W., Dankert, J., Tytgat, G.N.J.:  
Effect of specimen collection techniques, transport media, and incubation of cultures on the detection rate of *Helicobacter pylori*.  
*Eur. J. Clin. Microbiol. Infect. Dis.* 15: 211-215 (1996)
55. Hyde, D.K., Lee, J., Buckley, M., Breslin, N., Keane, C.T., O'Morain, C.A.:  
Evaluation of antral biopsies used in the rapid urease test for *Helicobacter pylori* culture.  
*Eur. J. Clin. Microbiol. Infect. Dis.* 18: 73-75 (1999)
56. International Agency for Research on Cancer: Infection with *Helicobacter pylori*.  
In: IARC working group on the evaluation of carcinogenic risks to humans.  
Schistosomes, liver flukes and *Helicobacter pylori*. IARC monographs on the evaluation of carcinogenic risks to humans. Vol. 61. Lyon, France: International Agency for Research on Cancer, pp. 177-240 (1994)
57. Jaup, B.H., Stenquist B., Brandberg, A.:  
*Helicobacter pylori* culture from a positive, liquid-based urease test for routine clinical use: A cost-effective approach.  
*Helicobacter* 5: 22-23 (2000)
58. Josenhans, C., Labigne, A., Suerbaum, S.:  
Comparative ultrastructural and functional studies of *Helicobacter pylori* and *Helicobacter mustelae* flagellin mutants: Both flagellin subunits, flaA and flaB, are necessary for full motility in *Helicobacter* species.  
*J. Bacteriol.* 177: 3010-3020 (1995)

59. Junginger, Th.:  
Chirurgie des Verdauungstraktes: Magen und Duodenum.  
In: Chirurgie. Häring, R., Zilch, H. (Hrsg.), Walter de Gruyter, Berlin, New York, 4. Auflage, S. 510-552 (1997)
60. Karim, Q.N., Maxwell, R.H.:  
Survival of Campylobacter pylori in artificially contaminated milk.  
J. Clin. Pathol. 42: 778 (1989)
61. Kasai, K., Kobayashi, R.:  
Stomach spirochaetes occurring in mammals.  
J. Parasitol. 6: 1-10 (1919)
62. Kaufmann, S.H.E.:  
T-Zellen.  
In: Medizinische Mikrobiologie und Infektiologie. Hahn, H., Falke, D., Kaufmann, S.H.E., Ullmann, U. (Hrsg.), Springer, Berlin, Heidelberg, New York, 3. Auflage, S. 97-113 (1999)
63. Kjøller, M., Fischer, A., Justesen, T.:  
Transport conditions and number of biopsies necessary for culture of Helicobacter pylori.  
Eur. J. Clin. Microbiol. Infect. Dis. 10: 166-167 (1991)
64. Krienitz, W.:  
Ueber das Auftreten von Spirochäten verschiedener Form im Mageninhalt bei Carcinoma ventriculi.  
Dtsch. Med. Wochenschr. 22: 872 (1906)
65. Labenz, J., Börsch, G.:  
Aktuelle Therapie der Helicobacter-pylori-Infektion.  
In: Helicobacter pylori - Von der Grundlage zur Therapie. Malfertheiner, P. (Hrsg.), Georg Thieme Verlag, Stuttgart, New York, 2. Auflage, S. 149-163 (1996)
66. Lamouliatte, H., Cayla, R., Daskalopoulos, G.:  
Upper digestive tract endoscopy and rapid diagnosis of Helicobacter pylori infection.  
In: Helicobacter pylori: Techniques for clinical diagnosis and basic research. Lee, A., Méraud, F. (Hrsg.), W.B. Saunders Co. Ltd., London, Philadelphia, Toronto, Marrickville, Tokyo, 2. ed., pp. 1-16 (1996)
67. Langenberg, M.L., Tytgat, G.N.J., Schipper, M.E.I., Rietra, P.J.G.M., Zanen, H.C.:  
Campylobacter-like organisms in the stomach of patients and healthy individuals.  
Lancet ii: 1348 (1984)
68. Lee, A.:  
The nature of Helicobacter pylori.  
Scand. J. Gastroenterol. 31 (Suppl. 214): 5-8 (1996)

69. Lehn, N., Born, P., Eschenbach, U., Kasper, G., Miehlke, S., Classen, M., Wagner, H.: Survival of Helicobacter pylori in gastric biopsies transported in Portagerm pylori. *Acta Gastro-enterol. Belg.* 56: 98 (1993)
70. Lerang, F., Moum, B., Mowinckel, P., Haug, J.B., Ragnhildstveit, E., Berge, T., Bjørneklett, A.: Accuracy of seven different tests for the diagnosis of Helicobacter pylori infection and the impact of H<sub>2</sub>-receptor antagonists on test results. *Scand. J. Gastroenterol.* 33: 364-369 (1998)
71. Lindberg, P., Brändström, A., Wallmark, B., Mattsson, H., Rikner, L., Hoffmann, K.J.: Omeprazole: The first proton pump inhibitor. *Med. Res. Rev.* 10: 1-54 (1990)
72. Logan, R.P.H.: The <sup>13</sup>C urea breath test. In: *Helicobacter pylori: Techniques for clinical diagnosis and basic research*. Lee, A., Méraud, F. (Hrsg.), W.B. Saunders Co. Ltd., London, Philadelphia, Toronto, Marrickville, Tokyo, 2. ed., pp. 74-82 (1996)
73. Logan, R.P.H., Walker, M.M., Misiewicz, J.J., Gummet, P.A., Karim, Q.N., Baron, J.H.: Changes of the intragastric distribution of Helicobacter pylori during treatment with omeprazole. *Gut* 36: 12-16 (1995)
74. Luger, A., Neuberger, H.: Über Spirochätenbefunde im Magensaft und deren diagnostische Bedeutung für das Carcinoma ventriculi. *Z. Klin. Med.* 92: 54-75 (1921)
75. Mai, U.E.H., Pérez-Pérez, G.I., Blaser, M.J.: Surface proteins from Helicobacter pylori exhibit chemotactic activity for human leucocytes and are present in gastric mucosa. *J. Exp. Med.* 175: 517-525 (1992)
76. Malfertheiner, P.: Helicobacter pylori in der Ulkuspathogenese. In: *Helicobacter pylori - Von der Grundlage zur Therapie*. Malfertheiner, P. (Hrsg.), Georg Thieme Verlag, Stuttgart, New York, 2. Auflage, S. 89-96 (1996).
77. Malaty, H.M., Engstrand, L., Pedersen, N.L., Graham, D.Y.: Helicobacter pylori infection: genetic and environmental influences. A study of twins. *Ann. Intern. Med.* 120: 982-986 (1994)

78. Marshall, B.J.:  
Unidentified curved bacilli on gastric epithelium in activ chronic gastritis.  
*Lancet i*: 1273-5127 (1983)
79. Marshall, B.J.:  
The <sup>14</sup>C urea breath test.  
In: *Helicobacter pylori: Techniques for clinical diagnosis and basic research*. Lee, A., Mégraud, F. (Hrsg.), W.B. Saunders Co. Ltd., London, Philadelphia, Toronto, Marrickville, Tokyo, 2. ed., pp. 83-93 (1996)
80. Marshall, B.J., Armstrong, J.A., McGeachie, D.B., Glancy, R.J.:  
Attempt to fulfil Koch's postulates for pyloric campylobacter.  
*Med. J. Aust.* 142: 436-439 (1985)
81. Marshall, B.J., Goodwin, C.S., Warren, J.R.:  
Prospective double-blind trial of duodenal ulcer relapse after eradication of Campylobacter pylori.  
*Lancet 2*: 1437-1442 (1988)
82. Marshall, B.J., Warren, J.R.:  
Unidentified curved bacilli in the stomach of patients with gastritis and peptic ulceration.  
*Lancet i*: 1311-1315 (1984)
83. Marshall, B.J., Warren, J.R., Graham, G.J.F., Langton, S.R., Goodwin, C.S., Path, F.R.C., Blincow, E.D.:  
Rapid urease test in the management of Campylobacter pyloridis-associated gastritis.  
*Am. J. Gastroenterol.* 82: 200-210 (1987)
84. Martin, D.F., May, S.J., Tweedle, D.E.F., Hollanders, D., Ravenscroft, M.M., Miller, J.P.:  
Difference in relapse rates of duodenal ulcer after healing with cimetidine or tripotassium dicitratobismuthate.  
*Lancet i*: 7-10 (1981)
85. Martínez, M.J.F., Rincón, M.R., de Castro, A.M.B., Sánchez, E.G., Sánchez, J.E.G., Martín, I.T., Sánchez, M.C., Alvarez, P.A., Bouza, J.P., García-Rodríguez, J.A.:  
Comparative evaluation of selective and nonselective media for primary isolation of Helicobacter pylori from gastric biopsies.  
*Helicobacter* 2: 36-39 (1997)
86. McNulty, C.A.M., Dent, J.C., Curry, A., Uff, J.S., Ford, G.A., Gear, M.W.L., Wilkinson, S.P.:  
New spiral bacterium in gastric mucosa.  
*J. Clin. Pathol.* 42: 585-591 (1989)

87. McNulty, C.A.M., Dent, J.C., Uff, J.S., Gear, M.W.L., Wilkinson, S.P.: Detection of *Campylobacter pylori* by the biopsy urease test: An assessment in 1445 patients.  
*Gut.* 30: 1058-1062 (1989)
88. McNulty, C.A.M., Watson, D.M.: Spiral bacteria of the gastric antrum.  
*Lancet* i: 1068-1069 (1984)
89. Mégraud, F.: Transmission of *Helicobacter pylori*: Faecal-oral versus oral-oral route.  
*Aliment. Pharmacol. Ther.* 9 (Suppl. 2): 85-91 (1995)
90. Mégraud, F.: Diagnosis of *Helicobacter pylori*.  
In: *Helicobacter pylori: Techniques for clinical diagnosis and basic research*. Lee, A., Mégraud, F. (Hrsg.), W.B. Saunders Co. Ltd., London, Philadelphia, Toronto, Marrickville, Tokyo, 2. ed., pp. 507-518 (1996)
91. Meunier, O., Walter, P., Chamouard, P., Piemont, Y., Monteil, H.: Control of transport conditions are essential for *Helicobacter pylori* isolation (in French).  
*Path. Biol.* 45: 82-85 (1997)
92. Miehlke, S., Lehn, N., Meining, A., Bastlein, E., Mannes, G.A., Stolte, M., Bayerdörffer, E.: *Helicobacter pylori* reinfection is rare in peptic ulcer patients cured by antimicrobial therapy.  
*Eur. J. Gastroenterol. Hepatol.* 8: 1161-1163 (1996)
93. Mirza, S.H., Haman, A., Rizvi, F.: *Helicobacter pylori*: Isolation from gastric biopsy specimens.  
*Ann. Trop. Med. Parasitol.* 87: 483-486 (1993)
94. Mobley, H.L.T.: The role of *Helicobacter pylori* urease in the pathogenesis of gastritis and peptic ulceration.  
*Aliment. Pharmacol. Ther.* 10 (Suppl.1): 57-64 (1996)
95. Morris, A., Nicholson, G.: Ingestion of *Campylobacter pyloridis* causes gastritis and raised fasting gastric pH.  
*Am. J. Gastroenterol.* 82: 192-199 (1987)
96. Morton, D., Bardhan, K.D.: Effect of transport medium and transportation time on culture of *Helicobacter pylori* from gastric biopsy specimens.  
*J. Clin. Pathol.* 48, correspondence: 91 (1995)

97. Moss, S.F., Legon, S., Davies, J., Calam, J.:  
Cytokine gene expression in Helicobacter pylori associated antral gastritis.  
*Gut* 35: 1567-1570 (1994)
98. Namavar, F., Roosendaal, R., Kuipers, E.J., de Groot, P., Peña, A.S., de Graaff, J.:  
Detection of Helicobacter pylori in stomach, faeces and oral cavity of dyspeptic patients.  
*Am. J. Gastroenterol.* 89 (8): 1310 (1994)
99. NIH Consensus Development Panel on Helicobacter pylori in Peptic Ulcer Disease.  
Helicobacter pylori in peptic ulcer disease.  
*J. Am. Med. Ass.* 272: 65-69 (1994)
100. Nilius, M., Malfertheiner, P.:  
Diagnostische Verfahren bei Helicobacter-pylori-Infektionen.  
In: *Helicobacter pylori - Von der Grundlage zur Therapie*. Malfertheiner, P. (Hrsg.),  
Georg Thieme Verlag, Stuttgart, New York, 2. Auflage, S. 139-147 (1996)
101. Nilius, M., Malfertheiner, P.:  
Helicobacter-pylori-Infektion – Pathogenese, Entzündung und immunologische  
Reaktionen.  
In: *Helicobacter pylori - Von der Grundlage zur Therapie*. Malfertheiner, P. (Hrsg.),  
Georg Thieme Verlag, Stuttgart, New York, 2. Auflage, S. 25-33 (1996)
102. Opferkuch, W.:  
Die Epidemiologie von Helicobacter pylori.  
In: *Helicobacter pylori - Von der Grundlage zur Therapie*. Malfertheiner, P. (Hrsg.),  
Georg Thieme Verlag, Stuttgart, New York, 2. Auflage, S. 3-9 (1996)
103. Owen, R.J., On, S.L.W., Costas, M.:  
Potential transport medium for Campylobacter pylori.  
*J. Clin. Pathol.* 41: 1337-1339 (1988)
104. Owen, R.J., On, S.L.W., Costas, M.:  
The effect of cooling rate, freeze-drying suspending fluid and culture age on the  
preservation of Campylobacter pylori.  
*J. Appl. Bacteriol.* 66: 331-337 (1989)
105. Palmer, E.D.:  
Investigation of the gastric spirochetes of the human.  
*Gastroenterology* 27: 218-220 (1954)
106. Parsonnet, J., Friedman, G.D., Vandersteen, D.P.Y., Vogelman, J.H., Orentreich, N.,  
Sibley, K.:  
Helicobacter pylori infection and the risk of gastric carcinoma.  
*New Engl. J. Med.* 325: 1127-1131 (1991)

107. Parsonnet, J., Welch, K., Compton, C., Strauss, R., Wang, T., Kelsey, P., Ferraro, M.J.: Simple microbiologic detection of *Campylobacter pylori*.  
*J. Clin. Microbiol.* 26: 948-949 (1988)
108. Piccolomini, R., di Bonaventura, G., Festi, D., Catamo, G., Laterza, F., Neri, M.: Optimal combination of media for primary isolation of *Helicobacter pylori* from gastric biopsy specimens.  
*J. Clin. Microbiol.* 35: 1541-1544 (1997)
109. Rautelin H., Seppala, K., Nuutinen, H., Karkkainen, P., Sipponen, P., Kosunen, T.U.: Culture of *Helicobacter pylori* from gastric biopsies transported in biopsy urease test tubes.  
*Eur. J. Clin. Microbiol. Infect. Dis.* 16: 380-383 (1997)
110. Rauws, E.A.J., Langenberg, H.J., Houthoff, H.J., Zanen, H.C., Tytgat, G.N.J.: *Campylobacter pyloridis*-associated chronic active antral gastritis.  
*Gastroenterol.* 94: 33-40 (1988)
111. Riede, U.-N., Schaefer, H.-E.:  
Magen.  
In: Allgemeine und spezielle Pathologie. Riede, U.-N., Schaefer, H.-E. (Hrsg.), Georg Thieme Verlag, Stuttgart, New York, 4. Auflage, S. 689-705 (1995)
112. Rollason, T.P., Stone, J., Rhodes, J.M.:  
Spiral organisms in endoscopic biopsies of the human stomach.  
*J. Clin. Pathol.* 37: 23-26 (1984)
113. Roosendaal, R., Kuipers, E.J., Peña, A.S., de Graaff, J.:  
Recovery of *Helicobacter pylori* from gastric biopsy specimens is not dependent on the transport medium used.  
*J. Clin. Microbiol.* 33: 2798-2800 (1995)
114. Rune, S.J.:  
Diagnosis of *Helicobacter pylori* infection. When to use which test and why.  
*Scand. J. Gastroenterol.* 31 Suppl 215: 63-65 (1996)
115. Rune, S.J.:  
History of *Helicobacter pylori*.  
*Scand. J. Gastroenterol.* 31 Suppl 214: 2-4 (1996)
116. Savio, A.:  
Alternative method for transporting and storing gastric biopsy cultures of *Helicobacter pylori*.  
*J. Clin. Pathol.* 47, correspondence: 189-190 (1994)

117. Schwarz, K.:  
Ueber penetrierende Magen- und Jejunalgeschwüre.  
Beitr. klin. Chir. 67: 96-128 (1910)
118. Seifert., E.:  
Helicobacter pylori und Magenkarzinom.  
In: Helicobacter pylori - Von der Grundlage zur Therapie. Malfertheiner, P. (Hrsg.),  
Georg Thieme Verlag, Stuttgart, New York, 2. Auflage, S. 109-123 (1996)
119. Shames, B., Krajden, S., Fuksa, M., Babida, C., Penner, J.L.:  
Evidence for the occurrence of the same strain of Campylobacter pylori in the stomach  
and dental plaque.  
J. Clin. Microbiol. 27: 2849-2850 (1989)
120. Silverstein, M.D., Petterson, T., Talley, N.J.:  
Initial endoscopy or empirical therapy with or without testing for Helicobacter pylori for  
dyspepsia: A decision analysis.  
Gastroenterol. 110: 72-83 (1996)
121. Sipponen, P., Helske, T., Jarvinen, P., Hyvarinen, H., Seppala, K., Siurala, M.:  
Fall in the prevalence of chronic gastritis over 15 years: Analysis of outpatient series in  
Finland from 1977, 1985, and 1992.  
Gut 35: 1167-1171 (1994)
122. Soltesz, V., Zeeberg, B., Wadström, T.:  
Optimal survival of Helicobacter pylori under various transport conditions.  
J. Clin. Microbiol. 30: 1453-1456 (1992)
123. Stadelmann, O.:  
Helicobacter pylori und funktionelle Dyspepsie.  
In: Helicobacter pylori - Von der Grundlage zur Therapie. Malfertheiner, P. (Hrsg.),  
Georg Thieme Verlag, Stuttgart, New York, 2. Auflage, S. 75-87 (1996)
124. Steer, H.W.:  
The gastro-duodenal epithelium in peptic ulceration.  
J. Pathol. 146: 355-362 (1985)
125. Stolte, M.:  
Helicobacter pylori and gastric MALT-lymphoma.  
Lancet 339: 745-746 (1992)
126. Stolte, M.:  
Pathologie der Helicobacter-pylori-Krankheiten.  
In: Helicobacter pylori - Von der Grundlage zur Therapie. Malfertheiner, P. (Hrsg.),  
Georg Thieme Verlag, Stuttgart, New York, 2. Auflage, S. 42-61 (1996)

127. Stolte, M., Stadelmann, O., Bethke, B., Burkard, G.: Relationships between the degree of Helicobacter pylori colonisation and the degree and activity of gastritis, surface epithelial degeneration and mucus secretion. *Z. Gastroenterol.* 33: 89-93 (1995)
128. Suerbaum, S.: Bakterielle Physiologie und Virulenzfaktoren. In: *Helicobacter pylori - Von der Grundlage zur Therapie*. Malfertheiner, P. (Hrsg.), Georg Thieme Verlag, Stuttgart, New York, 2. Auflage, S. 11-23 (1996)
129. Veenendaal, R.A., Lichtendahl-Bernards, A.T., Peña, A.S., Endtz, H.Ph., van Boven, C.P.A., Lamers, C.B.H.W.: Effect of transport medium and transportation time on culture of Helicobacter pylori from gastric biopsy specimens. *J. Clin. Pathol.* 46: 561-563 (1993)
130. Vigneri, S., Termini, R., Scialabba, A., Pisciotta, G.: Omeprazole therapy modifies the gastric localization of Helicobacter pylori. *Am. J. Gastroenterol.* 86: 1276 (1991)
131. Vogt, K., Hahn, H.: Urease production by Helicobacter (Campylobacter) pylori. *Zbl. Bakt.* 275: 63-72 (1991)
132. Vogt, K., Suerbaum, S.: Helicobacter. In: *Medizinische Mikrobiologie und Infektiologie*. Hahn, H., Falke, D., Kaufmann, S.H.E., Ullmann, U. (Hrsg.), Springer, Berlin, Heidelberg, New York, 3. Auflage, S. 308-312 (1999)
133. Wang, X., Sturegård, E., Rupar, R., Nilsson, H.-O., Aleljung, A., Carlén, B., Willén, R., Wadström, T.: Infection of BALB/c A mice by spiral and coccoid forms of Helicobacter pylori. *J. Med. Microbiol.* 46: 657-663 (1997)
134. Warren, J.R.: Unidentified curved bacilli on gastric epithelium in activ chronic gastritis. *Lancet i*: 1273 (1983)
135. Watanabe, H., Tomita, S., Kudo, M., Kurokawa, M., Orino, A., Todo, A., Chiba, T.: Detection of Helicobacter pylori gene by means of immunomagnetic seperation-based polymerase chain reaktion in feces. *Scand. J. Gastroenterol.* 33: 1140-1143 (1998)

136. West, A.P., Millar, M.R., Tompkins, D.S.:  
Survival of *Helicobacter pylori* in water and saline.  
*J. Clin. Pathol.* 43: 609 (1990)
137. West, A.P., Millar, M.R., Tompkins, D.S.:  
Effect of physical environment on survival of *Helicobacter pylori*.  
*J. Clin. Pathol.* 45: 228-231 (1992)
138. Westblom, T.U., Madan, E., Kemp, J., Subik, M.A., Tseng, J.:  
Improved isolation/ visualisation of *Campylobacter pylori* from gastric biopsies using a biphasic transport media.  
*Gastroenterol.* 94: A 494 (1988)
139. Windsor, H.M., Ho, G.Y., Marshall, B.J.:  
Successful recovery of *H. pylori* from rapid urease tests (CLO tests).  
*Am. J. Gastroenterol.* 94: 3181-3183 (1999)
140. Wotherspoon, A.C., Doglioni, C., Diss, T.C., Pan, L., Moschini, A., de Boni, M., Isaacson, P.G.:  
Regression of primary low-grade B-cell gastric lymphoma of mucosa-associated lymphoid tissue type after eradication of *Helicobacter pylori*.  
*Lancet* 342: 575-577 (1993)
141. Xia, H.X., Keane, C.T., Chen, J., Zhang, J., Walsh, E.J., Moran, A.P., Hua, J.-S., Mégraud, F., O'Morain, C.A.:  
Transportation of *Helicobacter pylori* cultures by optimal systems.  
*J. Clin. Microbiol.* 32: 3075-3077 (1994)
142. Xia, H.X., Keane, C.T., O'Morain, C.A.:  
Determination of the optimal transport system for *Helicobacter pylori*.  
*Med. Microbiol.* 39: 334-337 (1993)