

7 Literatur

- Amersham-Manual HybondTM-N: nylon membrane
- Arima, K., Kakinuma, K. and Tamura, G. (1968). Surfactin, a crystalline peptide lipid surfactant produced by *Bacillus subtilis*: isolation, characterization and its inhibition of fibrin clot formation. *Biochem. Biophys. Res. Comm.* **31**, 488-494
- Baumgart, F., Kluge, B., Ullrich, C., Vater, J. and Ziessow, D. (1991). Identification of amino acid substitutions in the lipopeptide surfactin using 2D NMR spectroscopy. *Biochem. Biophys. Res. Comm.* **177**, 998-1005
- Belshaw, P.J., Walsh, C.T. and Stachelhaus, T. (1999). Aminoacyl-CoAs as probes of condensation domain selectivity in nonribosomal peptide synthesis. *Science* **284**, 486-489
- Berg, P. (1958). The chemical synthesis of amino acyl adenylates. *J. Biol. Chem.* **233**, 608-611
- Berg, P. (1962). Assay and preparation of yeast aceto-CoA-kinase. *Methods Enzymol.* **5**, 461-467
- Bernhard, F., Demel, G., Soltani, K., von Döhren, H. and Blinov, V. (1996). Identification of genes encoding for peptide synthetases in the gram-negative bacterium *Lysobacter* sp. ATCC 53042 and the fungus *Cylindrotrichum oligospermum*. *DNA Sequence* **6**, 319-330
- Bertram, S. and Gassen , H.G. (eds.) (1991). Gentechnische Methoden: eine Sammlung von Arbeitsanleitungen für das molekularbiologische Labor, Gustav Fischer Verlag, Stuttgart Jena New York
- Billich, A. and Zocher, R. (1987). Enzymatic synthesis of cyclosporin A. *J. Biol. Chem.* **262**, 17258-17259
- Birnboim, H.C. and Doly, J. (1979). A rapid alkaline extraction procedure for screening recombinant plasmid DNA. *Nucleic Acids Res.* **7**, 1513-1523
- Blattner, F.R., Burland, V., Plunkett Ill, G., Sofia, H.J. and Daniels, D.L. (1993). Analysis of the *Escherichia coli* genome. IV. DNA sequence of the region from 89.2 to 92.8 minutes. *Nucleic Acids Res.* **21**, 5408-5417
- Boehringer-Mannheim-Manual DNA labeling and detection nonradioactive
- Bonmatin, J.M., Genest, M., Petit, M.C., Gincel, E., Simorre, J.P., Cornet, B., Gallet, X., Caille, A., Labbè, H., Vovelle, F. and Ptak, M. (1992). Progress in multidimensional NMR investigations of peptide and protein 3-D structures in solution: from structure to functional aspects. *Biochimie* **74**, 825-836
- Bonmatin, J.M., Genest, M., Labbè, H. and Ptak, M. (1994). Solution threedimensional structure of surfactin: a cyclic lipopeptide studied by ¹H-NMR, distance geometry and molecular dynamics. *Biopolymers* **34**, 975-986

- Bradford, M.M. (1976). A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal. Biochem.* **72**, 248-254
- Brill, J.A., Quinlan-Walshe, C. and Gottesman, S. (1988). Fine-structure mapping and identification of two regulators of capsule synthesis in *Escherichia coli* K-12. *J. Bacteriol.* **170**, 2599-2611
- Bullock, W.O., Fernandez, J.M. and Stuart, J.M. (1987). XL 1-Blue: A high efficiency plasmid transforming *recA* *Escherichia coli* strain with beta-galactosidase selection. *BioTechniques* **5**, 376-379
- MacCabe, A.P., van Liempt, H., Palissa, H., Unkles, S.E., Riach, M.B.R., Pfeifer, E., von Döhren, H. and Kinghorn, J.R. (1991). δ -(L- α -aminoadipyl)-L-cysteinyl-D-valine synthetase from *Aspergillus nidulans*. *J. Biol. Chem.* **266**, 12646-12654
- Cane, D.E., Walsh, C.T. and Khosla, C. (1998). Harnessing the biosynthetic code: combinations, permutations, and mutations. *Science* **282**, 63-68
- Cole, P.A. (1996). Chaperone-assisted protein expression. *Structure* **4**, 239-242
- Connerton, I.F., Fincham, J.R.S., Sandeman, R.A. and Hynes, M.J. (1990). Comparison and cross-species expression of the acetyl-CoA synthetase genes of the ascomycete fungi, *Aspergillus nidulans* and *Neurospora crassa*. *Mol. Microbiol.* **4**, 451-460
- Conti, E., Franks, N.P. and Brick, P. (1996). Crystal structure of firefly luciferase throws light on a superfamily of adenylate-forming enzymes. *Structure* **4**, 287-296
- Conti, E., Stachelhaus, T., Marahiel, M.A. and Brick, P. (1997). Structural basis for the activation of phenylalanine in the non-ribosomal biosynthesis of gramicidin S. *EMBO J.* **16**, 4174-4183
- Cosmina, P., Rodriguez, F., de Ferra, F., Grandi, G., Perego, M., Venema, G. and van Sinderen, D. (1993). Sequence and analysis of the genetic locus responsible for surfactin synthesis in *Bacillus subtilis*. *Mol. Microbiol.* **8**, 821-831
- de Crécy-Lagard, V., Marliere, P. and Saurin, W. (1995). Multienzymatic non ribosomal peptide biosynthesis: identification of the functional domains catalysing peptide elongation and epimerization. *C. R. Acad. Sci. III: Life Sci.* **318**, 927-936
- Dieckmann, R., Lee, Y.O., van Liempt, H., von Döhren, H. and Kleinkauf, H. (1995). Expression of an active adenylate-forming domain of peptide synthetases corresponding to acyl-CoA-synthetases. *FEBS Lett.* **357**, 212-216
- Dieckmann, R., Pavela-Vrancic, M., Pfeifer, E., von Döhren, H. and Kleinkauf, H. (1997). The adenylation domain of tyrocidine synthetase 1. *Eur. J. Biochem.* **247**, 1074-1082
- Dieckmann, R., Pavela-Vrancic, M., von Döhren, H. and Kleinkauf, H. (1999). Probing the domain structure and ligand-induced conformational changes by limited proteolysis of tyrocidine synthetase 1. *J. Mol. Biol.* **288**, 129-140
- von Döhren, H., Keller, U., Vater, J. and Zocher, R. (1997). Multifunctional peptide synthetases. *Chem. Rev.* **97**, 2675-2705

- von Döhren, H., Dieckmann, R. and Pavela-Vrancic, M. (1999). The nonribosomal code. *Chem. Biol.* **6**, 273-279
- Duitman, E.H., Hamoen, L.W., Rembold, M., Venema, G., Seitz, H., Saenger, W., Bernhard, F., Reinhardt, R., Schmidt, M., Ullrich, C., Stein, T., Leenders, F. and Vater, J. (1999). The mycosubtilin synthetase of *Bacillus subtilis* ATCC 6633: A multifunctional hybrid between a peptide synthetase, an amino transferase, and a fatty acid synthase. *Proc. Natl. Acad. Sci.* **96**, 13294-13299
- Eggen, R.I.J., Geerling, A.C.M., Boshoven, A.B.P. and de Vos, W.M. (1991). Cloning, sequence analysis, and functional expression of the acetyl coenzyme A synthetase from *Methanothrix soehngenii* in *Escherichia coli*. *J. Bacteriol.* **173**, 6383-6389
- Elsner, A. (1996). Untersuchungen zur strukturellen und funktionellen Charakterisierung von bakteriellen Antibiotikasynthetasen. *Diplomarbeit Technische Universität Berlin*
- Elsner, A., Engert, H., Saenger, W., Hamoen, L., Venema, G. and Bernhard, F. (1997). Substrate specificity of hybrid modules from peptide synthetases. *J. Biol. Chem.* **272**, 4814-4819
- de Ferra, F., Rodriguez, F., Tortora, O., Tosi, C. and Grandi, G. (1997). Engineering of peptide synthetases. *J. Biol. Chem.* **272**, 25304-25309
- Frenkel, E.P. and Kitchens, R.L. (1981). Acetyl-CoA synthetase from bakers' yeast (*Saccharomyces cerevisiae*). *Methods Enzymol.* **71**, 317-324
- Fuma, S., Fujishima, Y., Corbell, N., D'Souza, C., Nakano, M.M., Zuber, P. and Yamane, K. (1993). Nucleotide sequence of 5' portion of *srfA* that contains the region required for competence establishment in *Bacillus subtilis*. *Nucleic Acids Res.* **21**, 93-97
- Galli, G., Rodriguez, F., Cosmina, P., Pratesi, C., Nogarotto, R., de Ferra, F. and Grandi, G. (1994). Characterization of the surfactin synthetase multi-enzyme complex. *Biochim. Biophys. Acta* **1205**, 19-28
- Garre, V., Murillo, F.J. and Torres-Martinez, S. (1994). Isolation of the *facA* (acetyl-CoA synthetase) gene of *Phycomyces blakesleeanus*. *Mol. Gen. Genet.* **244**, 278-286
- Georgiou, G. and Valax, P. (1996). Expression of correctly folded proteins in *Escherichia coli*. *Curr. Opin. Biotechnol.* **7**, 190-197
- Gocht, M. and Marahiel, M.A. (1994). Analysis of core sequences in the D-Phe activating domain of the multifunctional peptide synthetase TycA by site-directed mutagenesis. *J. Bacteriol.* **176**, 2654-2662
- Gouka, R.J., van Hartlingsveldt, W., Bovenberg, R.A.L., van Zeijl, C.M.J., van den Hondel, C.A.M.J.J. and van Gorcom, R.F.M. (1993). Development of a new transformant selection system for *Penicillium chrysogenum*: isolation and characterization of the *P. chrysogenum* acetyl-coenzyme A synthetase gene (*facA*) and its use as a homologous selection marker. *Appl. Microbiol. Biotechnol.* **38**, 514-519
- Grangemard, I., Peypoux, F., Wallach, J., Das, B.C., Labbe, H.C., Caille, A., Genest, M., Maget-Dana, R., Ptak, M. and Bonmatin, J.M. (1997). Lipopeptides with improved

- properties: structure by NMR, purification by HPLC and structure-activity relationships of new isoleucyl-rich surfactins. *J. Pept. Sci.* **3**, 145
- Grundy, F.J., Waters, D.A., Takova, T.Y. and Henkin, T.M. (1993). Identification of genes involved in utilization of acetate and acetoin in *Bacillus subtilis*. *Mol. Microbiol.* **10**, 259-271
- Haese, A., Schubert, M., Herrmann, M. and Zocher, R. (1993). Molecular characterization of the enniatin synthetase gene encoding a multifunctional enzyme catalysing N-methyldepsipeptide formation in *Fusarium scirpi*. *Mol. Microbiol.* **7**, 905-914
- Hamoen, L.W., Eshuis, H., Jongbloed, J., Venema, G. and van Sinderen, D. (1995). A small gene, designated *comS*, located within the coding region of the fourth amino acid-activation domain of *srfA*, is required for competence development in *Bacillus subtilis*. *Mol. Microbiol.* **15**, 55-63
- Hanahan, D. (1983). Studies on transformation of *Escherichia coli* with plasmids. *J. Mol. Biol.* **166**, 557-580
- Hoffmann, K., Schneider-Scherzer, E., Kleinkauf, H. and Zocher, R. (1994). Purification and characterization of eucaryotic alanine racemase acting as key enzyme in cyclosporin biosynthesis. *J. Biol. Chem. (Tokyo)* **269**, 12710-12714
- Hori, K., Yamamoto, Y., Minetoki, T., Kurotsu, T., Kanda, M., Miura, S., Okamura, K., Furuyama, J. and Saito, Y. (1989). Molecular cloning and nucleotide sequence of the gramicidin S synthetase 1 gene. *J. Biochem. (Tokyo)* **106**, 639-645
- Jancarik, J. and Kim, S.H. (1991). Sparse matrix sampling: a screening method for crystallization of proteins. *J. Appl. Cryst.* **24**, 409-411
- Jetten, M.S.M., Stams, A.J.M. and Zehnder, A.J.B. (1989). Isolation and characterization of acetyl-coenzyme A synthetase from *Methanotherrix soehngenii*. *J. Bacteriol.* **171**, 5430-5435
- Kallow, W., Kennedy, J., Arezi, B., Turner, G. and von Döhren, H. (2000). Thioesterase domain of δ -(L- α -amino adipyl)-L-cysteinyl-D-valine synthetase: alteration of stereospecificity by site-directed mutagenesis. *J. Mol. Biol.* **297**, 395-408
- Kleinkauf, H., van Liempt, H., Palissa, H. and von Döhren, H. (1992). Biosynthese von Peptiden: Ein nichtribosomales System. *Naturwissenschaften* **79**, 153-162
- Kleinkauf, H. and von Döhren, H. (1996). A nonribosomal system of peptide biosynthesis. *Eur. J. Biochem.* **236**, 335-351
- Kluge, B., Vater, J., Salnikow, J. and Eckart, K. (1988). Studies on the biosynthesis of surfactin, a lipopeptide antibiotic from *Bacillus subtilis* ATCC 21332. *FEBS Letters* **231**, 107-110
- Konz, D., Klens, A., Schörgendorfer, K. and Marahiel, M.A. (1997). The bacitracin biosynthesis operon of *Bacillus licheniformis* ATCC 10716: molecular characterization of the three multi-modular peptide synthetases. *Chem. Biol.* **4**, 927-937

- Konz, D., Doekel, S. and Marahiel, M.A. (1999a). Molecular and biochemical characterization of the protein template controlling biosynthesis of the lipopeptide lichenysin. *J. Bacteriol.* **181**, 133-140
- Konz, D. and Marahiel, M.A. (1999b). How do peptide synthetases generate structural diversity? *Chem. Biol.* **6**, 39-48
- Kowall, M., Vater, J., Kluge, B., Stein, T., Franke, P. and Ziessow, D. (1998). Separation and characterization of surfactin isoforms produced by *Bacillus subtilis* OKB 105. *J. Colloid Interface Sci.* **204**, 1-8
- Krätschmar, J., Krause, M. and Marahiel, M.A. (1989). Gramicidin S biosynthesis operon containing the structural genes *grsA* and *grsB* has an open reading frame encoding a protein homologous to fatty acid thioesterases. *J. Bacteriol.* **171**, 5422-5429
- Laemmli, U.K. (1970). Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* **227**, 680-685
- Lambalot, R.H., Gehring, A.M., Flugel, R.S., Zuber, P., LaCelle, M., Marahiel, M.A., Reid, R., Khosla, C. and Walsh, C.T. (1996). A new enzyme superfamily – the phosphopantetheinyl transferases. *Chem. Biol.* **3**, 923-936
- Landy, M., Warren, G.H., Rosenman, S.B. and Colio, L.G. (1948). Bacillomycin: an antibiotic from *Bacillus subtilis* active against pathogenic fungi. *Proc. Soc. Exp. Biol. Med.* **67**, 539ff
- Leenders, F., Vater, J., Stein, T. and Franke, P. (1998). Characterization of the binding site of the tripeptide intermediate D-phenylalanyl-L-prolyl-L-valine in gramicidin S biosynthesis. *J. Biol. Chem.* **273**, 18011-18014
- Leenders, F., Stein, T., Kablitz, B., Franke, P. and Vater, J. (1999). Rapid typing of *Bacillus subtilis* strains by their secondary metabolites using matrix-assisted laser desorption/ionization mass spectrometry of intact cells. *Rapid Commun. Mass Spectrom.* **13**, 943-949
- Levy, S.B. (1998). Antibiotikaresistenz: eine globale Herausforderung. *Spektrum der Wissenschaft Mai* 1998, 34-41
- Linne U. and Marahiel, M.A. (2000). Control of directionality in nonribosomal peptide synthesis: role of the condensation domain in preventing misinitiation and timing of epimerization. *Biochemistry* **39**, 10439-10447
- Lipmann, F. (1954). In *The Mechanism of Enzyme Action* (McElroy, W.D. and Glass, B., eds), S. 599, Johns Hopkins University Press, Baltimore
- Lipmann, F., Gevers, W., Kleinkauf, H. and Roskoski, R., Jr. (1971). Polypeptide synthesis on protein templates: the enzymatic synthesis of gramicidin S and tyrocidine. *Adv. Enzymol. Relat. Areas Mol. Biol.* **35**, 1-34
- Lipmann, F. (1973). Nonribosomal polypeptide synthesis on polyenzyme templates. *Acc. Chem. Res.* **6**, 361-367

- Marahiel, M.A., Zuber, P., Czekay, G. and Losick, R. (1987). Identification of the promotor for a peptide antibiotic biosynthesis gene from *Bacillus brevis* and its regulation in *Bacillus subtilis*. *J. Bacteriol.* **169**, 2215-2222
- Marahiel, M.A. (1997a). Protein templates for the biosynthesis of peptide antibiotics. *Chem. Biol.* **4**, 561-567
- Marahiel, M.A., Stachelhaus, T. and Mootz, H.D. (1997b). Modular peptide synthetases involved in nonribosomal peptide synthesis. *Chem. Rev.* **97**, 2651-2673
- Martínez-Blanco, H., Reglero A., Fernández-Valverde, M., Ferrero, M.A., Moreno, M.A., Peñalva, M.A. and Luengo, J.M. (1992). Isolation and characterization of the acetyl-CoA synthetase from *Penicillium chrysogenum*. *J. Biol. Chem.* **267**, 5474-5481
- Menkhaus, M., Ullrich, C., Kluge, B., Vater, J., Vollenbroich, D. and Kamp, R.M. (1993). Structural and functional organization of the surfactin synthetase multienzyme system. *J. Biol. Chem.* **268**, 7678-7684
- Merril, C.R., Dunau, M.L. and Goldman, D. (1981). *Anal. Biochem.* **110**, 201-207
- Modest, B., Marahiel, M.A., Pschorn, W. and Ristow, H. (1984). Peptide antibiotics and sporulation: Induction of sporulation in asporogenous and peptide-negative mutants in *Bacillus subtilis*. *J. Gen. Microbiol.* **130**, 747
- Mootz, H. and Marahiel, M.A. (1997a). The tyrocidine biosynthetase operon of *Bacillus brevis*: complete nucleotide sequence and biochemical characterization of functional internal adenylation domains. *J. Bacteriol.* **179**, 6843-6850
- Mootz, H. and Marahiel, M.A. (1997b). Biosynthetic systems for nonribosomal peptide antibiotic assembly. *Curr. Opin. Chem. Biol.* **1**, 543-551
- Mootz, H.D. and Marahiel, M.A. (1999). Design and application of multimodular peptide synthetases. *Curr. Opin. Biotechnol.* **10**, 341-348
- Mootz, H., Schwarzer, D. and Marahiel, M.A. (2000). Construction of hybrid peptide synthetases by module and domain fusions. *Proc. Natl. Acad. Sci.* **11**, 5848-5853
- Nakano, M.M. and Zuber, P. (1989). Cloning and characterization of *srfB*, a regulatory gene involved in surfactin production and competence in *Bacillus subtilis*. *J. Bacteriol.* **171**, 5347-5353
- Nakano, M.M., Magnuson, R., Myers, A., Curry, J., Grossman, A.D. and Zuber, P. (1991). *srfA* is an operon required for surfactin production, competence development, and efficient sporulation in *Bacillus subtilis*. *J. Bacteriol.* **173**, 1770-1778
- New England Biolabs-Catalog (1996/97). Reference Appendix, 226
- Ohno, A., Ano, T. and Shoda, M. (1992). Production of a lipopeptide antibiotic surfactin with recombinant *Bacillus subtilis*. *Biotechnol. Lett.* **14**, 1165-1168
- Peypoux, F., Bonmatin, J.M., Labbé, H., Das, B.C., Ptak, M. and Michel, G. (1991). Isolation and characterization of a new variant of surfactin, the [Val7]surfactin. *Eur. J. Biochem.* **202**, 101-106

- Peypoux, F. and Michel, G. (1992). Controlled biosynthesis of Val⁷- and Leu⁷-surfactins. *Appl. Microbiol. Biotechnol.* **36**, 515-517
- Peypoux, F., Bonmatin, J.M., Labbè, H., Grangemard, I., Das, B.C., Ptak, M., Wallach, J. and Michel, G. (1994). [Ala4]Surfactin, a novel isoform from *Bacillus subtilis* studied by mass and NMR spectroscopies. *Eur. J. Biochem.* **224**, 89-96
- Pfeifer, E., Pavela-Vrancic, M. von Döhren, H. and Kleinkauf, H. (1995). Characterization of tyrocidine synthetase 1 (TY1): requirement of posttranslational modification for peptide biosynthesis. *Biochemistry* **34**, 7450-7459
- Pieper, R., Haese, A., Schröder, W. and Zocher, R. (1995). Arrangement of catalytic sites in the multifunctional enzyme enniatin synthetase. *Eur. J. Biochem.* **230**, 119-126
- Preston, G.G., Wall, J.D. and Emerich, D.W. (1990). Purification and properties of acetyl coenzyme synthetase from *Bradyrhizobium*. *Biochem. J.* **267**, 179-183
- Priefert, H. and Steinbüchel, A. (1992). Identification and molecular characterization of the acetyl coenzyme A synthetase gene (*acoE*) of *Alcaligenes eutrophus*. *J. Bacteriol.* **174**, 6590-6599
- Provencher, S.W. (1982). A constrained regularization method for inverting data represented by a linear algebraic or integral equation. *Comp. Phys. Comm.* **27**, 213
- Qiagen-DNeasy™ Tissue Handbook (1999)
- Qiagen-Plasmid purification Handbook (1998)
- Qiagen-QIAexpressionist™ (1998). A Handbook for high-level expression and purification of 6xHis-tagged proteins
- Qiagen-Taq PCR Handbook (1999)
- Quadri, L.E.N., Weinreb, P.H., Lei, M., Nakano, M.M., Zuber, P. and Walsh, C.T. (1998). Characterization of Sfp, a *Bacillus subtilis* phosphopantetheinyl transferase for peptidyl carrier protein domains in peptide synthetases. *Biochemistry* **37**, 1585-1595
- Reichert, J., Sakitani, M. and Walsh, C.T. (1992). Characterization of EntF as a serine-activating enzyme. *Protein Sci.* **1**, 549-556
- Sambrook, J., Fritsch, E.F. and Maniatis, T. (1989). *Molecular cloning: a laboratory manual* (2nd ed.), Cold Spring Harbour Laboratory Press, Cold Spring Harbor, New York
- Sandeman, R.A. and Hynes, M.J. (1989). Isolation of the *facA* (acetyl-coenzyme A synthetase) and *acuE* (malate synthetase) genes of *Aspergillus nidulans*. *Mol. Gen. Genet.* **218**, 87-92
- Schlumbohm, W., Stein, T., Ullrich, C., Vater, J., Krause, M., Marahiel, M.A., Kruft, V. and Wittmann-Liebold, B. (1991). An active serine is involved in covalent substrate amino acid binding at each reaction center of gramicidin S synthetase. *J. Biol. Chem.* **266**, 23135-23141
- Schneider, A., Stachelhaus, T. and Marahiel, M.A. (1998a). Targeted alteration of the substrate specificity of peptide synthetases by rational module swapping. *Mol. Gen. Genet.* **257**, 308-318

- Schneider, A. and Marahiel, M.A. (1998b). Genetic evidence for a role of thioesterase domains, integrated in or associated with peptide synthetases, in non-ribosomal peptide biosynthesis in *Bacillus subtilis*. *Arch. Microbiol.* **169**, 404-410
- Stachelhaus, T. and Marahiel, M.A. (1995a). Modular structure of genes encoding multifunctional peptide synthetases required for non-ribosomal peptide synthesis. *FEMS Microbiol. Lett.* **125**, 3-14
- Stachelhaus, T. and Marahiel, M.A. (1995b). Modular structure of peptide synthetases revealed by dissection of the multifunctional enzyme GrsA. *J. Biol. Chem.* **270**, 6163-6169
- Stachelhaus, T., Schneider, A. and Marahiel, M.A. (1995c). Rational design of peptide antibiotics by targeted replacement of bacterial and fungal domains. *Science* **269**, 69-72
- Stachelhaus, T., Hüser, A. and Marahiel, M.A. (1996). Biochemical characterization of peptidyl carrier protein (PCP), the thiolation domain of multifunctional peptide synthetases. *Chem. Biol.* **3**, 913-921
- Stachelhaus, T., Mootz, H.D. and Marahiel, M.A. (1999). The specificity-conferring code of adenylation domains in nonribosomal peptide synthetases. *Chem. Biol.* **6**, 493-505
- Stachelhaus, T. and Walsh, C.T. (2000). Mutational analysis of the epimerization domain in the initiation module PheATE of gramicidin S synthetase. *Biochemistry* **39**, 5775-5787
- Stein, T., Vater, J., Kruft, V., Otto, A., Wittmann-Liebold, B., Franke, P., Panico, M., McDowell, R. and Morris, H.R. (1996). The multiple carrier model of nonribosomal peptide biosynthesis at modular multienzymatic templates. *J. Biol. Chem.* **271**, 15428-15435
- Symmank, H., Saenger, W. and Bernhard, F. (1999). Analysis of engineered multifunctional peptide synthetases: enzymatic characterization of surfactin synthetase domains in hybrid bimodular systems. *J. Biol. Chem.* **274**, 21581-21588
- Teh, Y.L. and Zinder S. (1992). Acetyl-coenzyme A synthetase in the thermophilic, acetate-utilizing methanogen *Methanotherrix sp.* strain CALS-1. *FEMS Microbiol. Lett.* **98**, 1-8
- Tosato, V., Albertini, A.M., Zotti, M., Sonda, S. and Bruschi, C.V. (1997). Sequence completion, identification and definition of the fengycin operon in *Bacillus subtilis* 168. *Microbiology* **143**, 3443-3450
- Trisler, P. and Gottesman, S. (1984). Lon transcriptional regulation of genes necessary for capsular polysaccharide synthesis in *Escherichia coli* K-12. *J. Bacteriol.* **160**, 184-191
- Turgay, K., Krause, M. and Marahiel, M.A. (1992). Four homologous domains in the primary structure of GrsB are related to domains in a superfamily of adenylate-forming enzymes. *Mol. Microbiol.* **6**, 529-546
- Ullrich, C., Kluge, B., Palacz, Z. and Vater, J. (1991). Cell-free biosynthesis of surfactin, a cyclic lipopeptide produced by *Bacillus subtilis*. *Biochemistry* **30**, 6503-6508
- Umbach, P. (1997). Untersuchungen zur Kristallisation von Cyclodextrin und Lysozym mittels Lichtstreuung. *Dissertation Freie Universität Berlin*

- Vollenbroich, D., Kluge, B., D'Souza, C., Zuber, P. and Vater, J. (1993). Analysis of a mutant amino acid-activating domain of surfactin synthetase bearing a serine-to-alanine substitution at the site of carboxylthioester formation. *FEBS Letters* **325**, 220-224
- Walsh, C.T. (2000). Molecular mechanisms that confer antibacterial drug resistance. *Nature* **406**, 775-781
- Weber, G., Schörgendorfer, K., Schneider-Scherzer, E. and Leitner, E. (1994). The peptide synthetase catalyzing cyclosporine production in *Tolypocladium niveum* is encoded by a giant 45.8-kilobase open reading frame. *Curr. Genet.* **26**, 120-125
- Weber, T., Baumgartner, R., Renner, C., Marahiel, M.A. and Holak, T.A. (2000). Solution structure of PCP, a prototype for the peptidyl carrier domains of modular peptide synthetases. *Structure Fold. Des.* **15**, 407-418
- Weckermann, R., Fürbass, R. and Marahiel, M.A. (1988). Complete nucleotide sequence of the *tycA* gene coding the tyrocidine synthetase 1 from *Bacillus brevis*. *Nucleic Acids Res.* **16**, 11841
- Weckwerth, W., Miyamoto, K., Iinuma, K., Krause, M., Glinski, M., Storm, T., Bonse, G., Kleinkauf, H. and Zocher, R. (2000). Biosynthesis of PF1022A and related cyclooctadepsipeptides. *J. Biol. Chem.* **275**, 17909-17915
- Weinreb, P.H., Quadri, L.E.N., Walsh, C.T. and Zuber, P. (1998). Stoichiometry and specificity of in vitro phosphopantetheinylation and aminoacylation of the valine-activating module of surfactin synthetase. *Biochemistry* **37**, 1575-1584