

10 LITERATURVERZEICHNIS

- ABO-ELNAGA, I.G. u. O. KANDLER (1965)
Zur Taxonomie der Gattung *Lactobacillus* Beijerinck. I. Das Subgenus
Streptobacterium Orla-Jensen.
Zbl. Bakt. Abt. Orig. II 119, 1-36
- ADAMS, M.R. u. P. MARTEAU (1995)
On the safety of lactic acid bacteria from food.
Int. J. Food Microbiol. 27, 263-264
- AGUIRRE, M. u. M.D. COLLINS (1993)
Lactic acid bacteria and human clinical infections.
J. Appl. Bacteriol. 75, 95-107
- ALTSCHUL, S.F., W. GISH, W. MILLER, E.W. MEYERS u. D.J. LIPMAN (1990)
Basic local alignment search tool.
J. Mol. Biol. 215, 403-410
- AMANN, R., W. LUDWIG u. K.H. SCHLEIFER (1994)
Identification of uncultured bacteria: A challenging task for molecular taxonomists.
ASM news. 60, 360-365
- AMANN, R., W. LUDWIG u. K.H. SCHLEIFER (1995)
Phylogenetic identification and in situ detection of individual microbial cells without cultivation.
Microbiol. Rev. 59, 143-169
- AMANN, R. u. W. LUDWIG (2000)
Ribosomal RNA-targeted nucleic acid probes for studies in microbial ecology.
FEMS Microbiol Rev. 24, 555-565
- ANDERSON, M.L.M. (1995)
Hybridization strategy.
in: HAMES, B.D. u. S.J. HIGGINS (Hrsg.): Gene probes 2 - A practical approach.
Oxford University Press, Oxford, 1-27
- ANDERSON, M.L.M. u. B.D. YOUNG (1991)
Quantitative filter hybridisation.
in: HAMES, B.D. u. S.J. HIGGINS (Hrsg.): Nucleic acid hybridisation - A practical approach.
Oxford University Press, Oxford, 73-111
- AXELSSON, L.T., T.C. CHUNG, W.J. DOBROGO SZ u. S.E. LINDGREN (1989)
Production of a broad spectrum antimicrobial substance by *Lactobacillus reuteri*.
Microb. Ecol. Health Dis. 2, 131-136

BENSON, D.A., M.S. BOGUSKI, D.J. LIPMAN, J. OSTEY, B.F. FRANCIS OULETTE,
B.A. RAPP u. D.L. WHEELER (1999)
GenBank.
Nucl. Acids Res. 27, 12-17

BERUFSGENOSSENSCHAFT DER CHEMISCHEN INDUSTRIE (1997)
Sichere Biotechnologie. Eingruppierung biologischer Agenzien: Bakterien.
Merkblatt B 006.
Jedermann-Verlag, Heidelberg

BETZL, D., LUDWIG, W. u. K.H. SCHLEIFER (1990)
Identification of lactococci and enterococci by colony hybridization with 23S rRNA-targeted oligonucleotide probes.
Appl. Environm. Microbiol. 56, 2927-2929

BgVV (1999)
Probiotische Mikroorganismenkulturen in Lebensmitteln.
Abschlußbericht der Arbeitsgruppe am BgVV.
Ernährungs-Umschau 47, 191-195 (2000)

BONAPARTE, C. u. G. REUTER (1997)
Bifidobacteria in commercial dairy products: Which species are used?
in: REUTER, G., G. KLEIN, P. HEIDT u. V. RUSCH (Hrsg.): Microecology and Therapy 26, Herborn Litterae-Verlag, Herborn, 181-196

BORNEMANN, P. (1996)
Classification of probiotic food according to German food law.
in: Symposium Probiotics in man and animals, Berlin, 1996, Abstracts, S. 20

BRITTON, R.J. u. E.H. DAVIDSON (1991)
Hybridisation Strategy.
in: HAMES, B.D. u. S.J. HIGGINS (Hrsg.): Nucleic acid hybridisation - A practical approach.
Oxford University Press, Oxford, 1-14

BROSIUS, J, T.J. DULL, D.D. SLEETER u. H.F. NOLLER (1981)
Gene organization and primary structure of ribosomal RNA operon from
Escherichia coli.
J. Mol. Biol. 148, 107-127

BRYGOO, E.R. u. N. ALADAME (1953)
Étude d'une espèce nouvelle anaerobic stricte du genre *Eubacterium*: *E. crispatum* n. sp.
Ann. Inst. Pasteur Paris 84, 640-641

BUCKENHÜSKES, H. u. W.P. HAMMES (1990)
Starterkulturen bei der Verarbeitung von Obst und Gemüse.
Bioengineering 2, 34-42

- CAPLICE, E. u. G.F. FITZGERALD (1999)
Food fermentations: role of microorganisms in food production and preservation.
Int. J. Food Microbiol. 50, 131-149
- CARLSSON, J. u. L. GOTHEFORS (1975)
Transmission of *Lactobacillus jensenii* und *Lactobacillus acidophilus* from mother
to child at the time of delivery.
J. Clin. Microbiol. 1, 124-128
- CASAS, I.A., F.W. EDENS, C.R. PARKHURST u. W.J. DOBROGOSZ (1994)
Avian models for probiotic evaluation.
Posterpräsentation beim Symposium Lactic '94, Caen, Frankreich,
07.-10. September 1994
- CASAS, I.A. u. W.J. DOBROGOSZ (1997)
Lactobacillus reuteri: Overview of a new probiotic for humans and animals.
in: REUTER, G., G. KLEIN, P. HEIDT u. V. RUSCH (Hrsg.): Microecology and
Therapy 26, Herborn Litterae-Verlag, Herborn, 221-231
- CATO, E.P., W.E.C. MOORE u. J.L. JOHNSON (1983):
Synonymy of strains of „*Lactobacillus acidophilus*“ group A2 (Johnson et al. 1980)
with the type strain of *Lactobacillus crispatus* (Brygoo and Aladame, 1953) Moore
and Holdeman 1970.
Int. J. Systemat. Bacteriol. 33, 426-428
- CHARTERIS, W.P., P.M. KELLY, L. MORELLI u. J.K. COLLINS (1997a)
The role and therapeutic potential of *Lactobacillus* species in female urogenital
tract infections.
in: REUTER, G., G. KLEIN, P. HEIDT u. V. RUSCH (Hrsg.): Microecology and
Therapy 26, Herborn Litterae-Verlag, Herborn, 59-96
- CHARTERIS, W.P., P.M. KELLY, L. MORELLI u. J.K. COLLINS (1997b)
Selective detection, enumeration and identification of potentially probiotic
Lactobacillus and *Bifidobacterium* species in mixed bacterial populations.
Int. J. Food Microbiol. 35, 1-27
- CHEN, H., C.K. LIM, Y.K. LEE U. Y.N CHAN (2000)
Comparative analysis of the genes encoding 23S-5S rRNA intergenic spacer
regions of *Lactobacillus casei*-related strains.
Int. J. Systemat. and Evol. Microbiol. 50, 471-478
- CHUNG, T.C., AXELSSON, L., S.E. LINDGREN u. W.J. DOBROGOSZ (1989)
In vitro studies on reuterin synthesis by *Lactobacillus reuteri*.
Microb. Ecol. Health Dis. 2, 137-144.
- COCOLIN, L., M. MANZANO, C. CANTONI U. G. COMI (2000)
Development of a rapid method for the identification of *Lactobacillus* spp. isolated
from naturally fermented italian sausages using a polymerase chain reaction-
temperature gradient gel electrophoresis.
Lett. Appl. Microbiol. 30, 126-129

- COLLINS, M.D., B.A. PHILLIPS u. P. ZANONI (1989)
Desoxyribonucleic acid studies of *Lactobacillus casei*, *Lactobacillus paracasei* sp. nov., subsp. *paracasei* and subsp. *tolerans*, and *Lactobacillus rhamnosus* sp. nov., comb. nov.
Int. J. Systemat. Bacteriol. 39, 105-108
- COLLINS, J.K., G. THORNTON u. G.O. SULLIVAN (1998)
Selection of probiotic strains for human applications.
Int. Dairy J. 8, 487-490
- COMI, G., M. MANZANO, B. CITTERIO, C. BERSANI, C. CANTONI u. M. DE BERTOLDI (1993)
Handwerklich und industriell hergestellte italienische Salami - physiologische Charakterisierung und Entwicklung von Laktobazillen.
Fleischwirtsch. 73, 1312-1318
- CONWAY, P. (1989)
Lactobacilli: fact and fiction.
in: GRUBB, R.T. MIDTVEDT u. E. NORIN (Hrsg.): The regulatory and protective role of the normal microflora.
Stockton Press, New York, 263-281
- CROWELL, D.C. (1998)
Microbial analyses of human intestinal flora after feeding *Lactobacillus acidophilus*.
NCSU, Raleigh, M.S. Thesis, Food Science
- DALY, C., G.F. FITZGERALD, L. O'CONNOR u. R. DAVIS (1998)
Technological and health benefits of dairy starter cultures.
Int. Dairy J. 8, 195-205
- DALY, R., K. THOMPSON, M. COLLINS u. S. PATRICK (1999)
Genetic transfer between lactic acid bacteria and other bacteria of the gastrointestinal tract.
in: TUIJTELAARS, A.C.J., R.A. SAMSON, F.M. ROMBOUTS u. S. NOTERMANS (Hrsg.): Food Microbiology and Food Safety into the Next Millennium.
Proceedings of the 17th Int.'l Conference of the Int.'l Committee on Food Microbiology and Hygiene (ICFMH), Veldhoven, Niederlande, 13.-17.09.1999, 834-835
- DELLAGLIO, F. (1997)
Characteristics of probiotics for the dairy industry.
in: REUTER, G., G. KLEIN, P. HEIDT u. V. RUSCH (Hrsg.): Microecology and Therapy 26, Herborn Litterae-Verlag, Herborn, 26, 157-166
- DELLAGLIO, F. u. S. TORRIANI (1986)
DNA-DNA homology, physiological characteristics and distribution of lactic acid bacteria isolated from maize silage.
J. Appl. Bacteriol. 60, 83-92

- DELLAGLIO, F., V. BOTAZZI u. M. VESCOVO (1973)
Desoxyribonucleic acid homology and base composition in some thermophilic lactobacilli.
J. Gen. Microbiol. 74, 289-297.
- DELLAGLIO, F., V. BOTAZZI u. M. VESCOVO (1975)
Desoxyribonucleic acid homology among *Lactobacillus* species of the subgenus *Streptobacterium* Orla-Jensen.
Int. J. Systemat. Bact. 25, 160-172
- DELLAGLIO, F., M. VESCOVO, L. MORELLI u. S. TORRIANI (1984)
Lactic acid bacteria in ensiled high-moisture corn grain: physiological and genetic characterization.
System. Appl. Bacteriol. 5, 534-544
- DELLAGLIO, F., L.M.T. DICKS, M. DU TOIT u. S. TORRIANI (1991)
Designation od ATCC 334 in place of ATCC 393 (NCDO 161) as the neotype strain of *Lactobacillus casei* subsp. *casei* and rejection of the name *Lactobacillus paracasei* (COLLINS et al., 1989). Request for an opinion.
Int. J. Systemat. Bacteriol. 41, 340-342
- DELLEY, M., B. MOLLET u. H. HOTTINGER (1990)
DNA probe for *Lactobacillus delbrueckii*.
Appl. and Environ. Microbiol. 56, 1967-1970
- DE MAN, J.C., M. ROGOSA u. M.E. SHARPE (1960)
A medium for the cultivation of lactobacilli.
J. Appl. Bacteriol. 23, 130-135
- DICKGIEßER, U., N. WEISS u. D. FRITSCHE (1984)
Lactobacillus gasseri as the cause of septic urinary infection.
Infection 12, 14-16
- DICKS, L.M.T. u. H.J.J. VAN VUUREN (1987)
Relatedness of heterofermentative *Lactobacillus* species revealed by numerical analysis of total soluble cell protein patterns.
Int. J. Systemat. Bacteriol. 37, 437-440
- DICKS, L.M.T., E.M. DU PLESSIS, F. DELLAGLIO u. E. LAUER (1996)
Reclassification of *Lactobacillus casei* subsp. *casei* ATCC 393 and *Lactobacillus rhamnosus* ATCC 15820 as *Lactobacillus zeae* nom. rev., designation of ATCC 334 as the neotype of *L. casei* subsp. *casei*, and rejection of the name *Lactobacillus paracasei*.
Int. J. Systemat. Bacteriol. 46, 337-340
- DICKS, L.M.T., M. SILVESTER, P.A. LAWSON u. M.D. COLLINS (2000)
Lactobacillus fornicalis msp. nov., isolated from the posterior fornix of the human vagina.
Int. J. System. Evol. Microbiol. 50, 1253-1258

- DOBROGOSZ, W.J., I.A. CASAS, G.A. PAGANO, T.L. TALARICO, B.M. SJØBERG u.
M. KARLSSON (1989)
Lactobacillus reuteri and the enteric microbiota.
in: GRUBB, R. T. MIDVET u. E. NORIN (Hrsg.): The regulatory and protective role
of the normal microflora. Macmillan, London, S. 283-292
- DÖDERLEIN, A. (1892)
Das Scheidensekret und seine Bedeutung für das Puerperalfieber
Cent. Bakt. 11, 699-700
- DU PLESSIS, E.M. u. L.M.T. DICKS (1995)
Evaluation of random amplified polymorphic DNA (RAPD)-PCR as a method to
differentiate *Lactobacillus acidophilus*, *Lactobacillus crispatus*, *Lactobacillus*
amylovorus, *Lactobacillus gallinarum*, *Lactobacillus gasseri*, and *Lactobacillus*
johsonii.
Curr. Microbiol. 31, 114-118
- DYKES, G.A. u. A. VON HOLY (1994)
Strain typing in the genus *Lactobacillus*.
Lett. Appl. Microbiol. 19, 63-66
- EHRMANN M., W. LUDWIG u. K:H. SCHLEIFER (1994)
Reverse dot blot hybridization: A useful method for the direct identification of lactic
acid bacteria in fermented food.
FEMS Microbiology Letters 117, 143-150
- EMBLEY, T.M., N. FAQUIR, W. BOSSART u. M.D. COLLINS (1989)
Lactobacillus vaginalis sp. nov. from the human vagina.
Int. J. Systemat. Bacteriol. 39, 368-370
- ESCHENBACH, D.A., P.R. DAVICK, B.L. WILLIAMS, S.J. KLEBANOFF, K. YOUNG-SMITH,
C.M. CRITCHLOW u. K.K. HOLMES (1989)
Prevalence of hydrogen peroxide-producing *Lactobacillus* species in normal
women and women with bacterial vaginosis.
J. Clin. Microbiol. 27, 251-256
- FALKOW, S. (1997)
What is a pathogen? Developing a definition of a pathogen requires looking closely
at the many complicated relationships that exist among organisms.
ASM News 63, 359-365
- FARROW, J.A.E. u. M.D. COLLINS (1973)
Lactobacillus oris sp. nov. from human oral cavity.
Int. J. Systemat. Bacteriol. 20, 325-327
- FELTEN, A. C. BARREAU, C. BIZET, P.H. LAGRANGE u. A. Philippon (1999)
Lactobacillus species identification, H₂O₂ Production, and antibiotic resistance and
correlation with human clinical status.
J. Clin. Microbiol. 37, 729-733

- FRANKS, A.H., H.J.M. HARMSEN, G.C. RAANGS, G.J. JANSEN, F. SCHUT
u. G.W. WELLING (1998)
Variations of bacterial populations in human feces measured by fluorescent
in situ hybridization with group-specific 16S rRNA-targeted oligonucleotide probes.
Appl. Environ. Microbiol. 64, 3557-3559
- FUJISAWA, T., S. ADACHI, T. TOBA, K. ARIHARA u. T. MITSUOKA (1988)
Lactobacillus kefiranofaciens sp. nov. isolated from kefir grains.
Int. J. Systemat. Bacteriol. 38, 12-14
- FUJISAWA, T., Y. BENNO, T. YAESHIMA u. T. MITSUOKA (1992)
Taxonomic study of the *Lactobacillus acidophilus* group, with recognition of
Lactobacillus gallinarum sp. nov. and *Lactobacillus johnsonii* sp. nov. and
synonymy of *Lactobacillus acidophilus* group A3 (JOHNSON et al., 1980) with type
strain of *Lactobacillus amylovorus* (NAKAMURA, 1981).
Int. J. Systemat. Bacteriol. 42, 487-491
- FUJISAWA, T., T. YAESHIMA u. T. MITSUOKA (1996)
Lactobacilli in human feces.
Biosci. Microflora 15, 69-75
- FULLER, R. (1973)
Ecological studies on the *Lactobacillus* flora associated with the crop epithelium of
the fowl.
J. Appl. Bacteriol. 66, 131-139
- FULLER, R. (1989)
Probiotics in man and animal.
J. Appl. Bact. 66, 365-378
- FULLER, R. (1992)
History and development of probiotics.
in: FULLER, R. (Hrsg.): Probiotics.
Chapman and Hall, London, 1-7
- FULLER, R. (1999)
Probiotics for farm animals.
in: TANNOCK, G.W. (Hrsg.): Probiotics - A critical review.
Horizon Scientific Press, Wymondham, England, 15-22
- GÄNZLE, M. (1998)
Useful properties of lactobacilli for application as protective culture in food.
Universität Hohenheim, Fachgebiet Allgemeine Lebensmitteltechnologie und
-mikrobiologie, Rer. nat. Diss.
- GÄNZLE, M., A. HÖLTZEL, J. WALTER, G. JUNG u. W.P. HAMMES (2000)
Characterization of Reutericyclin produced by *Lactobacillus reuteri* LTH2584.
Appl. Environm. Microbiol. 66, 4325-4333

GASSER, F. u. JANVIER, M. (1980)

Deoxyribonucleic acid homologies of *Lactobacillus jensenii*, *Lactobacillus leichmannii* and *Lactobacillus acidophilus*.

Int. J. Systemat. Bacteriol. 30, 28-30

GASSER, F. (1994)

Safety of lactic acid bacteria and their occurrence in human clinical infections.

Bull. Inst. Pasteur 92, 45-67

GEDEK, B.R. (1993)

Probiotika zur Regulierung der Darmflora.

Tierärztl. Umschau 48, 97-104.

GEISEN, R., F.-K. LÜCKE u. L. KRÖCKEL (1991)

Starter- und Schutzkulturen für Fleisch und Fleischerzeugnisse.

Fleischwirtsch. 71, 969-981

GIBSON, G.R. (1999)

Dietary modulation of the human gut microflora using the prebiotics oligofructose and inulin.

J. Nutr. 129, 1438S-1441S

GIBSON, G.R. u. F. MACFARLANE (1995)

The normal gut flora.

in: SALMINEN, S, C. BOULEY, M.C. BOUTRON-RUAULT, J.H. CUMMINS, A. FRANK, G.R. GIBSON, E. ISOLAURI, M.C. MOREAU, M. ROBERFROID u. I. ROWLAND (Hrsg.): Functional food science and gastrointestinal physiology and function.

Brit. J. Nutr. 80, Suppl. 1, S147-S171

GIBSON, G.R. u. M.B. ROBERFROID (1995)

Dietary modulation of the human colonic microbiota: introducing the concept of prebiotics.

J. Nutr. 125, 1401-1412

GILLILAND, S.E. (1990)

Health and nutritional benefits from lactic acid bacteria.

FEMS Microbiol. Rev. 7, 175-188

GIORGIO, A., S. TORRIANI, F. DELLAGLIO, G. BO, E. STOLA u. L. BERNUZZI (1987)

Identification of lactobacilli from asymptomatic women.

Microbiologica 10, 377-384

GIRAFFA, G., P. DE VECCHI u. L. ROSSETTI (1998)

Note: Identification of *Lactobacillus delbrueckii* subspecies *bulgaricus* and subspecies *lactis* dairy isolates by amplified rDNA restriction analysis.

J. Appl. Microbiol. 85, 918-924.

GOLDIN, B.R. (1986)

In situ bacterial metabolism and colon mutagens.

Ann. Rev. Microbiol. 40, 467-493

GOLDIN, B.R. (1998)

Health benefits of probiotics
Brit. J. Nutr. 80, Supp. 2, S202-S211

GRAZIA, L. u. G. SUZZI (1984)
A survey of lactic acid bacteria in Italian silage.
J. Appl. Bacteriol. 56, 373-379.

GREEN, E.D., R.M. MYERS u. J. ROSKAMS (1997)
Sequence Analysis.
in: BIRREN, B. (Hrsg.): Analyzing DNA: Genome Analysis - A Laboratory Manual Series.
Cold Spring Harbour Laboratory Press, New York, 467-488

GROENEVELD, M. (1998)
Funktionelle Lebensmittel.
Dokumentation zur aktuellen wissenschaftlichen Diskussion.
ILWI GmbH, Bonn, 42 S.

GROßKLAUS, R. (1999)
Pro- und Präbiotika.
in: Werkstattbericht 5 der Stockmeyer-Stiftung für Lebensmittelforschung.
Bonn, 21.10.1999, 21-48

GUARNER, F. u. G.J. SCHAAFSMA (1998)
Probiotics.
Int. J. Food. Microbiol. 39, 237-238

HAMILTON, J.M.T. u. S. SHAH (1998)
Vancomycin susceptibility as an aid to the identification of lactobacilli.
Lett. Appl. Microbiol. 26, 153-154

HAMMES, W.P., N. WEISS u. W. HOLZAPFEL (1992)
The Genera *Lactobacillus* and *Carnobacterium*
in: BALOWS; A., H.G. TRÜPER, M. DWORKIN, W. HARDER u.
K.H. SCHLEIFER (Hrsg.): The Prokaryotes, Vol. II, Chapter 70,
Springer-Verlag, 1535-1595

HAMMES, W.P. u. R.F. VOGEL (1995)
The genus *Lactobacillus*.
in: WOOD, B.J.B. u. W. H. HOLZAPFEL (Hrsg.): The Genera of Lactic Acid Bacteria, Vol. 2, Chapman & Hall, London, S. 19-54

HANSEN, P.A. (1968)
Type strains of *Lactobacillus* species. A report by the Taxonomic Subcommittee on Lactobacilli and Closely Related Organisms.
American Type Strain Culture Collection, Rockville, MD, USA

- HANSEN, P.A. u. G. MOCQUOT (1970)
Lactobacillus acidophilus (Moro) comb. nov.
Int. J. Systemat. Bacteriol. 20, 325-327
- HANSEN, P.A. u. E.F. LESSEL (1970)
Lactobacillus casei (Orla-Jensen) comb. nov.
Int. J. Systemat. Bacteriol. 21, 69-71
- HARMSEN, H.J.M., G.R. GIBSON, P. ELFERRICH, G.C. RAANGS, A.C.M. WILDEBOER-VELOO, A. ARGAIZ, M.B. ROBERFROID u. G.C. WELLING (1999)
Comparison of viable cell counts and fluorescence *in situ* hybridization using specific rRNA-based probes for the quantification of human fecal bacteria.
FEMS Microbiol. Letters 183, 125-129
- HARTY, D.W.S. H.J. OKEY, M. PATRIKAKIS, E.B.H. HUME u. K.W. KNOX (1994)
Pathogenic potential of lactobacilli.
Int. J. Food Microbiol. 24, 179-189
- HAVENAAR, R. u. J.H.J. HUIS IN'T VELD (1992)
Probiotics: A general review.
in: WOOD, B.J.B. (Hrsg.): The Lactic Acid Bacteria in Health and Disease, The Lactic Acid Bacteria, Vol. 1, Chapman & Hall, New York, 209-224
- HAVENAAR, R., B. TEN BRINK u. J.H.J. HUIS IN'T VELD (1992)
Selection of strains for probiotic use.
in: FULLER, R. (Hrsg.): Probiotics - The scientific basis.
Chapman & Hall, London, 209-224
- HAYAKAWA, K. (1992)
Classification and actions of food microorganisms - with particular reference to fermented foods and lactic acid bacteria.
in: NAKAZAWA, Y. u. A. HOSONO (Hrsg.): Functions of fermented milk
Elsevier Science Publishers Ltd., University Press, Cambridge, 127-164
- HENSIEK, R., G. KRUPP u. E. STACKEBRANDT (1992)
Development of diagnostic oligonucleotide probes for four *Lactobacillus* species occurring in the intestinal tract.
System. Appl. Microbiol. 15, 123-128
- HENTGES, D.J. (1992)
Gut flora and disease resistance.
in: FULLER, R. (Hrsg.): Probiotics.
Chapman and Hall, London, 87-110
- HERTEL, C., W. LUDWIG, M. OBST, R.F. VOGEL, W.P. HAMMES u. K.H. SCHLEIFER (1991)
23S rRNA-targeted oligonucleotide probes for the rapid identification of meat lactobacilli.
System. Appl. Microbiol. 14, 173-177

- HERTEL, C., W. LUDWIG, B. POT, K. KERSTERS u. K.H. SCHLEIFER (1993)
Differentiation of lactobacilli occurring in fermented milk products by using
oligonucleotide probes and electrophoretic protein profiles.
System. Appl. Microbiol. 16, 463-467
- HOLZAPFEL, W.H., R. GEISEN u. U. SCHILLINGER (1995)
Biological preservation of foods with reference to protective cultures, bacteriocins
and food-grade enzymes.
Int. J. Food Microbiol. 24, 343-362
- HOLZAPFEL, W.H., U. SCHILLINGER, M. DU TOIT u. L. DICKS (1997)
Systematics of probiotic lactic acid bacteria with reference to modern phenotypic
and genomic methods.
in: REUTER, G., G. KLEIN, P. HEIDT u. V. RUSCH (Hrsg.): Microecology and
Therapy 26, Herborn Litterae-Verlag, Herborn, 1-10
- HOLZAPFEL, W.H., P. HABERER, J. SNEL, U. SCHILLINGER u. J.H.J. HUIS IN`T VELD (1998):
Overview of gut flora and probiotics.
Int. J. Food Microbiol. 41, 85-115
- HÖLTZEL, A., M.G. GÄNZLE, G.J. NICHOLSON, W.P. HAMMES u. G. JUNG (2000)
The first low-molecular-weight antibiotic from lactic acid bacteria: reutericyclin, a
new tetramic acid.
Angew. Chem. Int. Ed. 39, 2766-2768.
- HOWARD, M.D., D.T. GORDON, L.W. PACE, K.A. GARLEB u. M.S. KERLEY (1995)
Effects of dietary supplementation with fructooligosaccharides on colonic
microbiota populations and epithelial cell proliferation in neonatal pigs.
J. Pediatr. Gastroenterol. Nutr. 21, 297-303
- HUGAS, M. (1999)
Meat-borne lactic acid bacteria for safety in meat and meat products.
in: TUIJTELAARS, A.C.J., R.A. SAMSON, F.M. ROMBOUTS u. S. NOTERMANS
(Hrsg.): Food Microbiology and Food Safety into the Next Millennium.
Proceedings of the 17th Int.'l Conference of the Int.'l Committee on Food
Microbiology and Hygiene (ICFMH), Veldhoven, Niederlande, 13.-17.09.1999,
44-49
- HUIS IN`T VELD J.H.J. u. R. HAVENAAR (1997)
Selection criteria and application of probiotic microorganisms in man and animal.
in: REUTER, G., G. KLEIN, P. HEIDT u. V. RUSCH (Hrsg.): Microecology and
Therapy 26, Herborn Litterae-Verlag, Herborn, 43-57
- JOHNSON, J.L., F. PHELPS, C.S. CUMMINS, J. LONDON u. F. GASSER (1980)
Taxonomy of the *Lactobacillus acidophilus*-group.
Int. J. Systemat. Bacteriol. 30, 53-68
- JOHNSON, M.C., B. RAY u. T. BHOWMIK (1987)
Selection of *Lactobacillus acidophilus* strains for use in "acidophilus products".
Anton. van Leeuwen. 53, 215-231

- JONSSON, E. u. P. CONWAY (1992)
Probiotics for pigs.
in: FULLER, R. (Hrsg.): Probiotics, the scientific basis.
Chapman and Hall, London, 260-303
- JUNKER, M., R. POROBIC, W. SIEBER, O. LINHARD u. H. KNAUF (1993)
Rohwurstherstellung - Beschreibung einer neuen Starterkultur mit *Pediococcus pentosaceus*.
Fleischwirtsch. 73, 325-326
- KANDLER, O. (1983)
Carbohydrate metabolism in lactic acid bacteria.
J. Microbiol. 49, 209-224
- KANDLER, O. u. P. KUNATH (1983)
Lactobacillus kefir sp. nov., a component of the microflora of kefir.
System. Appl. Microbiol. 4, 286-294
- KANDLER, O., K.-O. STETTER u. R. KÖHL (1980)
Lactobacillus reuteri sp. nov., a new species of heterofermentative lactobacilli.
Zbl. Bakt. I Orig. C 1: 264-269)
- KANDLER, O. u. N. WEISS (1986)
Regular non-sporing gram-positive rods.
in: SNEATH, P.H.A., N:S. MAIR, M.E. SHARPE u. J.G. HOLT (Hrsg.): Bergey's Manual of Systematic Bacteriology, 8. Aufl., Vol. 2.
Williams and Wilkins, Baltimore, USA, S. 1208-1234
- KARVONEN, A.V., T. VESIKARI u. I.A. CASAS (1998)
Lactobacillus and *Lactobacillus reuteri* in mothers and development in children
gastrointestinal tract after birth.
Posterpräsentation, 2nd World Congress on Anaerobic Bacteria and Infections,
Nice, Frankreich, 03.-06 Oktober 1998
- KATAGIRI, H., K. KITAHARA u. K. FUKAMI (1934)
The characteristics of the lactic acid bacteria isolated from moto, yeast mashes for
sake manufacture. IV. Classification of the lactic acid bacteria.
Bull. Agric. Chem. Soc. Jpn. 10, 156-157
- KLAENHAMMER, T.R. (1982)
Microbiological considerations in selection and preparation of *Lactobacillus* strains
for use as dietary adjuncts.
J. Dairy Sci. 65, 1339-1349
- KLAENHAMMER, T.R. (1995)
Genetics of intestinal lactobacilli.
Int. Dairy J. 5, 1019-1058

- KLEIN, G. (1992)
Charakterisierung von biotechnologisch eingesetzten Laktobazillenstämmen und einigen klinischen Isolaten durch Bestimmung der Resistenz gegen Antibiotika und Chemotherapeutika und der Plasmidmuster.
Berlin, Freie Univ., Fachbereich Veterinärmedizin, Diss.
- KLEIN, G. (1998)
Probiotische und technologisch eingesetzte Mikroorganismen in Lebensmitteln, Arzneimitteln und im Tierfutter - phäno- und genotypische Untersuchungen zur Identifizierung und zur biologischen Sicherheit.
Berlin, Freie Univ., Fachbereich Veterinärmedizin, Habil.-Schr.
- KLEIN, G. (2001)
International Committee on Systematic Bacteriology Subcommittee on the taxonomy of *Bifidobacterium*, *Lactobacillus* and related organisms. Minutes of the meetings, 22.-23. September 1999, Veldhoven, Niederlande
Int. J. System. Evol. Microbiol. 51, 259-261.
- KLEIN, G. u. A. PACK (1997)
Antibiotic resistance and transfer of *VanA*-mediated resistance of enterococci used in animal nutrition.
in: REUTER, G., G. KLEIN, P. HEIDT u. V. RUSCH (Hrsg.): Microecology and Therapy 26, Herborn Litterae-Verlag, Herborn, 257-268
- KLEIN, G., C. BONAPARTE u. G. REUTER (1992)
Laktobazillen als Starterkulturen für die Milchwirtschaft unter dem Gesichtspunkt der Sichereren Biotechnologie
Milchwissenschaft 47, 632-636
- KLEIN, G., B. HACK, K. ZIMMERMANN u. G. REUTER (1994a)
Protein-Fingerprinting als eine Methode zur stammspezifischen Abgrenzung technologisch genutzter *Lactobacillus*-Stämme von klinischen Isolaten.
Berl. Münch. Tierärztl. Wschr. 107, 302-307
- KLEIN, G., B. HACK, K. ZIMMERMANN, V. RUSCH u. G. REUTER (1994b)
Lactobacillus rhamnosus and *L. paracasei* as starter cultures and potential pathogens.
Microbial Ecology in Health and Disease 7, 54-55
Abstracts of the XVIII. Meeting of the Society for Microbial Ecology and Disease (SOMED), Boston, Massachusetts, USA, 10.-13. September 1993
- KLEIN, G., A. PACK, J. LOUWERS u. G. REUTER (1995a)
Lebensmittel- und futtermittelrechtliche Fragestellungen bei biotechnologisch eingesetzten Probiotika-Stämmen.
Proc. 36. Arbeitstagung des Arbeitsgebietes Lebensmittelhygiene der Deutschen Veterinärmedizinischen Gesellschaft (DVG)
Garmisch-Partenkirchen, 26.-29. September 1995, Gießen, Eigenverlag der DVG, Tagungsband I, 369- 375

- KLEIN, G., B. HACK, S. HANSTEIN, K. ZIMMERMANN u. G. REUTER (1995b)
Intra-species characterization of clinical isolates and biotechnologically used
strains of *Lactobacillus rhamnosus* by analysis of the total soluble cytoplasmatic
proteins with silver staining.
Int. J. Food Microbiol. 25, 263-275
- KLEIN, G., J. EICHLBERG, S. GRUND u. G. REUTER (1997)
Characterisation of a potential probiotic strain of *Lactobacillus reuteri* isolated from
pigeon crop.
in: REUTER, G., G. KLEIN, P. HEIDT u. V. RUSCH (Hrsg.): Microecology and
Therapy 26, Herborn Litterae-Verlag, Herborn, 233-241
- KLEIN, G., A. PACK, C. BONAPARTE u. G. REUTER (1998a)
Taxonomy and physiology of probiotic lactic acid bacteria.
Int. J. Food Microbiol. 41, 103-125
- KLEIN, G., E. ZILL, R. SCHINDLER u. J. LOUWERS (1998b)
Peritonitis associated with vancomycin-resistant *Lactobacillus rhamnosus* in a
continuous case ambulatory peritoneal dialysis patient: organism identification,
antibiotic therapy, and case report.
J. Clin. Microbiol. 36, 1781-1783
- KLEIN, G., C. HALLMANN, I.A. CASAS, J. ABAD, J. LOUWERS u. G. REUTER (2000)
Exclusion of *vanA*, *vanB* and *vanC* type glycopeptide resistance in strains of
Lactobacillus reuteri and *Lactobacillus rhamnosus* used as probiotics by
polymerase chain reaction and hybridization methods.
J. Appl. Microbiol. 89, 815-824
- KNAUF, H. (1998)
Wissenswertes über Starterkulturen für die Fleischwarenherstellung.
Fleischwirtsch. 78, 312-314.
- KNOKE, M. u. H. BERNHARD (1986)
Mikroökologie des Menschen. Mikroflora bei Gesunden und Kranken.
VCH Verlagsgesellschaft, Weinheim, 100-101
- KULLEN, M.J. u. T.R. KLAENHAMMER (1999)
Genetic modification of intestinal lactobacilli and bifidobacteria.
in: TANNOCK, G.W. (Hrsg.): Probiotics - A critical review
Horizon Scientific Press, Wymondham, England, 65-84
- KULLEN, M.J., R.B. SANOTZKY-DAWES, D.C. CROWELL u. T.R. KLAENHAMMER (2000)
Use of the DNA sequence of variable regions of the 16S rRNA gene for rapid and
accurate identification of bacteria in the *Lactobacillus acidophilus* complex.
J. Appl. Microbiol. 89, 511-516
- KULP, W.L. u. L.F. RETTGER (1924)
Comparative study of *Lactobacillus acidophilus* and *Lactobacillus bulgaricus*.
J. Bact. 9, 357-394

KUNDRAT, W. (1958)

Beitrag zur Kenntnis der Milchsäurebakterien.

1. Mitteilung: Die Differenzierung der stäbchenförmigen Milchsäurebakterien.

(Genus *Lactobacillus* Beijerinck).

Zbl. Bakt. II Abt. 111, 249-259

KUZNETSOV, V.D. (1959)

A new species of lactic acid bacteria.

Mikrobiologiya 28, 248-351

LAUER, E.u. O. KANDLER (1980)

Lactobacillus gasseri sp. nov., a new species of the subgenus *Thermobacterium*.

Zbl. Bakt. Hyg., I. Abt. Orig. C 1, 75-78

LAUER, E., C. HELMING u. O. KANDLER (1980)

Heterogeneity of the species *Lactobacillus acidophilus* (Moro) Hansen and Mocquot as revealed by biochemical characteristics and DNA-DNA hybridization.

Zbl. Bakt. Hyg., I. Abt. Orig. C 1, 150-168

LERCHE, M. u. G. REUTER (1960)

Beitrag zur Methodik der Isolierung und Differenzierung von aerob wachsenden "Laktobazillen" (Genus "*Lactobacillus* Beijerinck").

Zbl. Bakt. I Orig. 179, 354-370

LERCHE, M. u. G. REUTER (1962)

Das Vorkommen aerob wachsender grampositiver Stäbchen des Genus *Lactobacillus Beijerinck* im Darminhalt erwachsener Menschen.

Zbl. Bakt. I. Orig. 185, 446-481

LONDON, J. (1976)

The ecology and taxonomic status of the lactobacilli.

Ann. Rev. Microbiol. 30, 279-301

LUDWIG, W. u. K.-H. SCHLEIFER (1999)

Phylogeny of bacteria beyond the 16S rRNA standard.

ASM news 65, 752-757

MACFIE, J., C. O'BOYLE, C.J. MITCHELL, P.M. BUCKLEY, D. JOHNSTONE u.

P. SUDWORTH (1999)

Gut origin of sepsis: a prospective study investigating associations between bacterial translocation, gastric microflora, and septic morbidity.

Gut 45, 223-228

MALINEN, E., R. LAITINEN u. A. PALVA (2001)

Genetic labeling of lactobacilli in a food grade manner for strain-specific detection of industrial starters and probiotic strains.

Food Microbiol. 18, 309-317

MÄNNER, K. u. A. SPIELER (1997)

Probiotics in piglets - an alternative to traditional growth promoters.

in: REUTER, G., G. KLEIN, P. HEIDT u. V. RUSCH (Hrsg.): Microecology and Therapy 26, Herborn Litterae-Verlag, Herborn, 243-256

MAIDAK, B.L., G.J. OLSEN, N. LARSEN, R. OVERBEEK, M.J. McCaughey

u. C.R. WOESE (1997)

The RDP (Ribosomal Database Project)

Nucleic Acids Res. 25, 109-111

MARSH, P. (1980)

Oral microbiology.

Thomas Nelson & Sons Limited, Nairobi, Kenia, 16-20

MARTEAU, P., P. POCHART, Y. BOUHNIK u. J.C. RAMBAUD (1993)

Fate and effects of some transiting micro-organisms in the human gastrointestinal tract.

World Rev. Nutr. Diet 74, 1-21

MATTE-TAILLEZ, P. QUENEE, R. CIBIK, J. VAN OPSTAL, F. DESSEVRE, O. FIRMESE U. P. TAILLEZ (2001)

Detection and identification of lactic acid bacteria in milk and industrial starter culture with fluorescently labeled rRNA-targeted peptide nucleic acid probes.

Lait 81, 237-248

MATTILA-SANDHOLM, T. (2000)

Healthy eating - healthy living.

in: Werkstattbericht 6 der Stockmeyer-Stiftung für Lebensmittelforschung.

Bonn, 25.10.2000, 56-66

MAY, A.D., S.E. HAWES u. S.L. HILLIER (1999)

The identification of vaginal *Lactobacillus* species and the demographic and microbiologic characteristics of women colonized by these species.

J. Inf. Dis. 180, 1950-1956

McGROARTY, J.A. (1992)

Hydrogen peroxide production by *Lactobacillus* species: correlation with susceptibility to the spermicidal compound Nonoxynol-9.

J. Inf. Dis. 165, 1142-1144

MERCENIER, A. (1999)

Lactic acid bacteria as live vaccines.

in: G.W. TANNOCK (Hrsg.): Probiotics - A critical review.

Horizon Scientific Press, Wymondham, Uk, 113-127

MILLS, C.K. u. E.F. LESSEL (1973)

Lactobacterium zeae Kuznetsov, a later subjective synonym of *Lactobacillus casei* (Orla-Jensen) Hansen and Lessel.

Int. J. Systemat. Bacteriol. 23, 430-432

- MITSUOKA, T. (1969)
Vergleichende Untersuchungen über die Laktobazillen aus den Faeces von Menschen, Schweinen und Hühnern.
Zbl. Bakt. Hyg., I Abt Orig. A 210, 32-51
- MITSUOKA, T. (1992)
The human gastrointestinal tract.
In: WOOD, B.J.B. (Hrsg.): The Lactic Acid Bacteria, Vol 1., The Lactic Acid Bacteria in Health and Disease, Elsevier, London, 69-114
- MITSUOKA, T. u. K. OHNO (1976)
Die Faecalflora bei Menschen.
V. Mitteilung: Die Schwankungen in der Zusammensetzung der Faecalflora gesunder Erwachsener.
Zbl. Bakt. Hyg., I Abt Orig. A 238, 228-236
- MORI, K., K. YAMAZAKI, T. ISHIYAMA, M. KATSUMATA, K. KOBAYASHI, Y. KAWAI, N. INOUE u. H. SHINANO (1997):
Comparative sequence analyses of the genes coding for 16S rRNA of *L. casei*-related taxa.
Int. J. Systemat. Bacteriol. 47, 54-57
- MORELLI, L., G. KLEIN u. G. REUTER (1997)
Genetic stability of gram-positive strains: Summary of a round table discussion.
in: REUTER, G., G. KLEIN, P. HEIDT u. V. RUSCH (Hrsg.): Microecology and Therapy 26, Herborn Litterae-Verlag, Herborn, 283-288.
- MORO, E. (1900)
Ueber den *Bacillus acidophilus* n. spec.
Ein Beitrag zur Kenntnis der normalen Darmbakterien des Säuglings.
Jahrb. Kinderheilkunde 52, 38-55
- MULLIS, K.B. u. F.A. FALOONA (1987)
Specific synthesis of DNA in vitro via a polymerase-catalyzed chain reaction method.
Enzymol. 155, 335-350
- MUYZER, G., E.C. DE WAAL u. A.G. UITTERLINDEN (1993)
Profiling of complex microbial populations by denaturing gradient gel electrophoresis analysis of polymerase chain reaction-amplified genes coding for 16S rRNA.
Appl. Environm. Microbiol. 59, 695-700
- NAKAMURA, L.K. (1981)
Lactobacillus amylovorus, a new starch-hydrolyzing species from cattle waste-corn fermentations.
Int. J. Systemat. Bacteriol. 31, 56-63
- National Center for Biotechnology Information (NCBI) (1997)
Online Computer-Program, Bethesda, MD, USA, <http://www.ncbi.nlm.nih.gov>
(zuletzt besucht am 01.07.01)

NAUDÉ, W. D. T., A. SWANEPOEL, R.H. BÖHMER u. E. BOLDING (1988)
Endocarditis caused by *Lactobacillus casei* subspecies *rhamnosus*.
SAMJ 73, 612-614

NISSEN, H. u. R. DAINTY (1995)
Comparison of the use of rRNA probes and conventional methods in
identifying *Lactobacillus sake* and *L. curvatus* isolated from meat
Int. J. Food Microbiol. 25, 311-315

NISSLE, A. (1929)
Die Heilung der chronischen Obstipation mit Mutaflor, ihre Grundlagen und
ihre Bedeutung.
Münch. Med. Wschr. 76, 1745-1748

NURMI, J.E. u. M. RANTALA (1973)
New aspects of *Salmonella* infections in broiler production.
Nature 214, 210-211

OLIVE, D.M. u. P. BEAN (1999)
Principles and applications of methods for DNA-based typing of microbial
organisms.
J. Clin. Microbiol. 37, 1661-1669

ORLA-JENSEN, S. (1916)
Mælkeri-Bakteriologi.
Scønbergste Forlag, Kopenhagen

ORLA-JENSEN, S. (1919)
The lactic acid bacteria.
A.F. Det Kongelige Danske Videnskabernes Selskabs Skrifter, Naturv. og.
mathem, Afd., 8. Reihe V. 2, Hørst & Son, Hof Boghandel, Kopenhagen,
1-196

ORLA-JENSEN, S. (1943)
The lactic acid bacteria.
Det Kongelige Danske Videnskabernes Selskabs, Biologiske Skrifter, Bd. 2,
Nr. 3, Erg.bd. Komm. H.E. Munksgaard, Kopenhagen

O'Sullivan, D.J. (1999)
Methods for analysis of the intestinal microflora.
in: G.W. TANNOCK (Hrsg.): Probiotics - A critical review.
Horizon Scientific Press, Wymondham, Uk, 23-44

PACK, A. (1997)
Protein-Fingerprinting zur Abgrenzung von Spezies und Stämmen der
"*Lactobacillus acidophilus*-Gruppe"
Berlin, Freie Univ., Fachbereich Veterinärmedizin, Diss.

PACK, A., G. KLEIN u. G. REUTER (1995)

Protein-Fingerprinting bei biotechnologisch eingesetzten Laktobazillen-Stämmen.
Proc. 36. Arbeitstagung des Arbeitsgebietes Lebensmittelhygiene der Deutschen
Veterinärmedizinischen Gesellschaft, Garmisch-Partenkirchen, 25.-29.9.1995,
Gießen, Eigenverlag der DVG, Tagungsband II, 200-204

PACK, A., G. KLEIN u. G. REUTER (1996)

Zur taxonomischen Einstufung von „*Lactobacillus acidophilus* 1“ aus
Joghurprodukten.
Proc. 37. Arbeitstagung des Arbeitsgebietes Lebensmittelhygiene der Deutschen
Veterinärmedizinischen Gesellschaft, Garmisch-Partenkirchen, 30.9.-2.10.1996,
Gießen, Eigenverlag der DVG, Tagungsband II, 171-177

PETRICK, H.A.R., R.E. AMBROSIO U. W.H. HOLZAPFEL (1988)

Isolation of a DNA Probe for *Lactobacillus curvatus*.

Appl. Environ. Microbiol. 54, 405-408

PIEHL, I. (1995)

Molekularbiologische Feindifferenzierung biotechnologisch genutzter Laktobazillen-
stämme und ihre Abgrenzung von klinischen Isolaten mit der Arbitrarily Primed
Polymerase Chain Reaction-Methode (AP-PCR).
Berlin, Freie Univ., Fachbereich Veterinärmedizin, Diss.

PIEHL, I., BÜLTE, M. u. G. REUTER (1995):

Pulsfeld-Gelelektrophorese zur Feindifferenzierung von Mikroorganismen - ein
Beitrag zur Charakterisierung von Probiotika-Stämmen.
Proc. 36. Arbeitstagung des Arbeitsgebietes Lebensmittelhygiene der Deutschen
Veterinärmedizinischen Gesellschaft, Garmisch-Partenkirchen, 25.-29.9.1995,
Eigenverlag der DVG Tagungsband, 226-233

POT, B., C. HERTEL, W. LUDWIG, P. DESCHEEMAEKER, K. KERSTERS u.

K.-H. SCHLEIFER (1993)

Identification and classification of *Lactobacillus acidophilus*, *L. gasseri*, and *L.*
johsonii strains by SDS-PAGE and rRNA-targeted oligonucleotide probe
hybridization.

J. Gen. Microbiol. 139, 513-517

POT, B., LUDWIG, W., KERSTERS, K. u. K.H. SCHLEIFER (1994)

Taxonomy of lactic acid bacteria.

in: DE VUYST, L. u. E.J. VANDAMME (Hrsg.): Bacteriocins of lactic acid
bacteria: Genetics and Applications. Chapman and Hall, Glasgow, UK, 13-89

POUWELS, P.H., R.J. LEER, M. SHAW, M.-J. HEIJNE DEN BAK-GLASHOUWER,

F.D. TIELEN, E. SMIT, B. MARTINEZ, J. JORE u. P.L. Conway (1998)

Lactic acid bacteria as antigen delivery vehicles for oral immunization purposes.

Int. J. Food Microbiol. 41, 155-167

- POUWELS, P.H. (2000)
Gut-associated lactobacilli for oral immunization.
5th Karlsruhe Nutrition Symposium, Karlsruhe, 22.-24. Oktober 2000
Abstracts in: Tagungsband S. 19
- REID, G. (1999)
The scientific basis for probiotic strains of *Lactobacillus*.
Appl. Environm. Microbiol. 65, 3763-3766
- REID, G., J.A. McGROARTY, L. TOMECKE U. A.W. BRUCE (1996)
Identification and plasmid profiles of *Lactobacillus* species from the vaginas of 100 healthy women.
FEMS Immunol. Med. Microbiol. 15, 23-26
- REUTER, G. (1963a):
Zur Beeinflußbarkeit der Darmflora des Menschen im Säuglings- und Erwachsenenalter durch die Nahrung, insbesondere auch durch ihren Gehalt an Laktobazillen
Medizin und Ernährung 4, 188-190
- REUTER, G. (1963b)
Vergleichende Untersuchungen über die Bifidus-Flora im Säuglings- und Erwachsenenstuhl.
Zbl. Bakt. I Orig 197, 486-507
- REUTER, G. (1964)
Vergleichsuntersuchungen an 90 thermophilen Laktobazillen-Stämmen verschiedener Herkunft.
Zbl. Bakt. I. Orig. 193, 454-466
- REUTER, G. (1965a)
Das Vorkommen von Laktobazillen in Lebensmitteln und ihr Verhalten im menschlichen Intestinaltrakt.
Zbl. Bakt. I Orig. 197, 468-487
- REUTER, G. (1965b)
Untersuchungen über die Zusammensetzung und Beeinflußbarkeit der menschlichen Magen- und Darmflora unter besonderer Berücksichtigung der Laktobazillen.
Ernährungsforschung 10, 429-435
- REUTER, G. (1969)
Zusammensetzung und Anwendung von Bakterienkulturen für therapeutische Zwecke.
Arzneimittelforschung / Drug Res. 19, 103-109
- REUTER, G. (1970a)
Laktobazillen und verwandte Mikroorganismen in Fleisch und Fleischwaren.
1. Mitteilung: Vorkommen und Bedeutung (Literaturübersicht)
Fleischwirtsch. 50, 951-954

- REUTER, G. (1970b)
Laktobazillen und verwandte Mikroorganismen in Fleisch und Fleischwaren.
2. Mitteilung: Die Charakterisierung der isolierten Laktobazillenstämme.
Fleischwirtsch. 50, 954-962
- REUTER, G. (1971a)
Laktobazillen und verwandte Mikroorganismen in Fleisch und Fleischwaren.
5. Mitteilung: Lipolytische Aktivitäten (Tributyrinspaltung).
Fleischwirtsch. 51, 67-70
- REUTER, G. (1971b)
Laktobazillen und verwandte Mikroorganismen in Fleisch und Fleischwaren.
6. Mitteilung: Proteolytische Enzymaktivitäten.
Fleischwirtsch. 51, 945-952
- REUTER, G. (1971c)
Laktobazillen und verwandte Mikroorganismen in Fleisch und Fleischwaren.
7. Mitteilung: Kohlenhydratstoffwechselprodukte und antagonistische Aktivitäten gegenüber saprophytären und enterotoxischen Mikroorganismen.
Fleischwirtsch. 51, 1237-1242
- REUTER, G. (1972)
Untersuchungen zur antagonistischen Wirkung der Milchsäurebakterien auf andere Keimgruppen der Lebensmittelflora
Zbl. Vet. Med B, 19, 320-334
- REUTER, G. (1973)
Zur Systematik hygienisch und technologisch wichtiger Bakterien in der Milchwirtschaft.
Deutsche Molkerei-Zeitung 94, 644-655
- REUTER, G. (1985)
Elective and selective media for lactic acid bacteria.
Int. J. Food Microbiol. 2, 55-68
- REUTER, G. (1990)
Bifidobacteria cultures as components of yoghurt-like products.
Bifidobacteria and Microflora 9, 107-118
- REUTER, G. (1996)
Mikrobiologie des Fleisches.
in: H. WEBER (Hrsg.): *Mikrobiologie der Lebensmittel*
Behr's Verlag, Hamburg, 1-116
- REUTER, G. (1997a)
Was ist unter Döderlein-Bakterien zu verstehen?
12. Int. Tagung: Infektionen in der Gynäkologie, Geburtshilfe und Urologie,
München, Klinikum Großhadern, 15.02.1997

- REUTER, G. (1997b)
Present and future of probiotics in Germany and in Central Europe.
Biosci. Microflora 16 (2), 43-51
- REUTER, G. (2001a)
Probiotika - Möglichkeiten und Grenzen ihres Einsatzes in Lebensmitteln, im Tierfutter und pharmazeutischen Präparaten für Mensch und Tier.
Berl. Münch. Tierärztl. Wschr. 114, 410-419
- REUTER, G. (2001b)
The *Lactobacillus* and *Bifidobacterium* microflora of the human intestine: composition and succession.
Curr. Issues Intest. Microbiol. 2 (2), 43-53
- REUTER, G., G. KLEIN u. M. GOLDBERG (2000a)
Probleme der sicheren Identifizierung probiotischer Kulturen in Lebensmitteln.
Proc. 41. Arbeitstagung des Arbeitsgebietes Lebensmittelhygiene der Deutschen Veterinärmedizinischen Gesellschaft, Garmisch-Partenkirchen, 25.-29.9.2000, Gießen, Eigenverlag der DVG, 290-301
- REUTER, G., G. KLEIN u. M. GOLDBERG (2000b)
Identification of probiotic cultures in food samples.
5th Karlsruhe Nutrition Symposium, Karlsruhe, 22.-24 Oktober 2000
Abstracts in: Tagungsband S. 15
Food Res. Int., MS No. 21
- ROBERFROID, M.B. (1998)
Prebiotics and synbiotics: concepts and nutritional properties.
Brit. J. Nutr. 80, Suppl. 2 S197-S202
- ROGOSA, M. u. M.E. SHARPE (1960)
Species differentiation of human vaginal lactobacilli.
J. Gen. Microbiol. 23, 197-201
- ROGOSA, M., R.S. WISEMAN, J.A. MITCHELL, M.N. DISRAELY u. A.J. BEAMAN (1953)
Species differentiation of oral lactobacilli from man including descriptions of *Lactobacillus salivarius* nov. spec. and *cellobiosus* nov. spec.
J. Bact. 65, 681-699
- ROLFE, R.D. (2000)
The role of probiotic cultures in the control of gastrointestinal health.
J. Nutr. 130, 396S-402S
- RODTONG, S. u. G.W. TANNOCK (1993)
Differentiation of *Lactobacillus* strains by ribotyping.
Appl. Environm. Microbiol. 59, 3480-3484
- ROSENBAUM, V. u. D. RIESNER (1987)
Temperature-gradient-gel-electrophoresis-thermodynamic analysis of nucleic acids and proteins in purified form and in cellular extracts.
Biophys. Chem. 26, 235-246

- ROUSSEL, Y., C. COLMIN, J.M. SIMONET u. B. DECARIS (1993)
Strain characterization, genome size and plasmid content in the *Lactobacillus acidophilus* group.
J. Appl. Bacteriol. 74, 549-556
- ROY, D., P. WARD, D. VINCENT u. F. MONDOU (2000)
Molecular identification of potentially probiotic lactobacilli.
Curr. Microbiol. 40, 40-46
- ROZEN; S. u. H. SKALETSKY (1996, 1997)
Primer3.
Code available at:
http://www.genome.wi.mit.edu/genome_software/other/primer3.html
- SALMINEN, S. u. A. VON WRIGHT (1998)
Probiotics - safety assured.
Microbial Ecol. Health Dis. 10, 68-77
- SALMINEN, S., M. LAINE, A. VON WRIGHT, J. VUOPIO-VARKILA, T. KORHONEN u. T. MATTILA-SANDHOLM (1996a)
Development of selection criteria for probiotic strains to assess their potential in functional foods: a Nordic and European approach.
Bioscience and Microflora 15, 61-67
- SALMINEN, S., E. ISOLAURI u. E. SALMINEN (1996b)
Clinical uses of probiotics for stabilizing the gut mucosal barrier: successful strains and future challenges.
Anton. van Leeuwen. 70, 347-358
- SALMINEN, S., A. VON WRIGHT, L. MORELLI, P. MARTEAU, D. BRASSART, W.M. DE VOS, R. FONDÉN, M. SAXELIN, K. COLLINS, G. MOGENSEN, S.E. BIRKELAND u. T. MATILLA-SANDHOLM (1998)
Demonstration of safety of probiotics - a review.
Int. J. Food Microbiol. 44, 93-106
- SANDERS, M.E. (1993)
Summary of conclusions from consensus panel of experts on health attributes of lactic cultures: Significance of fluid milk products containing cultures.
J. Dairy Sci. 76, 1819-1828
- SANDERS, M.E. (1998)
Overview of functional foods: Emphasis on probiotic bacteria.
I. Dairy J. 8, 341-347
- SANDERS, M.E. (2000)
Considerations for use of probiotic bacteria to modulate human health.
J. Nutr. 130, 384S-390S
- SARRA, P.G., F. DELLAGLIO u. V. BOTAZZI (1985)
Taxonomy of lactobacilli isolated from the alimentary tract of chickens.
Syst. Appl. Microbiol. 6, 86-89

- SAVAGE, D.C. (1977)
Microbial ecology of the gastrointestinal tract.
Ann. Rev. Microbiol. 31, 107-133
- SHARPE, M.E., T.F. FRYER u. D.G. SMITH (1966)
Identification of the lactic acid bacteria.
in: GIBBS, B.M. u. F.A. SKINNER (Hrsg.): Identification methods for
microbiologists, Part A. Academic Press, London, 65-79
- SCHLEIFER, K.H. u. W. LUDWIG (1995)
Phylogeny of the genus *Lactobacillus* and related genera.
System. Appl. Microbiol. 18, 461-467
- SCHLEIFER, K.H., M. EHRMANN, C. BEIMFOHR, E. BROCKMANN, W. LUDWIG u.
R. AMANN (1995)
Application of molecular methods for the classification and identification of lactic
acid bacteria.
Int. Dairy. J. 5, 1081-1094
- SCHMIDT, M.A. (2000)
Probiotika in der Entwicklung von Lebendvakzinektoren.
5th Karlsruhe Nutrition Symposium, Karlsruhe, 22.-24 Oktober 2000
Abstracts in: Tagungsband S. 19
- SCHREZENMEIR, J. (1999)
Funktionelle Lebensmittel.
in: Werkstattbericht 5 der Stockmeyer-Stiftung für Lebensmittelforschung.
Bonn, 21.10.1999, 49-54
- SCHWIERTZ, A., G. LE BLAY u. M. BLAUT (2000)
Quantification of different *Eubacterium* spp. in human fecal samples with specific
16S rRNA-targeted oligonucleotide probes
Appl. Environm. Microbiol. 66, 375-382
- SIMON, O. (2001)
Probiotika - als Futterzusatzstoffe in der Tierernährung.
Podiumsveranstaltung des Fachausschusses Landwirtschaft und Ernährung des
Biotechnologie Verbundes Berlin-Brandenburg e.V., Berlin, 23.01.2001,
unveröffentlicht
- SIMPSON, J.M., V.J. McCACKEN, H.R. GASKINS u. R.I. MACKIE (2000)
Denaturing gradient gel electrophoresis analysis of 16S ribosomal DNA
amplicons to monitor changes in fecal bacterial populations of weaning pigs after
introduction of *Lactobacillus reuteri* strain MM53.
Appl. Environm. Microbiol. 66, 4705-4714
- SNEATH, P.H.A. (1992)
International code of nomenclature of bacteria: bacteriological code. 1990
revision.
American Society for Microbiology, Washington D.C.

- SONG, Y.L., N. KATO, Y. MATSUMIYA, C. LIU, H. KATO u. K. WATANABE (1999)
Identification of and hydrogen peroxide production by fecal and vaginal lactobacilli
isolated from Japanese women and newborn infants.
J. Clin. Microbiol. 37, 3062-3064
- SONNENBORN, U. u. J. SCHULZE (1997)
Actual clinical studies on the efficacy of a probiotic drug.
in: REUTER, G., G. KLEIN, P. HEIDT u. V. RUSCH (Hrsg.): Microecology and
Therapy 26, Herborn Litterae-Verlag, Herborn, 211-220
- STACKEBRANDT, E. u. M. TEUBER (1988)
Molecular taxonomy and phylogenetic position of lactic acid bacteria.
Biochimie 70, 317-324
- STACKEBRANDT, E. u. B.M. GOEBEL (1994)
Taxonomic note: A place for DNA-DNA reassociation and 16S rRNA sequence
analysis in the present species definition in bacteriology.
Int. J. Systemat. Bacteriol. 44, 846-849
- STÄHL, M., G. MOLIN, A. PERSSON, S. AHRNÉ u. S. STÄHL (1990)
Restriction endonuclease patterns and multivariate analysis as a classification
tool for *Lactobacillus* spp.
Int. J. System. Bact. 40, 189-193
- STARK, P.L. u. A. LEE (1982)
The microbial ecology of the large bowel of breast-fed and formulated infants
during the first year of life.
J. Med. Microbiol. 15, 189-203
- STILES, M.E (1996)
Biopreservation by lactic acid bacteria.
Anton. van Leeuw. 70, 331-345.
- STILES, M.E u. W.H. HOLZAPFEL (1997)
Lactic acid bacteria of foods and their current taxonomy.
Int. J. Food Microbiol. 36, 1-29
- SVENSSON, U. (1999)
Industrial perspectives.
in: G.W. TANNOCK (Hrsg.): Probiotics - A critical review.
Horizon Scientific Press, Wymondham, UK, 57-64
- TANNOCK, G.W. (1997)
Probiotic properties of lactic acid bacteria: plenty of scope for fundamental R&D.
Trends Biotechnol. 15, 270-274
- TANNOCK, G.W. (1998)
Studies of the intestinal microflora: a prerequisite for the development of
probiotics.
Int. Dairy J. 8, 527-533

- TANNOCK, G.W., FULLER, R. u. K. PEDERSEN (1990)
Lactobacillus succession in the piglet digestive tract demonstrated by plasmid profiling.
Appl. Environm. Microbiol. 56, 1310-1316
- TANNOCK, G.W., A. TILSALA-TIMISJÄRVI, S. RODTONG, J. NG, N. MUNRO u. T. ALATOSSAVA (1999)
Identification of *Lactobacillus* isolates from gastrointestinal tract, silage, and yoghurt by 16S-23S rRNA gene intergenic spacer region sequence comparisons.
Appl. Environm. Microbiol. 65, 4264-4267
- TANNOCK, G.W., K. MUNRO, H.J.M. HARMSEN, G.W. WELLING, J. SMART u. P.K. GOPAL (2000)
Analysis of the fecal Microflora of human subjects consuming a probiotic product containing *Lactobacillus rhamnosus* DR 20.
Appl. Environm. Microbiol. 66, 2578-2588
- TEUBER, M. (2000)
Probiotic lactobacilli implicated in liver abscess.
ASM News 66, 59
- TENOVER, F.C. (1988)
Diagnostic deoxyribonucleic acid probes for infectious diseases.
Clin. Microbiol. Rev. 1, 82-101
- TILSALA-TIMISJÄRVI, A. u. T. ALATOSSAVA (1997)
Development of oligonucleotide primers from the 16S-23S rRNA intergenic sequences for identifying different dairy and probiotic lactic acid bacteria by PCR.
Int. J. Food Microbiol. 35, 49-56
- TILSALA-TIMISJÄRVI, A. u. T. ALATOSSAVA (1998)
Strain-specific identification of probiotic *Lactobacillus rhamnosus* with randomly amplified polymorphic DNA-derived PCR primers.
Appl. Environm. Microbiol. 64, 4816-4819
- TORRIANI, S., C.A. VAN REENEN, G. KLEIN, G. REUTER, F. DELLAGLIO u. L.M.T. DICKS (1996)
Lactobacillus curvatus subsp. *curvatus* subsp. nov. and *Lactobacillus curvatus* subsp. *melibiosus* subsp. nov. and *Lactobacillus sake* subsp. *sake* subsp. nov. and *Lactobacillus sake* subsp. *carnosus* subsp. nov., new subspecies of *Lactobacillus curvatus* Abo-Elnaga and Kandler 1965 and *Lactobacillus sake* Katagiri, Kitahara, and Fukami 1934 (KLEIN et al., 1996, emended descriptions), respectively.
Int. J. System. Bact. 46, 1158-1163
- TORRIANI, S., C. ORSI u. M. VESCOVO (1997)
Potential of *Lactobacillus casei*, culture permeate, and lactic acid to control microorganisms in ready-to-use vegetables.
J. Food Protect. 60, 1564-1567

- TORRIANI, S., G. ZAPPAROLI u. F. DELLAGLIO (1999)
Use of PCR-based methods for rapid differentiation of *L. delbrueckii* subsp. *bulgaricus* und *L. delbrueckii* subsp. *lactis*.
Appl. Environm. Microbiol. 65, 4351-4356
- TYNKKYNNEN, S., R. SATOKARI, M. SAARELA, T. MATTILA-SANDHOLM u. M. SAXELIN (1999)
Comparison of ribotyping, randomly amplified polymorphic DNA Analysis, and pulsed-field gel electrophoresis in typing of *Lactobacillus rhamnosus* and *L. casei*-strains.
Appl. Environ. Microbiol. 65, 3908-3914
- VANDAMME, P., B. POT, M. GILLIS, P. DE VOS, K. KERSTERS u. J. SWINGS (1996)
Polyphasic approach to bacterial systematics.
Microbiol. Rev. 60, 407-438
- VANDENBERGH, P.A. (1993)
Lactic acid bacteria, their metabolic products and interference with microbial growth.
FEMS Microbiol. Rev. 12, 221-238
- VAN REENEN, C.A. u. L.M.T. DICKS (1996)
Evaluation of numerical analysis of random amplified polymorphic DNA (RAPD)-PCR as a method to differentiate *Lactobacillus plantarum* and *Lactobacillus pentosus*.
Current Microbiol. 32, 183-187
- VESCOVO, M., S. TORRIANI, G. SCOLARI u. L.M.T. DICKS (1995)
Lactobacillus casei and related species: a review
Ann. Microbiol. Enzimol. 45, 51-83
- VOGEL, R.F., G. BÖCKER, P. STOLZ, M. EHRMANN, D. FANTA, W. LUDWIG, B. POT, K. KERSTERS, K.H. SCHLEIFER U. W.P. HAMMES (1994)
Identification of lactobacilli from sourdough by physiological characterisation, protein pattern analysis and 16S rRNA sequencing, development of oligonucleotide probes, and description of *Lactobacillus pontis* sp. nov.
Int. J. System. Bacteriol. 44, 223-229
- WALTER, J., G.W. TANNOCK, A. TILSALA-TIMISJARVI, S. RODTONG, D.M. LOACH, K. MUNRO u. T. ALATOSSAVA (2000)
Detection and identification of gastrointestinal *Lactobacillus* species by using denaturing gradient gel electrophoresis and species specific primers.
Appl. Environm. Microbiol. 66, 297-303
- WARD, L.J.H. u. M.J. TIMMINS (1999)
Differentiation of *Lactobacillus casei*, *Lactobacillus paracasei* and *Lactobacillus rhamnosus* by polymerase chain reaction.
Lett. Appl. Microbiol. 29, 90-92

- WEISS, N. U. SCHILLINGER, M. LATERNER u. O. KANDLER (1983a)
Lactobacillus sharpeae sp. nov. and *Lactobacillus agilis* sp.nov., two new species of homofermentative, meso-diaminopimelic acid-containing lactobacilli isolated from sewage.
Zbl. Bakt. Hyg., Abt. I Orig. C 2, 242-253
- WEISS, N. U. SCHILLINGER u. O. KANDLER (1983b)
Lactobacillus lactis, *Lactobacillus leichmannii* and *Lactobacillus bulgaricus*, subjective synonyms of *Lactobacillus delbrueckii* subsp. *lactis* comb. nov. and *Lactobacillus delbrueckii* subsp. *bulgaricus* comb. nov.
System. Appl. Microbiol. 4, 552-557
- WELLS, J.M., K. ROBINSON, L.M. CHAMBERLAIN, K.M. SCHOFIELD u. R.W.F. LE PAGE (1996)
Lactic acid bacteria as vaccine delivery vehicles.
Anton. van Leeuwen. 70, 317-330
- WHEELER ALM, E., D.B. OERTHER, N. LARSEN, D.A. STAHL u. L. RASKIN (1996)
The oligonucleotide probe database.
Appl. and Environ. Microbiol. 62, 3557-3559
- WISKER, E. (2001)
Präbiotika.
Podiumsveranstaltung des Fachausschusses Landwirtschaft und Ernährung des Biotechnologie Verbundes Berlin-Brandenburg e.V., Berlin, 23.01.2001,
unveröffentlicht
- WOESE, C.R. (1987)
Bacterial evolution.
Microb. Rev. 51, 221-271
- XANTHOPOULOS, V., I. ZTALIOU, W. GAIER, N. TZANETAKIS u. E. LITOPOULOU-TZANETAKI (1999)
Differentiation of *Lactobacillus* isolates from infant faeces by SDS-PAGE and rRNA-targeted oligonucleotide probes.
J. Appl. Microbiol. 87, 743-749
- YOUNG, B.D. u. M.L.M. ANDERSON (1985)
Quantitative analysis of solution hybridsation.
in: HAMES, B.D. u. S.J. HIGGINS (Hrsg.): Nucleic acid hybridisation - A practical approach, Oxford University Press, Oxford, 47-111
- ZHONG, W., K. MILLSAP, H. BIALKOWSKA-HOBRZANSKA u. G. REID (1998)
Differentiation of *Lactobacillus* species by molecular typing.
Appl. Environm. Microbiol. 64, 2418-2423
- ZHOU, J.S., Q. SHU, K.J. RUTHERFURD, J. PRASAD, P.K. GOPAL u. H.S. GILL (2000)
Acute oral toxicity and bacterial translocation studies on potentially probiotic strains of lactic acid bacteria.
Food Chem Toxicol. 38, 153-161

ZIEMER, C.J. u. G.R. GIBSON (1998)

An overview of probiotics, prebiotics and synbiotics in the functional food concept: perspectives and future strategies.

Int. Dairy J. 8, 473-479