

Contents

1	Introduction and preliminaries	5
1.1	Introduction	5
1.2	Preliminaries	6
1.2.1	The known geometries for the O’Nan sporadic group	8
2	Generators and relations for the Buekenhout geometry	9
2.1	The geometry of Buekenhout for the O’Nan group	9
2.2	Generators and relations for Buekenhout’s geometry	10
2.2.1	A presentation for the Borel subgroup	10
2.2.2	Presentations for the minimal parabolic subgroups	10
2.2.3	Presentations for the groups generated by two minimal parabolics	12
2.3	Canonical generators and relations for $L_3(7) : 2$	14
2.3.1	A presentation for a maximal parabolic subgroup for $PG(2, 7)$	14
2.3.2	Adding the graph automorphism	15
2.3.3	3×3 -matrices for the canonical generators	15
2.4	Identification of the geometric generators	16
2.4.1	The generators z , x and ρ	16
2.4.2	The generator X	16
2.4.3	The generator Y	16
2.4.4	The generator Z	17
2.5	Identification of the canonical generators	18
2.5.1	The generators ρ , x and i	18
2.5.2	The generator ν	18
2.5.3	The generator u	18
2.5.4	The generators v_1 and v_2	18
2.5.5	The presentation for $L_3(7) : \mathbb{Z}_2$	18
2.6	Canonical generators and relations for $L_3(4) : 2_1$	19
2.6.1	A presentation for a maximal parabolic subgroup for $PG(2, 4)$	19
2.6.2	Adding the unitary polarity	19
2.7	Generators and relations for $\mathbb{Z}_4 L_3(4) : 2_1$	20
2.8	Identification of the geometric generators	22

2.8.1	The generators z , $(XY)^2$ and a	22
2.8.2	The generators X and Y	23
2.8.3	The generator ρ	23
2.8.4	The presentation for $\mathbb{Z}_4L_3(4) : \mathbb{Z}_2$	24
2.9	A presentation for the amalgam of Buekenhout's geometry	24
3	Generators and relations for the Ivanov-Shpectorov geometry	27
3.1	The Ivanov-Shpectorov geometry for the O'Nan sporadic group	27
3.2	A presentation of J_1	27
3.2.1	Additional relations for G_4	28
3.2.2	Additional relations for G_1	29
3.2.3	Amalgamation of G_3 and G_4	29
3.3	A presentation of M_{11}	29
3.4	Some geometry for $\mathbb{Z}_2^5 : A_5$	30
3.5	Generators and relations for the Ivanov-Shpectorov geometry	31
4	Constructing an irreducible representation for the Buekenhout geometry	34
4.1	Introduction	34
4.2	Constructing matrices for $L_3(7) : \mathbb{Z}_2$	35
4.2.1	The irreducible 57-dimensional $GF(3)$ -module	35
4.2.2	The irreducible 96-dimensional $GF(3)$ -module	46
4.2.3	The 154-dimensional representation of $L_3(7) : \mathbb{Z}_2$	50
4.3	The construction of the generator a	50
4.3.1	Computing a on V_{44}	52
4.3.2	Extending a	53
5	Construction of the Ivanov-Shpectorov Geometry out of the Buekenhout Geometry	58
5.1	G has a subgroup $L \simeq \mathbb{Z}_4^3L_3(2)$	58
5.2	Construction of the maximal parabolic groups of the Ivanov-Shpectorov geometry	60
A	The transformation matrix T	62
B	The 44-dimensional matrices	70
C	The 44-dimensional matrices obtained by the Meataxe	74
D	The generators of $C_{GL_{44}(3)}(\langle X_{44}, Y_{44}, \rho_{44} \rangle)$	80
E	The suitable candidates $a_{44,i}$	86

	4
F The matrix a	95
BIBLIOGRAPHY	103