

## 6 Literaturverzeichnis

1. Bommer J, Ritz E, del Pozo E, Bommer G: Improved sexual funktion in male haemodialysis patients on bromocriptine. *Lancet* (1979/II), 496-497
2. Bonomini V, Orsoni G, Stefoni S, Vangelista A: Hormonal changes in uremia. *Clin Nephrol* 11 (1979) 275-280
3. Born J, Muth S, Fehm HL: The significance of sleep onset and slow wave sleep for nocturnal release of growth hormone and cortisol. *Psychoneuroendocrinology* 13 (1988) 233-243
4. Breckwoldt M, Keck C: Physiologie der Ovarialfunktion. In: Dudenhausen JW, Schneider HPG: *Frauenheilkunde und Geburtshilfe*. De Gruyter, Berlin, 1994
5. Bundschuh HD: Gonadenfunktion bei urämischen Patienten. In: *Urämie als Intoxikationszustand*. Wiss Inform Nephrol Fresenius-Stiftung, Suppl. 6 (1978) 134
6. Conlon JM, McCulloch AJ, Ward M, Goodship T, Alberti KG: Unimpaired clearance of somatostatin 14 in chronic renal failure. *Horm Metab Res* 16 (1984) 151-152
7. Corvol P, Bertagna X, Bedrossian J: Increased steroid metabolic clearance rate in anephric patients. *Acta Endocrinol (Copenh)* 75 (1974) 756-762
8. Czekalski S, Malczewska B, Sobieszcyk S, Kozak W, Eder M, Baczyk K: Serum concentration of pituitary thyroid and gonadal hormones in nondialysed and dialysed male with chronic renal failure. *Proc Europ Dial Transplant Ass* 15 (1978) 599-600
9. De Vries CP, Gooren LJ, Oe PL: Haemodialysis and testikular funktion. *Int J Androl* 7 (1984) 97-103
10. Emmanuell D, Lindheimer M, Katz A: Pathogenesis of endocrine abnormalities in uremia. *Endocr Rev* 1 (1980) 28-44
11. Ferland L, Labrie F, Kelly PA, Raymond V: Interactions between hypothalamic and peripheral hormones in the control of prolactin secretion. *Fed Proc* 39 (1980) 2917-2922
12. Ferraris J, Saenger P, Levine L, New M, Pang S, Saxena BB, Lewy JE: Delayed puberty in males with chronic renal failure. *Kidney Int* 18 (1980) 344-350

13. Ferraris J, Domene HM, Escobar ME, Galetti MG, Ramirez JA, Rivarola MA: Hormonal profile in pubertal females with chronic renal failure: Before and under haemodialysis and after renal transplantation. *Acta Endocrinol (Copenh)* 115 (1987) 289-296
14. Finidori J, Postel-Vinay C, Kleinknecht C: Lactogenic and somatotropic binding sites in liver membranes of rats with renal insufficiency. *Endocrinology* 106 (1980) 1960-1965
15. Foulks C, Cushner HM: Sexual dysfunction in the male dialysis patient: pathogenesis, evaluation, and therapy. *Amer J Kidney Dis* 8 (1986) 211-222
16. Ginsburg ES, Owen WF: Reproductive endocrinology and pregnancy in women on hemodialysis. *Semin Dialys* 6 (1993) 105-116
17. Gokal R: Quality of life in patients undergoing renal replacement therapy. *Kidney Int* 43, Suppl. 40 (1993) 23-27
18. Gomez F, de la Cueva R, Wauters JP: Endocrine abnormalities in patients undergoing long term hemodialysis. *Amer J med* 68 (1980) 522-530
19. Hagen C, Olgaard K, McNeill AS, Fischer R: Prolactin and the pituitary-gonadal axis in male uraemic patients on regular dialysis. *Acta Endocrinol (Copenh)* 82 (1976) 29-38
20. Hasegawa K, Matsushita Y, Hiari K: Abnormal response of luteinizing hormone, follicle stimulating hormone and testosterone to luteinizing hormone-releasing hormone in chronic renal failure. *Endocrinol* 87 (1978) 467-475
21. Heaton A, Johnston DG, Haigh JW, Ward MK, Alberti KG, Kerr DN: Twenty-four hour hormonal and metabolic profiles in uraemic patients before and during treatment with continuous ambulatory peritoneal dialysis. *Clin Sci* 69 (1985) 449-457
22. Joven J, Villabona C, Rubies-Prat J, Espinel E, Galard R: Hormonal profile and serum zinc levels in uraemic men with gonadal dysfunction undergoing haemodialysis. *Clin Chim Acta* 148 (1985) 239-245
23. Kawamura J, Daijyo K, Hosokawa S, Sawaniski K, Yoshi O, Oseko F: Hypothalamo-pituitary-testicular axis in men undergoing chronic intermittent hemodialysis. *Int J Artif Org* 5 (1978) 224-230
24. Kinlaw WB, Schwartz HL, Mariash CN, et al.: Hepatic messenger ribonucleic acid activity profiles in experimental azotemia in the rat. Relationship to food intake in thyroid function. *J Clin Invest* 74 (1984) 1934-1941

25. Kreusser W, Mader H, Haag WD, Ritz E: Diminished response of ovarian cAMP to luteinizing hormone in experimental uremia. *Kidney Int* 22 (1982) 272-279
26. Lang F: *Pathophysiologie Pathobiochemie*. 4. Aufl. Enke, Stuttgart, 1990
27. Le Roith D, Danovitz G, Trestan S, Spitz JM: Dissociation of pituitary glycoprotein response to releasing hormones in chronic renal failure. *Acta Endocrinol (Copenh)* 93 (1980) 277-282
28. Leviatan D, Moser SA, Goldstein DA, Letzky OA, Lobo RA, Massry SG: Disturbances in the hypothalamo-pituitary-gonadal axis in male patients with acute renal failure. *Amer J Nephrol* 4 (1984) 99-106
29. Lewy JE, Vanwyk JJ: Somatomedin and growth retardation in children with chronic renal insufficiency. *Kidney Int* 42 (1978) 361-364
30. Lim VS, Fang VS: Restoration of plasma testosterone levels in uremic men with clomiphene citrate. *J Clinical Endocrinol* 43 (1976) 1370-1377
31. Lim VS, Henriquez C, Sievertsen G, Frohmann LA: Ovarian funktion in chronic renal failure: evidence suggesting hypothalamic anovulation. *Ann Intern Med* 93 (1980) 21-27
32. Lim VS, Kathpalia SC, Henriquez C: Endocrine abnormalities associated with chronic renal failure. *Med Clin North Am* 62 (1978) 1341-1351
33. Marumo F, Sakai T, Sato S: Response of insulin, glucagon and growth hormone to arginine infusion in patients with chronic renal failure. *Nephron* 24 (1979) 81-84
34. McDonald WJ, Golper TA, Mass RD, Kendall JW, Porter GA, Girard DE, Fischer MD: Adrenocorticotropin-cortisol axis abnormalities in hemodialysis patients. *J Clin Endocrinol Metab* 48 (1979) 92-95
35. Mehls O, Ritz E, Gilli G, Heinrich U: Role of hormonal disturbances in uremic growth failure. *Contr Nephrol* 50 (1986) 119-129
36. Metzger DL, Kerrigan JR, Krieg RJ, Chan JC, Rogol AD: Alterations in the neuroendocrine control of growth hormone secretion in the uremic rat. *Kidney Int* 43 (1993) 1042-1048
37. Mies R, Baeyer H, Figge H, Finke K, Winkelmann W: Investigations on pituitary and Leydig cell funktion in chronic hemodialysis and after renal transplantation. *Klin Wochenschr* 53 (1975) 611-615

38. Mitchell R, Bauerfeld F, Schaefer F, Scharer K, Robertson WR: Less acid forms of luteinizing hormone are associated with lower testosterone secretion in men on hemodialysis treatment. *Clin Endocrinol* 41 (1994) 65-73
39. Modlinger RS, Gutkin M: Plasma prolaktin in essential and renovascular hypertension. *J Lab Clin Med* 91 (1978) 693-697
40. Mooradian AD, Morley JE: Endocrine Dysfunction in chronic renal failure. *Arch Intern Med* 144 (1984) 351-353
41. Muir JW, Besser GM, Edwards CR, Rees LH, Catell WR, Ackrill P, Baker LR: Bromocriptine improves reduced libido and potency in men receiving maintenance hemodialysis. *Clin Nephrol* 20 (1983) 308-314
42. Naor Z, Catt KJ: Independent actions of gonadotropin-releasing hormone upon cGMP production and luteinizing hormone release. *J Biol Chem* 225 (1980) 342-344
43. Peces R, Horcajada C, Lopez-Nova JM, Frutos MA, Casado S, Hernando L: Hyperprolactinemia in chronic renal failure: impaired responsiveness to stimulation and suppression, normalisation after transplantation. *Nephron* 20 (1981) 11-16
44. Pimstone BL, Le Roith D, Epstein S, Krohnheim S: Disappearance rates of plasma growth hormone after intravenous somatostatin in renal and liver disease. *J Clin Endocrinol* 41 (1975) 392-393
45. Procci WR, Goldstein DA, Adelstein J, Massry SG: Sexual dysfunction in the male patient with uremia. A reappraisal. *Kidney Int* 19 (1981) 317-323
46. Ramirez G, Buttcher D, Brüggemeier CD, Ganguly A: Testicular defect: the primary abnormality in gonadal dysfunction of uremia. *Sth Med J* 80 (1987) 698-701
47. Ramirez G, O'Neill WM, Bloomer A, Jubiz W: Abnormalities in the regulation of growth hormone in chronic renal failure. *Arch Intern Med* 139 (1979) 267-271
48. Riegel W: Endokrine Störungen. In: Franz HE, Hörl W (Hrsg): *Blutreinigungsverfahren*. Thieme, Stuttgart, New York, 1995
49. Rodger RS, Dewar JH, Turner SJ, Watson MJ, Ward MK: Anterior pituitary dysfunction in patients with chronic renal failure treated by hemodialysis or continuous peritoneal ambulatory dialysis. *Nephron* 43 (1986) 169-172

50. Rodger RS, Fletcher K, Dewar JH, Genner D, McHugh M, Wilkinson R: Prevalence and pathogenesis of impotence in one hundred uremic men. *Uremia Invest* 8 (1984) 89-96
51. Rodger RS, Fletcher K, Genner D, Kerr DN: Sexual dysfunction in patients treated by CAPD. In: Maher JF, Winchester JF: *Frontiers in Peritoneal Dialysis*. Field Richmond, New York, 1986, S. 512
52. Ruilope LR, Garcia-Robles R, Paya C, de Villa LG, Miranda B, Morales JM, Parada J, Sancho J, Rodicio JL: Influence of lisuride, a dopaminergic agonist, on the sexual function of male patients with chronic renal failure. *Amer J Kidney Dis* 5 (1985) 182-185
53. Sachs L: *Angewandte Statistik*. Springer, Berlin, 1992
54. Samaan NA, Freeman RM: Growth hormone levels in severe renal failure. *Metabolism* 19 (1970) 102-113
55. Schaefer F, Robertson WR, Seidel C, Mitchell R, Scharer K: Pulsatile immunoreactive and bioactive luteinizing hormone secretion in adolescents with chronic renal failure. *Pediatr Nephrol* 5 (1991) 566-571
56. Schaefer F, Daschner JD, Veldhuis J, Oh J, Oadri F, Scharer K: In vivo alterations in the gonadotropin-releasing hormone pulse generator and the secretion and clearance of luteinizing hormone in the uremic castrate rat. *Neuroendocrinology* 59 (1994) 285-296
57. Schärer K: Growth and development of children with chronic renal failure. *Acta Paediat Scand* 79, Suppl. (1990) 90-92
58. Schmitz O, Moller J: Impaired prolactin response to arginine infusion and insulin hypoglycaemia in chronic renal failure. *Acta Endocrinol (Copenh)* 102 (1983) 486-491
59. Semple CG, Beastall GH, Hendeson IS, Thomson JA, Kennedy AC: The pituitary-testicular axis of uremic subjects on hemodialysis and continuous ambulatory peritoneal dialysis. *Acta Endocrinol (Copenh)* 101 (1982) 464-467
60. Sievertsen GD, Lim VS, Nakawatase C, Frohmann LA: Metabolic clearance and secretion rates of human prolactin in normal subjects and in patients with chronic renal failure. *J Clin Endocrinol* 50 (1980) 846-852
61. Steward-Bentley M, Gans D, Horton R: Regulation of gonadal function in uremia. *Metabolism* 23 (1974) 1065-1072

62. Swamy AP, Woolf PD, Cestero RVM: Hypothalamic-pituitary-ovarian axis in uremic women. *J Lab Clin Med* 93 (1979) 1066-1072
63. Talbot JA, Rodger RS, Robertson WR: Pulsatile bioactive luteinizing hormone secretion in men with chronic renal failure and following renal transplantation. *Nephron* 56 (1990) 66-72
64. Tharandt L, Graben N, Schäfer R, Plewa G, Joachim K, Siegel R, Benker G, Reinwein O: Effects of prolactin suppression on hypogonadism in patients on maintenance hemodialysis. *Proc Europ Dial Transplant Ass* 17 (1980) 323-327
65. Veldhuis JD, Iranmanesh A, Wilkowski MJ, Samojlik E: Neuroendocrine alterations in the somatotrophic and lactotropic axes in uremic men. *Europ J Endocrinol* 131 (1994) 489-498
66. Vircburger MI, Prelevic GM, Peric LA, Knezevic J, Djukanovic L: Testosterone levels after bromocriptine treatment in patients undergoing long-term hemodialysis. *J Androl* 6 (1985) 113-116
67. von Bayer H, Gahl GM, Riedinger H, Borozack R, Averdunk R, Schurig R, Kessel M: Adaption of CAPD patients to the continuous ambulatory peritoneal energy uptake. *Kidney Int* 23 (1983) 29-34
68. Zadeh JA, Koutsaimanis KG, Roberts AP, Curtis JR, Daly JR: The effect of maintenance hemodialysis and renal transplantation on the plasma testosterone levels of male patients in chronic renal failure. *Acta Endocrinol (Copenh)* 80 (1975) 577-782
69. Zinngraff J, Junger P, Pelissier C, Nahoul K, Feinstein MC, Scholler R: Pituitary and ovarian dysfunctions in women on haemodialysis. *Nephron* 30 (1982) 149