

## LITERATURVERZEICHNIS

- Brooks LJ, Byard PJ, Fouke JM, Strohl KP: Reproducibility of measurements of upper airway area by acoustic reflection. *J Appl Physiol* 66(6) (1989) 2901-5
- Buenting JE, Dalston RM, Drake AF: Nasal cavity area in term infants determined by acoustic rhinometry. *Laryngoscope* 104(12) (1994) 1439-45
- Corey JP, Gungor A, Nelson R, Fredberg J, Lai V: A comparison of the nasal cross-sectional areas and volumes obtained with acoustic rhinometry and magnetic resonance imaging. *Otolaryngol Head Neck Surg* 117(4) (1997) 349-54
- Djupesland P, Kaastad E, Franzen G: Acoustic rhinometry in the evaluation of congenital choanal malformations. *Int J Pediatr Otorhinolaryngol* 41(3) (1997) 319-37
- Djupesland PG, Lyholm B: Nasal airway dimensions in term neonates measured by continuous wide-band noise acoustic rhinometry. *Acta Otolaryngol (Stockh)* 117(3) (1997) 424-32
- Elbrond O, Felding JU, Gustavsen KM: Acoustic rhinometry used as a method to monitor the effect of intramuscular injection of steroid in the treatment of nasal polyps. *J Laryngol Otol* 105(3) (1991a) 178-80
- Elbrond O, Hilberg O, Felding JU, Blegvad Andersen O: Acoustic rhinometry, used as a method to demonstrate changes in the volume of the nasopharynx after adenoidectomy. *Clin Otolaryngol* 16(1) (1991b) 84-6
- Fisher EW, Boreham AB: Improving the reproducibility of acoustic rhinometry: a customized stand giving control of height and angle. *J Laryngol Otol* 109(6) (1995) 536-7
- Fisher EW, Morris DP, Biemans JM, Palmer CR, Lund VJ: Practical aspects of acoustic rhinometry: problems and solutions. *Rhinology* 33(4) (1995b) 219-23
- Fisher EW, Palmer CR, Daly NJ, Lund VJ: Acoustic rhinometry in the pre-operative assessment of adenoidectomy candidates. *Acta Otolaryngol (Stockh)* 115(6) (1995a) 815-22
- Fouke JM, Jackson AC: Acoustic rhinometry: effects of decongestants and posture on nasal patency. *J Lab Clin Med* 119(4) (1992) 371-6
- Gilain L, Coste A, Ricolfi F, Dahan E, Marlir LF, Illum P, Hilberg O: Septoplasty and compensatory inferior turbinate hypertrophy: a randomized study evaluated by acoustic rhinometry. *J Laryngol Otol* 107(5) (1993) 413-7
- Gurr P, Diver J, Morgan N, MacGregor F, Lund V: Acoustic rhinometry of the Indian and Anglo-Saxon nose. *Rhinology* 34(3) (1996) 156-9
- Hilberg O, Grymer LF, Pedersen OF, Elbrond O: Turbinate hypertrophy. Evaluation of the nasal cavity by acoustic rhinometry. *Arch Otolaryngol Head Neck Surg* 116(3) (1990) 283-9

- Hilberg O, Jackson AC, Swift DL, Pedersen OF: Acoustic rhinometry: evaluation of nasal cavity geometry by acoustic reflection. *J Appl Physiol* 66(1) (1989) 295-303
- Hilberg O, Pedersen OF: Acoustic rhinometry: influence of paranasal sinuses. *J Appl Physiol* 80(5) (1996) 1589-94
- Illum P: Septoplasty and compensatory inferior turbinate hypertrophy: long-term results after randomized turbinoplasty. *Eur Arch Otorhinolaryngol Suppl* 1 (1997) 89-92
- Jackson AC, Butler JP, Millet EJ, Hoppin FG Jr, Dawson SV: Airway geometry by analysis of acoustic pulse response measurements. *J Appl Physiol* 43 (1977) 523-36
- Kase Y, Hilberg O, Pedersen OF: Posture and nasal patency: evaluation by acoustic rhinometry. *Acta Otolaryngol (Stockh)* 114(1) (1994a) 70-4
- Kase Y, Itimura K, Inuma T: Acoustic rhinometry as method for evaluating paranasal sinuses-experimental studies. *Nippon Jibiinkoka Gakkai Kaiho* 96(4) (1993) 626-36
- Kase Y, Tanaka T, Mizuno M, Ichimura K, Inuma T: Influence of the angle between the nasal cavity axis and nosepiece in acoustic rhinometry. *Nippon Jibiinkoka Gakkai Kaiho* 97(8) (1994b) 1464-71
- Lenders H, Pirsig W: Acoustic rhinometry normal values in adults. *Proc. of the XIV World Congress of ORL, Head and Neck Surgery, Madrid, 10-15 Sept 1989*, edited by Sacristan T et al., Kugler & Ghedini, Amsterdam (1990a) 1533-1538
- Lenders H, Pirsig W: Acoustic rhinometry: a diagnostic tool for patients with chronic rhonchopathies. *Rhinol Suppl* 14 (1992) 101-5
- Lenders H, Pirsig W: Diagnostic value of acoustic rhinometry: patients with allergic and vasomotor rhinitis compared with normal controls. *Rhinology* 28(1) (1990b) 5-16
- Lenders H, Pirsig W: Wie ist die hyperreflektorische Rhinopathie chirurgisch zu beeinflussen? Teil II: Akustische Rhinometrie und anteriore Turbinoplastik. *Laryngorhinootologie* 69(6) (1990c) 291-7
- Lenders H, Schaefer J, Pirsig W: Turbinate hypertrophy in habitual snorers and patients with obstructive sleep apnea: findings of acoustic rhinometry. *Laryngoscope* 101(6 Pt 1) (1991) 614-8
- Lenders H, Scholl R, Brunner M: Akustische Rhinometrie: das Fledermausprinzip in der Nase. *HNO* 40(7) (1992) 239-47
- Lenders H: Akustische Rhinometrie: Eine Analyse der Meßmethode und ihrer klinischen Anwendung. *Habilitationsschrift Universität Ulm* (1992)
- Lildholdt T: Surgical versus medical treatment of nasal polyps. *Rhinol Suppl* 8 (1989) 31-3
- Mann WJ, Riechelmann H, Hinni ML: Acoustic rhinometry-predictive value in septal and turbinate surgery. *Adv Otorhinolaryngol* 51 (1997) 61-7

- Marais J, Murray JA, Marshall I, Douglas N, Martin S: Minimal cross-sectional areas, nasal peak flow and patients' satisfaction in septoplasty and inferior turbinectomy. *Rhinology* 32(3) (1994) 145-7
- Min YG, Jang YJ: Measurements of cross-sectional area of the nasal cavity by acoustic rhinometry and CT scanning. *Laryngoscope* 105(7 Pt 1) (1995) 757-9
- Morgan NJ, MacGregor FB, Birchall MA, Lund VJ, Sittampalam Y: Racial differences in nasal fossa dimensions determined by acoustic rhinometry. *Rhinology* 33(4) (1995) 224-8
- Mostafa BE: Detection of adenoidal hypertrophy using acoustic rhinomanometry. *Eur Arch Otorhinolaryngol Suppl* 1 (1997) 27-9
- Nagano E, Nonaka S: Nasal decongestion evaluated by acoustic rhinometry. *Nippon Jibiinkoka Gakkai Kaiho* 97(11) (1994) 2075-84
- O'Flynn P: Posture and nasal geometry. *Acta Otolaryngol (Stockh)* 113(4) (1993) 530-2
- Passali D, Biagini C, Di Girolamo S, Bellussi L: Acoustic rhinometry: practical aspects of measurement. *Acta Otorhinolaryngol Belg* 50(1) (1996) 41-5
- Pedersen OF, Berkowitz R, Yamagiwa M, Hilberg O: Nasal cavity dimensions in the newborn measured by acoustic reflections. *Laryngoscope* 104(8 Pt 1) (1994) 1023-8
- Porter MJ, Williamson IG, Kerridge DH, Maw AR: A comparison of the sensitivity of manometric rhinometry, acoustic rhinometry, rhinomanometry and nasal peak flow to detect the decongestant effect of xylometazoline. *Clin Otolaryngol* 21(3) (1996) 218-21
- Rasp G: Akustische Rhinometrie: Messung der Früh- und Spätphase der allergischen Sofortreaktion bei der allergischen Rhinitis. *Laryngorhinootologie* 72(3) (1993) 125-30
- Riechelmann H, Rheinheimer MC, Wolfensberger M: Acoustic rhinometry in pre-school children. *Clin Otolaryngol* 18(4) (1993) 272-7
- Scadding GK, Darby YC, Austin CE: Acoustic rhinometry compared with anterior rhinomanometry in the assessment of the response to nasal allergen challenge. *Clin Otolaryngol* 19(5) (1994) 451-4
- Shemen L, Hamburg R: Preoperative and postoperative nasal septal surgery assessment with acoustic rhinometry. *Otolaryngol Head Neck Surg* 117(4) (1997) 338-42
- Tanaka T, Okita W, Kase Y, Iinuma T: Evaluation of the effects of nasal decongestants with acoustic rhinometry. *Nippon Jibiinkoka Gakkai Kaiho* 97(2) (1994) 207-12
- Terheyden H: Die Messgenauigkeit der Akustischen Rhinometrie, untersucht an dreidimensional rekonstruierten Computertomografien des Menschen und im Modell. *Dissertationsschrift Universität Kiel* (1993)

- Terheyden H, Maune S, Mertens J, Hilberg O: Acoustic rhinometry: validation by three-dimensionally reconstructed computer tomographic scans. *J Appl Physiol* 89 (2000) 1013-1021
- Tomkinson A, Eccles R: Acoustic rhinometry: do we need a standardized operating procedure? *Clin Otolaryngol* 21(3) (1996a) 284-7
- Tomkinson A, Eccles R: Errors arising in cross-sectional area estimation by acoustic rhinometry produced by breathing during measurement. *Rhinology* 33(3) (1995) 138-40
- Tomkinson A, Eccles R: The effect of changes in ambient temperature on the reliability of acoustic rhinometry data. *Rhinology* 34(2) (1996b) 75-7
- Walinder R, Norback D, Wieslander G, Smedje G, Erwall C: Nasal congestion in relation to low air exchange rate in schools. Evaluation by acoustic rhinometry. *Acta Otolaryngol (Stockh)* 117(5) (1997) 724-7
- Weeke J, Christensen SE, Orskov H, Kaal A, Pedersen MM, Illum P, Harris AG: A randomized comparison of intranasal and injectable octreotide administration in patients with acromegaly. *J Clin Endocrinol Metab* 75(1) (1992) 163-9
- Yamagiwa M, Hilberg O, Pedersen OF, Lundqvist GR: Evaluation of the effect of localized skin cooling on nasal airway volume by acoustic rhinometry. *Am Rev Respir Dis* 141(4 Pt 1) (1990) 1050-4
- Zavras AI, White GE, Rich A, Jackson AC: Acoustic rhinometry in the evaluation of children with nasal or oral respiration. *J Clin Pediatr Dent* 18(3) (1994) 203-10
- Zheng C, Pochon N, Lacroix JS: Acoustic rhinometry: comparison of pre- and post-septoplasty. *Chung Hua Erh Pi Yen Hou Ko Tsa Chih* 30(6) (1995) 343-6
- Hamilton JW, Cook JA, Phillips DE, Jones AS: Limitations of acoustic rhinometry determined by a simple model. *Acta Otolaryngol (Stockh)* 115(6) (1995b) 811-4
- Hamilton JW, McRae RD, Phillips DE, Jones AS: The accuracy of acoustic rhinometry using a pulse train signal. *Clin Otolaryngol* 20(3) (1995a) 279-82
- Gilain L, Coste A, Ricolfi F, Dahan E, Marliac D, Peynegre R, Harf A, Louis B: Nasal cavity geometry measured by acoustic rhinometry and computed tomography. *Arch Otolaryngol Head Neck Surg* 123(4) (1997) 401-5