
6. Literaturverzeichnis

- [1] **Vetter, A.** (1998): Abgrenzung, Verwertung und Beseitigung – Aktuelle rechtliche Rahmenbedingungen, 3. Fachtagung Thermische Abfallbehandlung, 09.-11.02.1988, Garching bei München
- [2] **Pöllmann, H., Auer, S., Neubauer, J., Stemmermann, P.** (1991): Bildung eines Innere - Barriere-Systems in Abfalldeponien. Immobiler Bindung von Chlorid und Schwermetallen in Speichermineralen, Buch der Umweltanalytik, Band 3, 82-83, GIT-Verlag
- [3] **Pöllmann, H., Neubauer, J., Vetter, G.** (1996): Immobilisierung von Schadstoffen aus mineralischen Prozeßrückständen durch gezielte Speichermineralbildung, Wasser & Boden, 48. Jahrg., 3/1996
- [4] **Kuzel, H.-J., Pöllmann, H., Neubauer, J., Vetter, G.** (1995): Abschlußbericht zum BayFORREST-Projekt F7(F): Eluierverhalten fester Rückstände aus der thermischen Abfallverwertung und -entsorgung, Februar 1995
- [5] **Howard, S.A., Bish, D.L.** (1988): A Programm for the Rietveld Analysis of X-Ray and Neutron Powder Diffraction Data, J. Appl. Cryst., Bd. 27, S. 86-91
- [6] **Göske, J., Neubauer, J., Pöllmann, H., Riedmiller, J., Rohleder, M.**: Software "Quantit Version 0.96", Copyright 1995-1997 Rohleder, M. & Lehrstuhl für Mineralogie und Geochemie, Martin-Luther-Universität Halle-Wittenberg
- [7] **Wiles, D.B., Young, R.A.** (1981): A new Computer Programm for Rietveld Analysis of X-Ray Powder Diffraction Patterns, J. Appl. Cryst. 14, 149
- [8] **Rietveld, H., M.** (1969): A Profile Refinement Method for Nuclear and Magnetic Structures, J. Appl. Crystal. 2, 65
- [9] **Young, R.A., Mackie, D.B., von Dreele, R.B.** (1977): Application of the Pattern-Fitting Structure-Refinement Method to X-Ray Powder Diffractometer Patterns, J. Appl. Cryst., Bd. 10, 262-269
- [10] **Young, R. A.** (1993): The Rietveld Method, Oxford University Press, Oxford
- [11] **Deutsche Norm, DIN 38414 Teil 4**, Deutsches Einheitsverfahren zur Wasser-, Abwasser- und Schlammuntersuchung. Schlamm und Sedimente (Gruppe S), Bestimmung der Eluierbarkeit mit Wasser
- [12] **Pöllmann, H., Kuzel, H.-J., Meyer, H.W.** (1991): Heat-Flow Calorimetry in Cement Chemistry – Construction and Application of low cost, high-sensitive Calorimeter. Proc. 13th Int. Conf. Cem. Mic., 254-272, 08.-11.04.1991, Tampa - Florida

-
- [13] **Schröder, B.** (1995): Konstruktion, Aufbau und Inbetriebnahme einer Versuchsanlage zur Immobilisierung von Schadstoffen durch Brennen im Drehrohrofen, Diplomarbeit, Lehrstuhl für Chemiemaschinenbau und Apparatetechnik, Universität Erlangen-Nürnberg
- [14] **Kastenmeier, T.** (1996): Inbetriebnahme einer Versuchsanlage zur Immobilisierung von Schadstoffen durch Brennen im Drehrohrofen, Diplomarbeit, Lehrstuhl für Chemiemaschinenbau und Apparatetechnik, Universität Erlangen-Nürnberg
- [15] **Reimann, D.O.** (1996): Entsorgung der Reststoffe und Abfälle aus unterschiedlichen Rauchgasreinigungssystemen, Handbuch VDI Seminar 436006, München
- [16] **Leclaire, T., Schmidt, K.G.** (1996): Ökologischer Vergleich verschiedener Behandlungsverfahren zur Inertisierung und Verwertung von HMV-Rückständen, Abschlußbericht zum Forschungsvorhaben UBA-FB 10310902, Duisburg
- [17] **Reimann, D.O.** (1990): Reststoffe aus thermischen Abfallverwertungsanlagen, Beihefte zu Müll und Abfall, 29, 12
- [18] **Vehlow, J.** (1996): Ergebnisse der International Ash Working Group (IAWG) zur Beurteilung und Handhabung von Reststoffen aus der Abfallverbrennung, Handbuch VDI Seminar 436006, München
- [19] **LAGA TR** (1994), Anforderungen an die stoffliche Verwertung von mineralischen Reststoffen/Abfällen, Technische Regeln, Stand 7. September 1994, Länderarbeitsgemeinschaft Abfall
- [20] **Demmich, J.** (1996): „Menge und Beschaffenheit und Nutzbarkeit von Kraftwerksnebenprodukten in Abhängigkeit von der Rauchgasreinigungstechnik“, Handbuch zum Seminar des VDI Bildungswerkes 43-60-06, München 07./08.05.1996
- [21] **Deng Jun-An, Ge Wen-Min, Su Mu-Zhen, Li Xiu-Ying** (1980): Sulfoaluminate Cement series, Proc. 7th Int. Congr. Chem. Cement, Paris, Vol. 3, Theme V, 381-386
- [22] **Ivashchenko, S.I.** (1992): Cements based on modified portland and sulfoaluminate-belit clinkers, Proc. 9th Int. Congr. Chem. Cement, New Delhi, Vol. III, Theme II, 222-226
- [23] **Mehta, P.K.** (1980): Investigations on energy-saving cements, World Cement Technology, Vol. 11, No. 5, 166-177
- [24] **Ikeda, K.** (1980): Cements along the join $C_4A_3\bar{S}-C_2S$, Proc. 7th Int. Congr. Chem. Cement, Paris, Vol. 2, Theme III, 31-36
- [25] **Sudoh, G., Ohta, T., Harada, H.** (1980): High strength cement in the $CaO-Al_2O_3-SiO_2-SO_3$ system and its application, Paris, Vol. 3, Theme V, 152-157

- [26] **Mudbhatkal, G.A., Parmeswaran, P.S, Heble, A.S., Pat, B.V.B., Chatterjee, A.K.** (1986): Non-alitic cement from calcium sulfoaluminate clinker – optimisation for high-strength and low-temperature application, Proc. 8th Int. Congr. Chem. Cement, Rio de Janeiro, Vol. 4, 364-370
- [27] **Kurdowski, W.** (1980): Expansive Cements, Proc. 7th Int. Congr. Chem. Cement, Paris, Vol. I, Sub Theme II, V 2/1-11
- [28] **Cohen, M.D.** (1983): Theories of Expansion in Sulfoaluminate-Type Expansive Cements: Schools of Thought, Cement and Concrete Research, Vol. 13, 809-818
- [29] **Beretka, J., Marroccoli, M., Sherman, N., Valenti, G.L.** (1996): The influence of $C_4A_3\bar{S}$ content and W/S ratio on the performance of calcium sulfoaluminate-based cements, Cement and Concrete Research, Vol. 26, 1673-1681
- [30] **Kasselouri, V., Tsakiridis, P., Malami, Ch., Georgali, C., Alexandridou, C.** (1995): A study on the hydration products of non-expansive sulfoaluminate cement, Cement and Concrete Research, Vol.25, 1726-1736
- [31] **Lobo, C., Cohen, M.D.** (1992): Hydration of Type K Expansive Cement Paste and the Effect of Silica Fume: Expansion and Solid Phase Analysis, Cement and Concrete Research, Vol. 22, 961-969
- [32] **Beretka, J., Santoro, L., Sherman, N., Valenti, G.L.** (1992): Synthesis and Properties of Low Energy Cements based on $C_4A_3\bar{S}$, Proc. 9th Int. Congr. Chem. Cement, New Delhi, Vol. III, Theme II, 195-200
- [33] **Sahu, S., Majling, J.** (1994): Phase compatibility in the system $CaO-SiO_2-Al_2O_3-Fe_2O_3-SO_3$ referred to Sulfoaluminate Belit Clinker, Cement and Concrete Research, Vol. 23, 1331-1339
- [34] **Ikeda, K., Fukuda, K., Shima, H.** (1997): Calcium sulphoaluminate cements prepared from low-alumina waterworks slime, Proc. 10th Int. Congr. Chem. Cement, Göteborg, Vol. 1, li025, 8pp
- [35] **Kokscharoff** (1854): Mater. z. Min. Rußlands, St. Petersburg, 2, 50ff, 1854-57
- [36] **Nabay-Szabo, St.** (1930): The structure of Apatite $(CaF)Ca_4(PO_4)_3$, Zeit. Krist., 75, 387-398
- [37] **Hendricks, S.B., Jefferson, M.E., Mosley, V.M.** (1932): The crystal structure of some natural and synthetic apatite-like substances, Zeit. Krist., 81, 352-369
- [38] **McConnel, D.** (1937): The substitution of SiO_4^- and SO_4^- groups for PO_4^- groups in the apatite structure; Ellestadite, the end-member, American Mineralogist, 22, 977-986
- [39] **McConnel, D.** (1938): A structural investigation of the isomorphism of the apatite group, American Mineralogist, 23, 1-19

- [40] **Beevers, C.A., McIntyre, D.B.** (1946): The atomic structure of fluor-apatite and its relation to that of tooth and bone material, *Min. Mag.*, 27, 254-257
- [41] **Huges, J.M., Cameron, M., Crowley, K.D.** (1990): Crystal structures of natural ternary apatites: Solid Solution in the $\text{Ca}_5(\text{PO}_4)_3\text{X}$ ($\text{X} = \text{F}, \text{OH}, \text{Cl}$) system, *American Mineralogist*, 75, 295-304
- [42] **Neubauer, J.** (1992): Realisierung des Deponiekonzeptes der „Inneren Barriere“ für Rauchgasreinigungsrückstände aus Müllverbrennungsanlagen, Dissertation, Erlangen
- [43] **Klein, C., Hurlbut, C.S.** (1977): *Manual of Mineralogy*, John Wiley & Sons, New York
- [44] **Mingyuan Cheng, Yi Fang** (1988): The chemical composition and crystal parameters of calcium chlorosulfato-silicate, *Cement and Concrete Research*, Vol. 19, 184-188
- [45] **Pliego-Cuervo, Y., Glasser, F.P.** (1978): Phase relations and crystal chemistry of apatite and silicocarnotite solid solutions, *Cement and Concrete Research*, Vol. 8, 519-524
- [46] **Moore, A.E., Taylor, H.F.W.** (1969): Crystal structure of Ettringite, *Acta Cryst.*, B26, 386-393
- [47] **Bannister, F.A., Hey, M.H., Bernal, J.D.** (1936): Ettringite from Scawt Hill, Co Antrim, *Min. Mag.*, 24, 324-329
- [48] **Welin, E.** (1956): The crystal structure of Thaumassite $\text{Ca}_3\text{H}_2(\text{CO}_3/\text{SO}_4)\cdot 13\text{H}_2\text{O}$, *Ark. Min. Geol.*, 2, 137-147
- [49] **Bezjak, A., Jelenic, J.** (1966): Crystal structure investigation of calcium aluminium sulfate hydrate – Ettringite, *Croat. Chem. Act.*, 38, 239-242
- [50] **Kumarathasan, P., McCarthy, G.J., Hassett, D.J., Pflughoeft-Hassett, D.F.** (1990): Oxyanion substituted ettringites: Synthesis and characterization and their potential role in immobilization of As, B, Cr, Se, V, *Mat. Res. Soc. Proc.*, Vol. 69
- [51] **Auer, S.** (1992): Bindung umweltrelevanter Ionen in Ettringit und in Schichtstrukturen vom Typus TCAH, Dissertation, Erlangen
- [52] **Pöllmann, H., Kuzel, H.J., und Wenda, R.** (1989): Compounds with ettringite structure, *N. Jb. Miner. Abh.*, 160(2), 133-158
- [53] **Pöllmann, H.** (1991): Immobilization of pollutants in waste disposals by forming storing up mineral reservoirs, *Proc. Int. Con. Applied Min.*, Pretoria, Theme 43
- [54] **Klein, A., Troxell, G.E.** (1958): Studies of Calcium Sulfoaluminate admixtures for Expansive Cement, *Proc.*, ASTM, 58, 986-1008
- [55] **Fukuda, N.** (1961): Sulfoaluminous Cements, *Bull. Chem. Soc. of Japan*, 34, 138-147
- [56] **Pauling, L.** (1930): The structure of Sodalithe and Helvite, *Z. Krist.*, 74, 213-225

- [57] **Depmeier, W.** (1988): Aluminate Sodalites – A Family with Strained Structures and Ferroic Phase Transitions, *Physics and Chemistry of Minerals*, Vol. 15, 419-426
- [58] **Kondo, R.** (1965): The synthesis and cristallography of a group of new compounds belonging to the Hauyne type structure, *Journal of the Ceramic Assosiation of Japan*, 73, 1-8
- [59] **Saalfeld, H., Depmeier, W.** (1972):“Silicon-Free Compounds with Sodalite Structure”, *Kristall und Technik, KRTEA* 7, 229-233
- [60] **Zhang Peixing, Chen Yimin, Shi Liping, Zhang Guanying, Huang Wenmei, Wu Jianguo** (1992): The crystal structure of $C_4A_3\bar{S}$, *Proc. 9th Int. Congr. Chem. Cement, New Delhi*, Vol. III, Theme II, 201-208
- [61] **Brenchley, M. E., Weller, M. T.** (1992): Synthesis and Structure of Sulfide Aluminate Sodalites, *J. Materials Chemistry JMACE* 2, 1003-1005, Issue 10
- [62] **Calos, N.J., Kennard, C.H.L., Whittaker, A.K., Davis, R.L.** (1995): Structure of Calcium Aluminate Sulfate $Ca_4Al_6O_{16}S$, *Journal of Solid State Chemistry*, 119, 1-7
- [63] **Halstead, P.E., Moore, A.E.** (1962): The composition and cristallography of anhydrous Calcium Aluminosulfate occuring in Expanding Cements, *Jour. App. Chemistry*, 12, 413-417
- [64] **Krstanovic, I., Radakovic, A., Karanovic, Lj.** (1992): X-Ray Powder Data for $Ca_4Al_6O_{12}SO_4$, *Powder Diffraction*, 7, 47
- [65] **Stemmermann, P.** (1992): Silikatapatite: Struktur, Chemismus und Anwendung als Speichermineral zur Konditionierung von Rauchgasreinigungsrückständen, *Dissertation, Erlangen*
- [66] **Pliego-Cuervo, Y.B., Glasser, F.B.** (1979): Role of sulphates in cement clinkering: Subsolidus phase relations in the system $CaO-Al_2O_3-SiO_2-SO_3$, *Cement and Concrete Research*, Vol. 9 51-56
- [67] **Nurse, R.W., Welch, J.H., Majumdar, A.J.** (1965a): The $12CaO.7Al_2O_3$ Phase in the $CaO-Al_2O_3$ System, *Trans. Brit. Ceram. Soc.*, Vol. 64, No. 6, 323-332
- [68] **Nurse, R.W., Welch, J.H., Majumdar, A.J.** (1965b): The $CaO-Al_2O_3$ System in a moisture-free atmosphere, *Trans. Brit. Ceram. Soc.*, Vol. 64, No. 9, 409-418
- [69] **Zhmoidin, G.I., Chatterjee, A.K.** (1984): Conditions and mechanism of interconvertibility of compounds $12CaO.7Al_2O_3$ and $5CaO.3Al_2O_3$, *Cement and Concrete Research*, Vol. 14, 386-396
- [70] **Muzhen, S., Kurdowski, W., Sorrentino, F.** (1992): Development in non-portland cements, *Proc. 9th Int. Congr. Chem. Cement, New Delhi*, Vol. I, Specific Theme IIB, 317-354

- [71] **Mackie, P.E., Elliott, J.C., Young, R.A.** (1972): Monocline structure of synthetic $\text{Ca}_5(\text{PO}_4)_3\text{Cl}$ (Chlorapatite), *Acta Crystallographica B* (24, 1968-38, 1982), ACBCA 28, 1840-1848
- [72] **Williams, P.P.** (1973): Refinement of the Structure of $(\text{CaO})_{11}(\text{Al}_2\text{O}_3)_7\text{CaF}_2$, *Acta Crystallographica B* (24, 1968-38, 1982), ACBCA 29, 1550-1551
- [73] **Colville, A.A., Geller, S.** (1971): The crystal structure of Brownmillerite $\text{Ca}_2\text{FeAlO}_5$, *Acta Crystallographica B* (24, 1968-38, 1982), ACBCA 27, 2311-2315
- [74] **Will, G., Bellotto, M., Parrish, W., Hart, M.** (1988): Crystal structures of quartz and magnesium germanate by profile analysis of synchrotron-radiation high-resolution powder data, *J. Appl. Cryst.*, 21, 182-191, Issue 2
- [75] **Kirfel, A., Will, G.** (1980): Charge Density in Anhydrite, CaSO_4 , from X-ray and Neutron Diffraction Measurements, *Acta Cryst. B* (24, 1968-38, 1982), ACBCA 36, 2881-2890
- [76] **Korczak, P., Raaz, F.** (1967): Verfeinerung der Kristallstruktur von Gehlenit unter Zugrundelegung des Gallium-Gehlenites, *Anzeiger der Österreichischen Akademie der Wissenschaften, Mathematisch-Naturwissenschaftliche Klasse*, 104, 383-387
- [77] **Barrett, W.T., Wallace, W.E.** (1954): Studies of NaCl-KCl Solid Solutions. I. Heats of Formation, Lattice Spacings, Densities, Schottky Defects and Mutual Solubilities, *J. Am. Chem. Soc.*, 76, 366-369
- [78] **Huang, Q., Chmaissem, O., Caponi, J.J., Marezio, M.** (1994): Neutron Powder Diffraction Study of the Crystal Structure of $\text{HgBa}_2\text{Ca}_4\text{Cu}_5\text{O}_{12+d}$ at Room Temperature and at 10K (Impurity Phase), *PHYCE* 227, 1-9
- [79] **Maslen, E.N., Streltsov, V.A., Streltsova, N.R.** (1993): X-Ray Study of the Electron Density in Calcite, *Acta Cryst. B* (39, 1983-) ASBSD 49, 636-641
- [80] **Bambauer, H.U., Gebhard, H., Holzapfel, Th., Krause, Ch., Willner, G.** (1988): Schadstoff-Immobilisierung in Stabilisaten aus Braunkohlenaschen und REA-Produkten, *Fortschr. Miner.*, 66, 253-279
- [81] **Pöhl, K.** (1994): Zur Konstitution und Hydratation dt. Braunkohlefilteraschen, Dissertation, Leipzig
- [82] **Taylor, H. F. W.** (1991): *Cement Chemistry*, Academic Press, London
- [83] **Takuma, Y., Shirasaka, T., Kanaya, M., Kobayashi, K. and Uchida, S.** (1994): Effect of Reducing the Emission of CO_2 and the Characters of Clinker in the System $\text{C}_2\text{S}-\text{C}_4\text{A}_3\bar{\text{S}}-\text{C}_4\text{AF}-\text{CS}$, *J. Ceram. Soc. Japan*, Vol 1.102, No. 12, pp. 1115-1121
- [84] **Osokin, A.P. und Odler, I.** (1992): Eigenschaften von calciumferritsulfathaltigen Zementen, *Zement-Kalk-Gips*, Nr. 10, 536-537

- [85] **Krivoborodov, Yu.R., Samchenko, S.V.** (1992): Sulfate-bearing solid solution of Calcium Aluminates and Ferrites, Proc. 9th Int. Congr. Chem. Cement, New Delhi, Vol. III, Theme II, 209-215
- [86] **Jost, K. H., Ziemer, B., Seydel, R.** (1977): Redetermination of beta-dicalcium silicate, Acta Cryst. B (24, 1968-38, 1982), ACBCA 33, 1696-1700
- [87] **Depmeier, W.** (1984): Aluminate Sodalite $\text{Ca}_8(\text{Al}_{12}\text{O}_{24})(\text{WO}_4)_2$ at Room Temperature, Acta Cryst. C (39, 1983-), ACSCE 40, 226-231
- [88] **Sasaki, S., Fujinok, K., Takeuchi, Y.** (1997): X-Ray Determination of Electron-Density Distributions in Oxides, MgO, MnO, CoO and NiO, and Atomic Scattering Factors of their Constituent Atoms, Proceedings of the Japan Academy PJACA 55, 43-48
- [89] **Möderl, Th.** (1998): Quantitative Analysis of multi-phase-mixtures between different Feldspars and Quartz, European Powder Diffraction, Proceedings of EPDIC 6, in press
- [90] **Massazza, F., Daimon, M.** (1992): Chemistry of hydration of cements and cementitious systems, Proc. 9th Int. Congr. Chem. Cement, New Delhi, Vol. I, Generic Theme III, 383-446
- [91] **Beretka, J., Santoro, L., Sherman, N., Valenti, G.L.** (1992): Synthesis and properties of low energy cements based on $\text{C}_4\text{A}_3\bar{\text{S}}$, Proc. 9th Int. Congr. Chem. Cement, New Delhi, Vol. III, 195-200
- [92] **Ikeda, K., Fukuda, K., Shima, H.** (1997): Calcium Sulphoaluminate Cements prepared from low-alumina waterworks slime, Proc. 10th Int. Congr. Chem. Cement, Göteborg, Vol. I, li025
- [93] **Kudryavtsev, A.B., Kouznetsova, T.V., Pyatkova, A.V.** (1990): Proton relaxation and high resolution solid state Al 27 NMR study of hydration of calcium oxide sulfoaluminat, Cement and Concrete Research, Vol. 20, 407-418
- [94] **Nakamura, T., Sudoh, G., Akaiwa, S.** (1968): Mineralogical composition of expansive cements rich in SiO_2 and in expansibility, Proc. 5th Int. Symp. Chem. Cement, Tokyo, Pt 4, 351-365
- [95] **Ogawa, K., Roy, D.M.** (1982): $\text{C}_4\text{A}_3\bar{\text{S}}$ hydration, Ettringite formation, and its expansion mechanism: III. Effect of CaO, NaOH and NaCl; Conclusions, Cement and Concrete Research, Vol. 12, 247-256
- [96] **Kurdowski, W., Thiel, A.** (1981): On the role of free calcium oxide in expansive cements, Cement and Concrete Research, Vol. 11, 29-40
- [97] **Pöllmann, H.** (1990): Study on the Influence of Citric Acid on Retardation and Formation of new hydrates in Cement, Proc. of the 12th Int. Conf. on Cement Microscopy, Vancouver, Canada, 303-322
- [98] **Wällisch, A.** (1997): Der Einfluß von Pentanatriumtriphosphat auf das Hydratationsverhalten von Tonerdezementen, Diplomarbeit, Erlangen

-
- [99] **Bilitewski, B., Stegmann, R.** (1997): Mechanisch-biologische Verfahren zur stoffspezifischen Abfallbeseitigung, Heft 33 der Beihefte zu Müll und Abfall, Erich Schmidt Verlag, ISBN 3 503 043446
- [100] **Collins, H.-J., Maak, D.** (1997): MBA Meisenheim, Landkreis Bad Kreuznach, in: Mechanisch-biologische Verfahren zur stoffspezifischen Abfallbeseitigung, Heft 33 der Beihefte zu Müll und Abfall, Erich Schmidt Verlag, ISBN 3 503 043446
- [101] **Sherman, N., Beretka, J., Santoro, L., Valenti, G.L.** (1995): Long-term behaviour of hydraulic binders based on calcium sulfoaluminate and calcium sulfosilicate, Cement and Concrete Research, Vol. 25, 113-126
- [102] **Piiego-Cuervo, Y.B., Glasser, F.B.** (1978): Role of sulphates in cement clinkering: The calcium silicosulphate phase, Cement and Concrete Research, Vol. 8, 455-460
- [103] **EN 196, Teil 1** (1990): Prüfverfahren für Zement: Bestimmung der Festigkeit, Beuth Verlag, Berlin
- [104] **EN 196, Teil 3** (1990): Prüfverfahren für Zement: Bestimmung der Erstarrungszeiten und der Raumbeständigkeit, Beuth Verlag, Berlin