

6. Literatur

Aiba, H., Nakasai, F., Mizushima, S., Mizuno, T. (1989) Phosphorylation of a bacterial activator protein, OmpR, by a protein kinase, EnvZ, results in stimulation of its DNA-binding ability. *J. Biochem.* **106**, 5-7.

Aldridge, P., Bernhard, F., Bugert, P., Coplin, D. L., Geider, K. (1998) Characterization of a gene locus from *Erwinia amylovora* with regulatory function in exopolysaccharide synthesis of *Erwinia* ssp. *Can. J. Microbiol.* **44**, 657-666

Allen, P., Hart, C.A., and Saunders, J.R. (1987) Isolation from *Klebsiella* and characterization of two *rcs* genes that activate colanic acid capsular biosynthesis in *Escherichia coli*. *J. Gen. Microbiol.* **133**, 331-340.

Arakawa, Y., Wacharotayankun, R., Ngatsuka, T., Ito, H., Kato, N., and Ohta, M. (1995) Genomic organization of the *Klebsiella pneumoniae* *cps* region responsible for serotype K2 capsular polysaccharide synthesis in the virulent strain Chedid. *J. Bacteriol.* **177**, 1788-1796.

Bailey, M. J., Hughes, C., Koronakis, V. (1997) RfaH and the *ops* element, components of a novel system controlling bacterial transcription elongation. *Mol. Microbiol.* **26**, 845-851

Bailey, T. L., Elkan, C. (1994) Fitting a model by expectation maximization to discover motifs in biopolymers. *Proceedings of the Second International Conference on Intelligent Systems for Molecular Biology*, 22-36, AAAI Press, Menlo Park, California

Bailey, T. L., Gribskov, M. (1998) Combining evidence using p-values: application to sequence homology searches. *Bioinformatics* **14**, 48-54

Baker, E.E., Whiteside, R.E., Basch, R., and Derow, M.A. (1959) The Vi antigens of the Enterobacteriaceae. I. Purification and chemical properties. *J. Immunol.* **83**, 680-686.

Bayer, M., Thurow, H. (1977) Polysaccharide capsule of *Escherichia coli*: microscope study of its size, structure, and sites of synthesis. *J. Bacteriol.* **130**, 911-936

Bereswill, S., and Geider, K. (1997) Characterization of the *rcsB* gene from *Erwinia amylovora* and its influence on exopolysaccharide and virulence of the fire blight pathogen. *J. Bacteriol.* **179**, 1354-1361.

- Bernhard, F., Coplin, D. L., Geider, K. (1993) A gene cluster for amylovoran synthesis in *Erwinia amylovora*: characterization and relationship to *cps* genes in *Erwinia stewartii*. *Mol. Gen. Genet.* **239**, 148-168
- Bernhard, F., Poetter, K., Geider, K., and Coplin, D.L. (1990) The *rcsA* gene from *Erwinia amylovora*: identification, nucleotide sequence, and regulation of exopolysaccharide biosynthesis. *Mol. Plant-Microbe Interact.* **3**, 429-437.
- Boucher, P.E., Murakami, K., Ishihama, A., and Stibitz, S. (1997) Nature of DNA binding and RNA polymerase interaction of the *Bordetella pertussis* BvgA transcriptional activator at the *fha* promoter. *J. Bacteriol.* **179**, 1755-1763.
- Brill, J.A., Quinlan-Walshe, C., and Gottesman, S. (1988) Fine-structure mapping and identification of two regulators of capsule synthesis in *Escherichia coli* K-12. *J Bacteriol* **170**, 2599-2611.
- Bugert, P., and Geider, K. (1995) Molecular analysis of the *ams* operon required for exopolysaccharide synthesis of *Erwinia amylovora*. *Mol. Microbiol.* **15**, 917-935.
- Bullock, W.O., Fernandez, J.M., and Stuart, J.M. (1987) XL1 Blue: a high efficiency plasmid transforming recA *Escherichia coli* strain with beta-galactosidase selection. *BioTechniques* **5**, 376-379.
- Carballès, F., Bertrand, C., Bouché, J. P., Cam, K. (1999) Regulation of *Escherichia coli* cell division genes *ftsA* and *ftsZ* by the two-component system *rcsC-rcsB*. *Mol. Microbiol.* **34**, 442-450.
- Clarke, D. J., Holland, I. B., Jacq, A (1997) Point mutations in the transmembrane domain of Dj1A, a membrane-linked DnaJ-like protein, abolish its function in promoting colanic acid production via the Rcs signal transduction pathway. *Mol Microbiol.* **25**, 933-944
- Coleman, M., Pearce, R., Hitchin, E., Busfield, F., Mansfield, J.W., and Roberts, I.S. (1990) Molecular cloning, expression and nucleotide sequence of the *rcsA* gene of *Erwinia amylovora*, encoding a positive regulator of capsule expression: evidence for a family of related capsule activator proteins. *J. Gen. Microbiol.* **136**, 1799-1806.
- Coplin, D. L., Frederick, R. D., Majerczak, D. R., Haas E. S. (1986) Molecular cloning of virulence genes from *Erwinia stewartii*. *J. Bacteriol.* **168**, 619-623.

- Costerton, J. W., Cheng, K.-J., Geesey, G. G., Ladd, T. I., Nickel J. C., Dasgupta, M., Marrie, T. J. (1987) Bacterial biofilms in nature and disease. *Annu. Rev. Microbiol.* **41**, 435-464
- Costerton, J. W., Irvin, R. T., Cheng, K.-J. (1981) The bacterial glycocalyx in nature and disease. *Annu. Rev. Microbiol.* **35**, 299-324
- Dahl, J. L., Wei, B.-Y., Kadner, R. J. (1997) Protein phosphorylation affects binding of the *Escherichia coli* transcription activator UhpA to the *uhpT* promoter. *J. Biol. Chem.* **272**, 1910-1919
- Denny, T. P., Baek, S. R. (1991) Genetic evidence that extracellular exopolysaccharide is a virulence factor of *Pseudomonas solanacearum*. *Mol. Plant-Microbe Interact.* **4**, 198-206
- Devine, J.H., Shadel, G.S., and Baldwin, T.O. (1989) Identification of the operator of the *lux* regulon from the *Vibrio fischeri* strain ATCC7744. *Proc. Natl. Acad. Sci. USA* **86**, 5688-5692.
- Dierksen, K.P., and Trempy, J.E. (1996) Identification of a second RcsA protein, a positive regulator of colanic acid capsular polysaccharide genes, in *Escherichia coli*. *J. Bacteriol.* **178**, 5053-5056
- Dubois, M., Giles, K.A., Hamilton, J.K., Rebers, P.A., Smith, F. (1956) Colorimetric Methods for determination of sugars and related substances. *Anal. Chemistry* **28**, 350-356
- Ebel, W., and Trempy, J.E. (1999) *Escherichia coli* RcsA, a positive activator of colanic acid capsular polysaccharide synthesis, functions to activate its own expression. *J. Bacteriol.* **181**, 577-584
- Felix, A., and Pitt, R.M. (1934) *Lancet* **227**, 186-191
- Geider, K., Hohmeyer, C., Haas, R., and Meyer, T.F. (1985) A plasmid cloning system utilizing replication and packaging functions of the filamentous bacteriophage fd. *Gene* **33**, 341-9
- Gervais, F. G., Drapeau, G. R (1992) identification, cloning, and characterization of *rccF*, a new regulator gene for exopolysaccharide synthesis that suppresses the division mutation *ftsZ84* in *Escherichia coli* K-12. *J. Bacteriol.* **174**, 8016-8022
- Gervais, F. G., Phoenix, P., Drapeau, G. R. (1992) The *rccB* gene, a positive regulator of colanic acid biosynthesis in *Escherichia coli*, is also an activator of *ftsZ* expression. *J. Bacteriol.* **174**, 3964-3971.

Gottesman, S. (1995) Regulation of capsule synthesis: modification of the two-component paradigm by an accessory unstable regulator. In: *Two-Component Signal Transduction*. Hoch, J. A., Silhavy, T. J. (eds). Washington, DC:American Society for Microbiology Press, 253-262

Gottesman, S., and Stout, V. (1991) Regulation of capsular polysaccharide synthesis in *Escherichia coli* K12. *Mol Microbiol* **5**, 1599-1606.

Gottesman, S., Trisler, P., and Torres-Cabassa, A. (1985) Regulation of capsular polysaccharide synthesis in *Escherichia coli* K-12: characterization of three regulatory genes. *J. Bacteriol.* **162**, 1111-1119.

Gupte, G., Woodward, C., Stout, V. (1997) Isolation and characterization of *rcsB* mutations that affect colanic acid capsule synthesis in *Escherichia coli* K-12. *J. Bacteriol.* **179**, 4328-4335.

Hashimoto, Y., Khan, A.Q. and Ezaki, T. (1996) Positive autoregulation of *vipR* expression in ViaB region-encoded Vi antigen of *Salmonella typhi*. *J. Bacteriol.* **178**, 1430-1436.

Hashimoto, Y., Li, N., Yokoyama, H., and Ezaki, T. (1993) Complete nucleotide sequence and molecular characterization of ViaB region encoding Vi antigen in *Salmonella typhi*. *J. Bacteriol.* **175**, 4456-4465.

Henikoff, S., Wallace, J.C., and Brown, J.P. (1990) Finding protein similarities with nucleotide sequence databases. *Methods Enzymol.* **183**, 111-132.

Hobbs, M., Reeves, P. R. (1994) The JUMPstart sequence: a 39 bp element common to several polysaccharide gene clusters. *Mol. Microbiol.* **12**, 855-856

- Holman, T. R., Wu, Z., Wanner, B. L., Walsh, C. T. (1994) Identification of the DNA-Binding Site for the phosphorylated VanR protein required for vancomycin resistance in *Enterococcus faecium*. *Biochemistry* **33**, 4625-4631.
- Horwitz, M. A., Silverstein, S. C. (1980) Influence of the *Escherichia coli* capsule on complement fixation and on phagocytosis and killing by human phagocytes. *J. Clin. Invest.* **65**, 82-94
- Houng, H.S., Noon, K.F., Ou, J.T., and Baron, L.S. (1992) Expression of Vi antigen in *Escherichia coli* K-12: characterization of ViaB from *Citrobacter freundii* and identity of ViaA with RcsB. *J. Bacteriol.* **174**, 5910-5.
- Hsu, S. T., Goodman, R. N. (1978) Production of a host-specific, wilt-inducing toxin in apple cell suspension cultures inoculated with *Erwinia amylovora*. *Phytopathology* **68**, 351-354
- Ishihama, A. (1993) Protein-protein communication within the transcription apparatus. *J. Bacteriol.* **175**, 2483-2489.
- Jann, B., Jann, K. (1990) Structure and biosynthesis of the capsular antigens of *Escherichia coli*. *Curr. Top. Microbiol. Immunol.* **150**, 19-42
- Jann, K., Dengler, T., Jann, B. (1992) Core-lipid A on the K40 polysaccharide of *Escherichia coli* O8:K40:H9, a representative of group I capsular polysaccharides. *Zentralbl. Bakteriol.* **276**, 196-204
- Jann, K., Jann, B. (1992) Capsules of *Escherichia coli*, expression and biological significance. *Can. J. Microbiol.* **38**, 705-710
- Jayaratne, P., Keenleyside, W. J., MacLachlan, P. R., Dodgson, C., Whitfield, C. (1993) Characterization of *rcsB* and *rcsC* from *Escherichia coli* O9:K30:H12 and examination of the role of the *rcs* regulatory system in expression of group I capsular polysaccharides. *J. Bacteriol.* **175**, 5384-5394
- Karimova, G., Ullmann, A. (1997) Characterization of DNA binding sites for the BvgA protein of *Bordetella pertussis*. *J. Bact.* **179**, 3790-3792
- Keenleyside, W. J., Jayaratne, P., MacLachlan, P. R., Whitfield, C. (1992) The *rcsA* gene of *Escherichia coli* O9:K30:H12 is involved in the expression of the serotype-specific group I K (capsular) antigen. *J. Bacteriol.* **174**, 8-16

Kelley, W. L., Georgopoulos, C. (1997) Positive control of the two-component RcsC/B signal transduction network by DjlA: a member of the DnaJ family of molecular chaperones in *Escherichia coli*. *Mol Microbiol.* **25**, 9123-931

Kelm, O., Kiecker, C., Geider, K., and Bernhard, F. (1997) Interaction of the regulator proteins RcsA and RcsB with the promoter of the operon for amylovoran biosynthesis in *Erwinia amylovora*. *Mol. Gen. Genet.* **256**, 72-83.

Kolenbrander, P. E. (1993) Coaggregation of human oral bacteria: potential role in the accretion of dental plaque. *J. Appl. Bacteriol.* **22**(5), 79-86

Leeds, J. A., Welch, R. A. (1997) Enhancing transcription through the *Escherichia coli* hemolysin operon, *hlyCABD*: RfaH and upstream JUMPStart DNA sequences function together via a postinitiation mechanism. *J. Bacteriol.* **179**, 3519-3527

Leigh, J.A., and Coplin, D.L. (1992) Exopolysaccharides in plant-bacterial interactions. *Annu. Rev. Microbiol.* **46**, 307-346.

Lewin, B (1994) Genes V, S. 971, Oxford University Press and Cell Press, New York

Makino K, Shinagawa H, Amemura M, Kawamoto T, Yamada M, Nakata A (1989) Signal transduction in the phosphate regulon of *Escherichia coli* involves phosphotransfer between PhoR and PhoB proteins. *J. Mol. Biol.* **210**, 551-559.

Markey, F. (199) What is SPR anyway? *BIAjournal* **6**(1), 14-17

Marolda, C. L., Valvano, M. A. (1998) Promoter region of the *Escherichia coli* O7-specific lipopolysaccharide gene cluster: structural and functional characterization of an upstream untranslated mRNA sequence. *J. Bacteriol.* **180**, 3070-3079

McCallum, K.L., and Whitfield, C. (1991) The *rcaA* gene of *Klebsiella pneumoniae* O1:K20 is involved in expression of the serotype-specific K (capsular) antigen. *Infect. Immun.* **59**, 494-502.

Meroni, G., Reymond, A., Alcalay, M., Borsani, G., Tanigami, A., Tonlorenzi, R., Lo Nigro, C., Messali, S., Zollo, M., Ledbetter, D. L., Brent, R., Ballabio, A., Carrozzo, R. (1976) Rox, a novel bHLHZip protein expressed in quiescent cells that heterodimerizes with Max, binds a non-canonical E box and acts as a transcriptional repressor. *EMBO J.* **16**, 2892-2906.

Miller, J.H. (1972) Experiments in molecular genetics. Col Spring Harbor Laboratory, Cold Spring Harbor, New York.

Moxon, E., Kroll, J. (1990) The role of bacterial polysaccharide capsules as virulence factors. *Curr. Top. Microbiol. Immunol.* **150**, 65-85

Nakashima, K., Kanamura, K., Aiba, H., Mizuno, T. (1991) Signal transduction and osmoregulation in *Escherichia coli*. A novel type of mutation in the phosphorylation domain of the activator protein, OmpR, results in a defect in its phosphorylation-dependent DNA binding. *J. Biol. Chem.* **266**, 10775-10780.

Nieto, J. M., Bailey, M. J., Hughes, C., Koronakis, V. (1996) Suppression of transcription polarity in the *Escherichia coli* haemolysin operon by a short upstream element shared by polysaccharide and DNA transfer determinants. *Mol. Microbiol.* **19**, 705-713

Ninfa, A., Reitzer, L. J., Magasanik, B. (1987) Initiation of transcription at the bacterial *glnAp2* promoter by purified *E. coli* components is facilitated by enhancers. *Cell* **50**, 1039-1046.

Ophir, T., Gutnick, D. (1994) A role for exopolysaccharides in the protection of microorganisms from desiccation. *App. Environ. Microbiol.* **60**, 740-745

Ørskov, F., Ørskov, I (1992) *Escherichia coli* serotyping and disease in man and animals. *Can. J. Microbiol.* **38**, 699-704

Ørskov, F., Sharma, V., Ørskov, I. (1984) Influence of growth temperature on the development of *Escherichia coli* polysaccharide K antigens. *J. Gen. Microbiol.* **130**, 2681-2684

Ouyang, S., Lee, C. Y. (1997) Transcriptional analysis of type 1 capsule genes in *Staphylococcus aureus*. *Mol. Microbiol.* **23**, 473-482

Pearce, R., Roberts, I. S. (1995) Cloning and analysis of gene clusters for production of the *Escherichia coli* K10 and K54 antigens: identification of a new group of *serA*-linked capsule gene clusters. *J. Bacteriol.* **177**, 3992-2997

Poetter, K., and Coplin, D.L. (1991) Structural and functional analysis of the *rcsA* gene from *Erwinia stewartii*. *Mol. Gen. Genet.* **229**, 155-160.

- Roggiani, M., Dubnau, D. (1993) ComA, a phosphorylated response regulator protein of *Bacillus subtilis*, binds to the promoter region of *srfA*. *J. Bacteriol.* **175**, 3182-3187.
- Roy, C.R., and Falkow, S. (1991) Identification of *Bordetella pertussis* regulatory sequences required for transcriptional activation of the *fhaB* gene and autoregulation of the *bvgAS* operon. *J. Bacteriol.* **173**, 2385-2392.
- Sambrook, J., Fritsch, E.F., and Maniatis, T. (1989) *Molecular cloning*. 2nd edn. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York.
- Sanders, D. A., Gillece-Castro, B. L., Stocks, A. M, Burlingame, A. L., Koshland Jr., D. E. (1989) Identification of the site of phosphorylation of the chemotaxis response regulator protein CheY. *J. Biol. Chem.* **264**, 21770-21778
- Sanger, F., Nicklen, S., Coulson , A. R. (1977) DNA sequencing with chain-terminating inhibitors. *Proc Natl Acad Sci USA* **74**, 5463-5467
- Sau, S., Sun, J., Lee, C. Y. (1997) Molecular characterization and transcriptional analysis of type 8 capsule genes in *Staphylococcus aureus*. *J. Bacteriol.* **179**, 1614-1621
- Scarlato, V., Prugnola, A., Aricó, B., and Rappuoli, R. (1990) Positive transcriptional feedback at the *bvg* locus controls expression of virulence factors in *Bordetella pertussis*. *Proc. Natl. Acad. Sci. USA* **87**, 6753-6757.
- Sledjeski, D., Gottesman, S. (1995) A small RNA acts as an antisilencer of the H-NS-silenced *rcsA* gene of *Escherichia coli*. *Proc. Natl. Acad. Sci USA* **92**, 2003-2007
- Sledjeski, D.D., and Gottesman, S. (1996) Osmotic shock induction of capsule synthesis in *Escherichia coli* K-12. *J. Bacteriol.* **178**, 1204-1206.
- Stevens, A.M., Dolan, K.M., and Greenberg, E.P. (1994) Synergistic binding of the *Vibrio fischeri* LuxR transcriptional activator domain and RNA polymerase to the *lux* promoter region. *Proc. Natl. Acad. Sci. USA* **91**, 12619-12623.
- Stevenson, G., Andrianopoulos, K., Hobbs, M., and Reeves, P.R. (1996) Organization of the *Escherichia coli* K-12 gene cluster responsible for production of the extracellular polysaccharide colanic acid. *J. Bacteriol.* **178**, 4885-4893.

- Stibitz, S. (1994) Mutations in the *bvgA* gene of *Bordetella pertussis* that differentially affect regulation of virulence determinants. *J. Bacteriol.* **176**, 5615-5621.
- Stout, V. (1996) Identification of the promoter region for the colanic acid polysaccharide biosynthetic genes in *Escherichia coli* K-12. *J. Bacteriol.* **178**, 4273-4280.
- Stout, V., and Gottesman, S. (1990) RcsB and RcsC: a two-component regulator of capsule synthesis in *Escherichia coli*. *J. Bacteriol.* **172**, 659-669.
- Stout, V., Torres-Cabassa, A., Maurizi, M.R., Gutnick, D., and Gottesman, S. (1991) RcsA, an unstable positive regulator of capsular polysaccharide synthesis. *J. Bacteriol.* **173**, 1738-1747.
- Torres-Cabassa, A.S., and Gottesman, S. (1987) Capsule synthesis in *Escherichia coli* K-12 is regulated by proteolysis. *J. Bacteriol.* **169**, 981-989.
- Trisler, P., Gottesman, S. (1984) *lon* transcriptional regulation of genes necessary for capsular polysaccharide synthesis in *Escherichia coli* K-12. *J. Bacteriol.* **160**, 184-191
- Virlogeux, I., Waxin, H., Ecobichon, C., Lee, J.O., and Popoff, M.Y. (1996) Characterization of the *rcsA* and *rcsB* genes from *Salmonella typhi*: *rcsB* through *tviA* is involved in regulation of Vi antigen synthesis. *J. Bacteriol.* **178**, 1691-1698.
- Wacharotayankun, R., Arakawa, Y., Ohta, M., Haseagawa, T., Mori, M., Horii, T., Kato, N. (1992) Involvement of *rcsB* in *Klebsiella* K2 capsule synthesis in *Escherichia coli* K-12. *J. Bacteriol.* **174**, 1063-1067
- Wehland, M., Bernhard, F. (2000) The RcsAB box. Characterization of a new operator essential for the regulation of exopolysaccharide biosynthesis in enteric bacteria. *J. Biol. Chem.* **275**, 7013-20
- Wehland, M., Kiecker, C., Coplin, D.L., Kelm, O., Saenger, W., and Bernhard, F. (1999) Identification of an RcsA/RcsB recognition motif in the promoters of exopolysaccharide biosynthetic operons from *Erwinia amylovora* and *Pantoea stewartii* subspecies *stewartii*. *J. Biol. Chem.* **274**, 3300-3307.
- Weiss, V., Claverie-Martin, G., Magasanik, B. (1992) Phosphorylation of nitrogen regulator I of *Escherichia coli* induces strong cooperative binding to DNA essential for activation of transcription. *Proc Natl Acad Sci U S A* **89**, 5088-5092.

Weiss, V., Magasanik, B. (1988) Phosphorylation of nitrogen regulator I (NRI) of *Escherichia coli*. *Proc. Natl. Acad. Sci. U S A* **85**, 8919-8923.

Yang, B., Larson, T. (1998) Multiple promoters are responsible for transcription of the *glpEGR* operon of *Escherichia coli* K-12. *Biochim. Biophys. Acta* **1396**, 114-126

Zu, T., Manetti, R., Rappuoli, R., and Scarlato, V. (1996) Differential binding of BvgA to two classes of virulence genes of *Bordetella pertussis* directs promoter selectivity by RNA polymerase. *Mol. Microbiol.* **21**, 557-565.