

# Bibliography

- [1] P. Dirac. Quantum mechanics of many-electron systems. *Proc. Royal Soc. (London)* **A123**, 714 (1929).
- [2] J. Manz. Molecular wavepacket dynamics: Theory for experiments 1926–1996. In V. Sundström (editor), *Femtochemistry and Femtobiology: Ultrafast Reaction Dynamics at Atomic-Scale Resolution*, page 80 (Imperial College Press, London, 1997).
- [3] A. H. Zewail. *Femtochemistry: Ultrafast Dynamics of the Chemical Bond*, volume I and II (World Scientific, Singapore, 1994).
- [4] S. Mukamel. *Principles of Nonlinear Optical Spectroscopy* (Oxford University Press, New York, 1995).
- [5] M. Gruebele, G. Roberts, M. Dantus, R. M. Bowman and A. Zewail. Femtosecond temporal spectroscopy and direct inversion to the potential: Application to iodine. *Chem. Phys. Lett.* **166**, 459 (1990).
- [6] Z.-M. Lu and H. Rabitz. Unified formulation for control and inversion of molecular dynamics. *J. Phys. Chem.* **99**, 13731 (1995).
- [7] M. Bargheer, P. Dietrich, K. Donovang and N. Schwentner. Extraction of potentials and dynamics from condensed phase pump-probe spectra: Application to I<sub>2</sub> in Kr matrices. *jcp* **111**, 8556 (1999).
- [8] T. Bountis (Editor). *Proton transfer in hydrogen-bonded systems* (Plenum Press, New York, 1992).
- [9] S. Scheiner. In T. Bountis (editor), *Proton transfer in hydrogen-bonded systems*, page 17 (Plenum Press, New York, 1992).
- [10] D. Hadži (Editor). *Theoretical Treatments of Hydrogen Bonding* (Wiley, Chichester, 1997).
- [11] P. Bała, P. Grochowski, B. Lesyng and J. A. McCammon. Quantum-classical molecular dynamics simulations of proton transfer processes in molecular complexes and in enzymes. *J. Phys. Chem.* **100**, 2535 (1996).

- [12] M. E. Tuckerman, D. Marx, M. L. Klein and M. Parrinello. On the quantum nature of the shared proton in hydrogen bonds. *Science* **275**, 817 (1997).
- [13] H.-H. Limbach and J. Manz (Editors). *Hydrogen Transfer: Experiment and Theory*, volume 102(3) of *Ber. Bunsenges. Phys. Chem. Chem. Phys.* (Wiley-VCH, Weinheim, 1998).
- [14] I. Tuñón, E. Silla, C. Millot, M. T. C. Martins-Costa and M. F. Ruiz-López. Intramolecular proton transfer of glycine in aqueous solution using quantum mechanics-molecular mechanics simulations. *J. Phys. Chem. A* **102**, 8673 (1998).
- [15] G. Renger. Energy transfer and trapping in photosystem II. In J. Barber (editor), *Topics in Photosynthesis*, volume 11 (Elsevier, Amsterdam, 1992).
- [16] G. R. Fleming and R. van Grondelle. The primary steps of photosynthesis. *Physics Today* **47**, 48 (1994).
- [17] P. Schuster and P. Wolschann. Hydrogen bonding: From small clusters to biopolymers. *Monatshefte für Chemie* **130**, 948 (1999).
- [18] J. Chen, M. A. Reed, A. M. Rawlett and J. M. Tour. Observation of a large on-off ratio and negative differential resistance in an electronic molecular switch. *Science* **286**, 1550 (1999).
- [19] Z. J. Donhauser, B. A. Mantooth, K. F. Kelly, L. A. Bumm, J. D. Monnell, J. J. Stapleton, D. W. Price, A. M. Rawlett, D. L. Allara, J. M. Tour and P. S. Weiss. Conductance switching in single molecules through conformational changes. *Science* **292**, 2303 (2001).
- [20] S. Bratos and J.-C. Leicknam. Subpicosecond transient infrared spectroscopy of water: A theoretical description. *J. Chem. Phys.* **103**, 4887 (1995).
- [21] G. M. Gale, G. Gallot, F. Hache, N. Lascoux, S. Bratos and J.-C. Leicknam. Femtosecond dynamics of hydrogen bonds in liquid water: A real time study. *Phys. Rev. Lett.* **82**, 1068 (1999).
- [22] S. Woutersen and H. J. Bakker. Hydrogen bond in liquid water as a Brownian oscillator. *Phys. Rev. Lett.* **83**, 2077 (1999).
- [23] J. D. Lear, Z. R. Wasserman and W. F. DeGrado. Synthetic amphiphilic peptide models for protein ion channels. *Science* **240**, 1177 (1988).
- [24] N. Rösch and M. A. Ratner. Model for the effects of condensed phase on the infrared spectra of hydrogen-bonded systems. *J. Chem. Phys.* **61**, 3344 (1974).

- [25] G. N. Robertson and J. Yarwood. Vibrational relaxation of hydrogen-bonded species in solution I. Theory. *Chem. Phys.* **32**, 267 (1978).
- [26] W. M. Zhang, V. Chernyak and S. Mukamel. Multidimensional femtosecond correlation spectroscopies of electronic and vibrational excitons. *J. Chem. Phys.* **110**, 5011 (1999).
- [27] A. Piryatinski, V. Chernyak and S. Mukamel. Two-dimensional infrared femtosecond spectroscopy of cyclic pentapeptides. In Y. Ozaki and I. Noda (editors), *Proceedings of the International Symposium on Two-Dimensional Correlation Spectroscopy*, page 117 (American Institute of Physics, Melville (New York), 2000).
- [28] P. M. Felker and A. H. Zewail. Direct observation of nonchaotic multilevel vibrational energy flow in isolated polyatomic molecules. *Phys. Rev. Lett.* **53**, 501 (1984).
- [29] J. Stenger, D. Madsen, J. Dreyer, E. T. J. Nibbering, P. Hamm and T. Elsaesser. Ultrafast coherent response of hydrogen bonds. In T. Elsaesser, S. Mukamel, M. Murnane and N. F. Scherer (editors), *Ultrafast Phenomena XII*, Springer Series in Chemical Physics, page 542 (Springer, New York, 2000).
- [30] J. Stenger, D. Madsen, J. Dreyer, E. T. J. Nibbering, P. Hamm and T. Elsaesser. Coherent response of hydrogen bonds in liquids probed by ultrafast vibrational spectroscopy. *J. Phys. Chem. A* **105**, 2929 (2001).
- [31] A. Douhal, F. Lahmani and A. H. Zewail. Proton transfer reaction dynamics. *Chem. Phys.* **207**, 477 (1996).
- [32] S. Lochbrunner, A. J. Wurzer and E. Riedle. Ultrafast excited state proton transfer and subsequent coherent skeletal motion of 2-(2'-hydroxyphenyl)benzothiazole. *J. Chem. Phys.* **112**, 10699 (2000).
- [33] J. Manz and L. Wöste (Editors). *Femtosecond Chemistry* (VCH, Weinheim, 1995).
- [34] B. Kohler, V. V. Yakovlev, J. Che, J. L. Krause, M. Messina, K. R. Wilson, N. Schwentner, R. M. Whittell and Y. J. Yan. Quantum control of wave packet evolution with tailored femtosecond pulses. *Phys. Rev. Lett.* **74**, 3360 (1995).
- [35] Y. Dakhnovskii and R. D. Coalson. Manipulating reactant-product distributions in electron transfer reactions with a laser field. *J. Chem. Phys.* **103**, 2980 (1995).
- [36] Y. J. Yan. Optimal control of molecular dynamics by light. *Annu. Rep. Prog. Chem. Sect. C: Phys. Chem.* **94**, 397 (1998).
- [37] A. Assion, T. Baumert, M. Bergt, T. Brixner, B. Kiefer, V. Seyfried, M. Strehle and G. Gerber. Control of chemical reactions by feedback-optimized phase-shaped femtosecond laser pulses. *Science* **282**, 919 (1998).

- [38] M. E. Tuckerman and D. Marx. Heavy-atom skeleton quantization and proton tunneling in “intermediate-barrier” hydrogen bonds. *Phys. Rev. Lett.* **86**, 4946 (2001).
- [39] A. G. Redfield. The theory of relaxation processes. *Adv. Mag. Res.* **1**, 1 (1965).
- [40] O. Kühn. *Zur Theorie der dissipativen Quantendynamik in molekularen Systemen*. Ph.D. thesis, Humboldt-Universität zu Berlin (1995).
- [41] S. R. Billeter and W. F. vanGunsteren. A modular molecular dynamics/quantum dynamics program for non-adiabatic proton transfers in solution. *Comp. Phys. Commun.* **107**, 61 (1997).
- [42] S. R. Billeter, S. P. Webb, T. Iordanov, P. K. Agarwal and S. Hammes-Schiffer. Hybrid approach for including electronic and nuclear quantum effects in molecular dynamics simulations of hydrogen transfer reactions in enzymes. *J. Chem. Phys.* **114**, 6925 (2001).
- [43] S. Chelkowski, T. Zuo, O. Atabek and A. D. Bandrauk. Dissociation, ionization, and Coulomb explosion of  $H_2^+$  in an intense laser field by numerical integration of the time-dependent Schrödinger equation. *Phys. Rev. A* **52**, 2977 (1995).
- [44] T. Kreibich and E. K. U. Gross. Multicomponent density–functional theory for electrons and nuclei. *Phys. Rev. Lett.* **86**, 2984 (2001).
- [45] A. Gross, S. Wilke and M. Scheffler. Six-dimensional quantum dynamics of adsorption and desorption of  $H_2$  at Pd(100): Steering and steric effects. *Phys. Rev. Lett.* **75**, 2718 (1995).
- [46] R. B. Gerber, V. Buch and M. A. Ratner. Time-dependent self-consistent field approximation for intramolecular energy transfer. I. Formulation and application to dissociation of van der Waals molecules. *J. Chem. Phys.* **77**, 3022 (1982).
- [47] N. Makri and W. H. Miller. Time-dependent self-consistent field approximation for a reaction coordinate coupled to a harmonic bath: Single and multiple configuration treatments. *J. Chem. Phys.* **87**, 5781 (1987).
- [48] J. Kucar, H.-D. Mayer and L. S. Cederbaum. Time-dependent rotated Hartree approach. *Chem. Phys Lett.* **140**, 525 (1987).
- [49] E. Sim and N. Makri. Time-dependent discrete variable representation for quantum wave packet propagation. *J. Chem. Phys.* **102**, 5616 (1995).
- [50] H.-D. Meyer, U. Manthe and L. S. Cederbaum. The multi-configurational time-dependent Hartree approach. *Chem. Phys Lett.* **165**, 73 (1990).

- [51] U. Manthe, H.-D. Meyer and L. S. Cederbaum. Wave-packet dynamics within the multiconfiguration Hartree framework: General aspects and applications to NOCl. *J. Chem. Phys.* **97**, 3199 (1992).
- [52] U. Manthe. A time-dependent discrete variable representation for (multiconfiguration) Hartree methods. *J. Chem. Phys.* **105**, 6989 (1996).
- [53] G. A. Worth. Accurate wave packet propagation for large molecular systems: The multiconfiguration time-dependent Hartree (MCTDH) method with selected configurations. *J. Chem. Phys.* **112**, 8322 (2000).
- [54] G. A. Worth, H.-D. Meyer and L. S. Cederbaum. Relaxation of a system with a conical intersection coupled to a bath: A benchmark 24-dimensional wave packet study treating the environment explicitly. *J. Chem. Phys.* **109**, 3518 (1998).
- [55] F. Matzkies and U. Manthe. Accurate quantum calculations of thermal rate constants employing MCTDH:  $\text{H}_2 + \text{OH} \rightarrow \text{H} + \text{H}_2\text{O}$  and  $\text{D}_2 + \text{OHD} + \text{DOH}$ . *J. Chem. Phys.* **108**, 4828 (1998).
- [56] P. von Ragué Schleyer (Editor). *Encyclopedia of Computational Chemistry* (Wiley, Chichester, 1998).
- [57] K. Blum. *Density Matrix Theory and Applications* (Plenum Press, New York, 1981).
- [58] W. T. Pollard and R. A. Friesner. Solution of the redfield equation for the dissipative quantum dynamics of multilevel systems. *J. Chem. Phys.* **100**, 5054 (1994).
- [59] W. T. Pollard, A. K. Felts and R. A. Friesner. The Redfield equation in condensed phase quantum dynamics. *Adv. Chem. Phys.* **93**, 77 (1996).
- [60] P. M. Felker and A. H. Zewail. Dynamics of intramolecular vibrational energy redistribution. I. Coherence effects. *J. Chem. Phys.* **82**, 2961 (1985).
- [61] V. May and O. Kühn. *Charge and Energy Transfer Dynamics in Molecular Systems* (Wiley-VCH, Berlin, 2000).
- [62] M. V. Korolkov, J. Manz and G. K. Paramonov. Theory of ultrafast laser control of isomerization reactions in an environment: Picosecond cope rearrangement of substituted semibullvalenes. *J. Chem. Phys.* **105**, 10874 (1996).
- [63] O. Kühn, D. Malzahn and V. May. Theoretical description of dissipative vibrational dynamics using the density matrix in the state representation. *Int. J. Quant. Chem.* **57**, 343 (1996).
- [64] S. Shi and H. Rabitz. Quantum mechanical optimal control of physical observables in microsystems. *J. Chem. Phys.* **92**, 364 (1990).

- [65] W. Zhu, J. Botina and H. Rabitz. Rapidly convergent iteration methods for quantum optimal control theory. *J. Chem. Phys.* **108**, 1953 (1998).
- [66] K. Sundermann and R. de Vivie-Riedle. Extension to quantum optimal control algorithms and applications to special problems in state selective molecular dynamics. *J. Chem. Phys.* **110**, 1896 (1999).
- [67] W. H. Miller, N. C. Handy and J. E. Adams. Reaction path Hamiltonian for polyatomic systems. *J. Chem. Phys.* **72**, 99 (1980).
- [68] T. Carrington and W. H. Miller. Reaction surface Hamiltonian for the dynamics of reactions in polyatomic systems. *J. Chem. Phys.* **81**, 3941 (1984).
- [69] I. N. Levine. *Quantum Chemistry* (Prentice-Hall, Englewood Cliffs (New Jersey), 1991).
- [70] A. Szabo and N. S. Ostlund. *Modern Quantum Chemistry* (Dover Publications, Mineola (New York), 1996).
- [71] J. A. Pople. Noble lecture: Quantum chemical models. *Rev. Mod. Phys.* **71**, 1267 (1999).
- [72] W. Kohn. Noble lecture: Electronic structure of matter – wave functions and density functionals. *Rev. Mod. Phys.* **71**, 1253 (1999).
- [73] M. Born and R. Oppenheimer. Zur Quantentheorie der Molekeln. *Ann. Phys.* **84**, 457 (1927).
- [74] D. R. Hartree. *Proc. Cambridge Phil. Soc.* **24**, 111 (1928).
- [75] C. Møller and M. S. Plesset. Note on approximation treatment for many-electron systems. *Phys. Rev.* **46**, 618 (1934).
- [76] W. Koch and M. C. Holthausen. *A Chemist's Guide to Density Functional Theory* (Wiley-VCH, Weinheim, 2001), Second edition.
- [77] P. Hohenberg and W. Kohn. Inhomogeneous electron gas. *Phys. Rev.* **136**, B864 (1964).
- [78] A. D. Becke. Density-functional thermochemistry. III. The role of exact exchange. *J. Chem. Phys.* **98**, 5648 (1993).
- [79] C. Lee, W. Yang and R. G. Parr. Development of the Colle-Salvetti correlation-energy formula into a functional of the electron density. *Phys. Rev. B* **37**, 785 (1988).

- [80] L. González. *Caracterización de Enlaces de Hidrógeno Inter e Intramoleculares. Estudio Teórico de Casos Significativos*. Ph.D. thesis, Universidad Autónoma de Madrid (1998).
- [81] K. Müller-Dethlefs and P. Hobza. Noncovalent interactions: A challenge for experiment and theory. *Chem. Rev.* **100**, 143 (2000).
- [82] L. González, O. Mó and M. Yáñez. High-level ab initio calculations on the intramolecular hydrogen bond in Thiomalonaldehyde. *J. Phys. Chem. A* **101**, 9710 (1997).
- [83] S. P. Shah and S. A. Rice. Controlling quantum wavepacket motion in reduced-dimensional spaces. Reaction path analysis in optimal control of HCN isomerization. *Faraday Discuss.* **113**, 319 (1999).
- [84] T. Carrington and W. H. Miller. Reaction surface description of intramolecular hydrogen atom transfer in malonaldehyde. *J. Chem. Phys.* **84**, 4364 (1986).
- [85] N. Shida, P. F. Barbara and J. E. Almlöf. A theoretical study of multidimensional nuclear tunneling in malonaldehyde. *J. Chem. Phys.* **91**, 4061 (1989).
- [86] M. Ben-Nun and T. J. Martinez. Semiclassical tunneling rates from ab initio molecular dynamics. *J. Phys. Chem. A* **103**, 6055 (1999).
- [87] K. Yagi, T. Taketsugu and K. Hirao. Generation of full-dimensional potential energy surface of intramolecular hydrogen atom transfer in malonaldehyde and tunneling dynamics. *J. Chem. Phys.* **115**, 10647 (2001).
- [88] E. Kraka. Reaction path Hamiltonian and its use for investigating reaction mechanisms. In P. von Ragué Schleyer (editor), *Encyclopedia of Computational Chemistry*, page 2437 (Wiley, Chichester, 1998).
- [89] D. Heidrich (Editor). *The Reaction Path in Chemistry: Current Approaches and Perspectives* (Kluwer Academic Publishers, Dordrecht, 1995).
- [90] B. A. Ruf and W. H. Miller. A new (Cartesian) reaction path model for dynamics in polyatomic systems, with application to H-atom transfer in malonaldehyde. *J. Chem. Soc. Faraday Trans. 2* **84**, 1523 (1988).
- [91] A. E. Orel and O. Kühn. Cartesian reaction surface analysis of the CH<sub>2</sub>I<sub>2</sub> ground state isomerization. *Chem. Phys. Lett.* **304**, 285 (1999).
- [92] A. Messiah. *Quantum Mechanics*, volume I and II (North-Holland Publishing Company, Amsterdam, 1965).

- [93] M. Berman and R. Kosloff. Time-dependent solution of the Liouville-von Neumann equation: Non-dissipative evolution. *Comput. Phys. Commun.* **63**, 1 (1991).
- [94] V. May, O. Kühn and M. Schreiber. Density matrix description of ultrafast dissipative wave packet dynamics. *J. Phys. Chem.* **97**, 12591 (1993).
- [95] M. Berman, R. Kosloff and H. Tal-Ezer. Solution of the time-dependent Liouville-von Neumann equation: Dissipative evolution. *J. Phys. A: Math. Gen.* **25**, 1283 (1992).
- [96] U. Weiss. *Quantum dissipative systems* (World Scientific, Singapore, 1993).
- [97] C. Meier and D. J. Tannor. Non-Markovian evolution of the density operator in the presence of strong laser fields. *J. Chem. Phys.* **111**, 3365 (1999).
- [98] S. Gnanakaran and R. M. Hochstrasser. Vibrational relaxation of HgI in ethanol: Equilibrium molecular dynamics simulations. *J. Chem. Phys.* **105**, 3486 (1996).
- [99] C. C. Marston and G. G. Balint-Kurti. The Fourier grid Hamiltonian method for bound state eigenvalues and eigenfunctions. *J. Chem. Phys.* **91**, 3571 (1989).
- [100] J. C. Light, I. P. Hamilton and J. V. Lill. Generalized discrete variable approximation in quantum mechanics. *J. Chem. Phys.* **82**, 1400 (1985).
- [101] H. Tal-Ezer and R. Kosloff. A direct relaxation method for calculating eigenfunctions and eigenvalues of the Schrödinger equation. *Chem. Phys. Lett.* **127**, 223 (1986).
- [102] Y. Ohtsuki and Y. Fujimura. Bath-induced vibronic coherence transfer effects on femtosecond time-resolved resonant light scattering spectra from molecules. *jcp* **91**, 3903 (1989).
- [103] J. M. Jean and G. R. Fleming. Competition between energy and phase relaxation in electronic curve crossing processes. *J. Chem. Phys.* **103**, 2092 (1995).
- [104] M. D. Feit, J. Fleck and A. Steiger. Solution of the Schrödinger equation by a spectral method. *J. Comp. Phys.* **47**, 412 (1982).
- [105] D. Kosloff and R. Kosloff. A Fourier method solution for the time dependent Schrödinger equation as a tool in molecular dynamics. *J. Comp. Phys.* **52**, 35 (1983).
- [106] A. D. Bandrauk and H. Shen. Exponential split operator methods for solving coupled time-dependent Schrödinger equations. *J. Chem. Phys.* **99**, 1193 (1993).
- [107] A. D. Bandrauk and H. Shen. Higher order exponential split operator method for solving time-dependent Schrödinger equations. *Can. J. Chem.* **70**, 555 (1992).



- 
- [108] M. H. Beck, A. Jäckle, G. A. Worth and H.-D. Meyer. The multiconfiguration time-dependent Hartree (MCTDH) method: A highly efficient algorithm for propagating wavepackets. *Phys. Rep.* **324**, 1 (2000).
- [109] P. Jungwirth and R. B. Gerber. Quantum molecular dynamics of ultrafast processes in large polyatomic systems. *Chem. Rev.* **99**, 1583 (1999).
- [110] D. J. Tannor and S. A. Rice. Control of selectivity of chemical reaction via control of wave packet evolution. *J. Chem. Phys.* **83**, 5013 (1985).
- [111] S. A. Rice and M. Zhao. *Optical Control of Molecular Dynamics* (Wiley-Interscience, 2000).
- [112] G. K. Paramonov. Laser control of state-selective ultrafast excitation of molecular vibrations. In J. Manz and L. Wöste (editors), *Femtosecond Chemistry*, volume 2, page 671 (Verlag Chemie, Weinheim, 1995).
- [113] D. J. Tannor, R. Kosloff and S. Rice. Coherent pulse sequence induced control of selectivity of reactions: Exact quantum mechanical calculations. *J. Chem. Phys.* **85**, 5805 (1986).
- [114] D. E. Goldberg. *Genetic Algorithms* (Addison-Wesley, Boston, 1989).
- [115] Y. Ohtsuki, H. Kono and Y. Fujimura. Quantum control of nuclear wave packets by locally designed optimal pulses. *J. Chem. Phys.* **109**, 9318 (1998).
- [116] H. Umeda and Y. Fujimura. Quantum control of chemical reaction dynamics in a classical way. *J. Chem. Phys.* **113**, 3510 (2000).
- [117] P. Gross, H. Singh, H. Rabitz, K. Mease and G. M. Huang. Inverse quantum mechanical control: A means for design and a test of intuition. *Phys. Rev. A* **47**, 4593 (1993).
- [118] Y. Chen, P. Gross, V. Ramakrishna and H. Rabitz. Competitive tracking of molecular objectives described by quantum mechanics. *J. Chem. Phys.* **102**, 8001 (1995).
- [119] W. Zhu, M. Smit and H. Rabitz. Managing singular behavior in the tracking control of quantum dynamical observables. *J. Chem. Phys.* **110**, 1905 (1999).
- [120] M. Sugawara and Y. Fujimura. Control of quantum dynamics using a locally optimized laser field-application to ring puckering isomerization. *J. Chem. Phys.* **100**, 5646 (1994).
- [121] J. S. Cao, M. Messina and K. R. Wilson. Quantum control of dissipative systems: Exact solutions. *J. Chem. Phys.* **106**, 5239 (1997).

- [122] Y. Ohtsuki, W. Zhu and H. Rabitz. Monotonically convergent algorithm for quantum optimal control with dissipation. *J. Chem. Phys.* **110**, 9825 (1999).
- [123] T. Mančal and V. May. Laser pulse control of ultrafast electron transfer reactions. *Eur. Phys. J. D* **14**, 173 (2001).
- [124] N. Došlić, K. Sundermann, L. González, O. Mó, J. Giraud-Girard and O. Kühn. Ultrafast photoinduced dissipative hydrogen switching dynamics in thioacetylacetone. *Phys. Chem. Chem. Phys.* **1**, 1249 (1999).
- [125] N. Došlić, O. Kühn and J. Manz. Infrared laser pulse controlled ultrafast H-atom switching in two-dimensional asymmetric double well potentials. *Ber. Bunsenges. Phys. Chem.* **102**, 292 (1998).
- [126] N. Došlić, O. Kühn, J. Manz and K. Sundermann. The “Hydrogen Subway” – A tunneling approach to intramolecular hydrogen transfer reactions controlled by ultrashort laser pulses. *J. Phys. Chem. A* **102**, 292 (1998).
- [127] H. Naundorf, K. Sundermann and O. Kühn. Laser driven hydrogen tunneling in a dissipative environment. *Chemical Physics* **240**, 163 (1999).
- [128] D. Malzahn and V. May. Guided motion in a dissipative quantum system: Vibrational state preparation using picosecond infrared pulses. *Chem. Phys* **197**, 205 (1995).
- [129] D. You, R. R. Jones, P. H. Bucksbaum and D. R. Dykaar. Generation of high-power half-cycle 500 femtosecond electromagnetic pulses. *Opt. Lett.* **18**, 290 (1993).
- [130] O. Mó, M. Yáñez, A. L. Llamas-Saiz, C. Foces-Foces and J. Elguero. Ab initio study of the effect of N-substituents on the properties of pyrazoles. *Tetrahedron* **51**, 7045 (1995).
- [131] M. Thorwart, M. Grifoni and P. Hänggi. Strong coupling theory for driven tunneling and vibrational relaxation. *Phys. Rev. Lett.* **85**, 860 (2000).
- [132] J. A. Organero, A. Douhal, L. Santos, E. Martínez-Ataz, V. Guallar, M. Moreno and J. M. Lluch. Proton-transfer reaction in isolated and water-complexed 8-hydroxyimidazo[1,2-*a*]pyridine in the S0 and S1 electronic states. A theoretical study. *J. Phys. Chem. A* **103**, 5301 (1999).
- [133] M. J. Frisch, G. W. Trucks, H. B. Schlegel, G. E. Scuseria, M. A. Robb, J. R. C. V. G. Zakrzewski, J. A. Montgomery, R. E. Stratmann, J. C. Burant, S. Dapprich, J. M. Millam, A. D. Daniels, K. N. Kudin, M. C. Strain, O. Farkas, J. Tomasi, V. Barone, M. Cossi, R. Cammi, B. Mennucci, C. Pomelli, C. Adamo, S. Clifford, J. Ochterski, G. A. Petersson, P. Y. Ayala, Q. Cui, K. Morokuma, D. K. Malick,

- A. D. Rabuck, K. Raghavachari, J. B. Foresman, J. Cioslowski, J. V. Ortiz, B. B. Stefanov, G. Liu, A. Liashenko, P. Piskorz, I. Komaromi, R. Gomperts, R. L. Martin, D. J. Fox, T. Keith, M. A. Al-Laham, C. Y. Peng, A. Nanayakkara, C. González, M. Challacombe, P. M. W. Gill, B. G. Johnson, W. Chen, M. W. Wong, J. L. Andres, M. Head-Gordon, E. S. Replogle and J. A. Pople. GAUSSIAN 94/98 (Gaussian Inc., Pittsburgh, 1995-98).
- [134] J. B. Foresman and A. Frisch. *Exploring Chemistry with Electronic Structure Methods: A Guide to Using Gaussian* (Gaussian Inc., 1993).
- [135] R. Rydzkowski, D. Blondeau, C. Cazé and P. Barbier. Study of imidazo[1,2-*a*]pyridin-8-ol. 2. Crystal structure. *Acta Cryst. C* **44**, 1215 (1988).
- [136] L. Allen and J. H. Eberly. *Optical Resonance and Two-Level Atoms* (Dover, New York, 1987).
- [137] M. V. Korolkov, J. Manz and G. K. Paramonov. Theory of laser control of vibrational transitions and chemical reactions by ultrashort infrared laser pulses. *Adv. Chem. Phys.* **101**, 327 (1997).
- [138] S. Chelkowski, A. D. Bandrauk and P. B. Corkum. Efficient molecular dissociation by a chirped ultrashort infrared laser pulse. *Phys. Rev. Lett.* **65**, 2355 (1990).
- [139] E. T. J. Nibbering. Seminar, FU-Berlin (2002).
- [140] G. A. Worth, M. H. Beck, A. Jäckle and H.-D. Meyer. *The MCTDH Package, Version 8.2* (University of Heidelberg, Germany, 2000).
- [141] M. P. Allen and D. J. Tildesley. *Computer Simulations of Liquids* (Clarendon, Oxford, 1987).
- [142] D. C. Rapaport. *The Art of Molecular Dynamics Simulation* (Cambridge University Press, Cambridge, 1995).
- [143] D. van der Spoel, A. R. van Buuren, E. Apol, P. J. Meulenhoff, D. P. Tielman, A. L. T. M. Sijbers, B. Hess, K. A. Feenstra, E. Lindahl, R. van Drunen and H. J. C. Berendsen. *Gromacs User Manual version 2.0/3.0*. Nijenborgh 4, 9747 AG Groningen, The Netherlands. Internet: <http://md.chem.rug.nl/~gmx> or <http://www.gromacs.org> (1999-2001).
- [144] H. J. C. Berendsen, D. van der Spoel and R. van Drunen. GROMACS: A message passing parallel molecular dynamics implementation. *Comp. Phy. Comm.* **91**, 43 (1995).

- [145] V. M. Kenkre, A. Tomakoff and M. D. Fayer. Theory of vibrational relaxation of polyatomic molecules in liquids. *J. Chem. Phys.* **101**, 10618 (1994).
- [146] S. A. Egorov and J. L. Skinner. A theory of vibrational energy relaxation in liquids. *J. Chem. Phys.* **105**, 7047 (1996).
- [147] W. F. van Gunsteren, S. R. Billeter, A. A. Eising, P. H. Hünenberger, P. Krüger, A. E. Mark, W. R. P. Scott and I. G. Tironi. *Biomolecular Simulation: The GROMOS96 Manual and User Guide* (vdf Hochschulverlag AG, Zürich, 1996).
- [148] I. R. McDonald, D. G. Bounds and M. L. Klein. Molecular dynamics calculations for the liquid and cubic plastic crystal phases of carbon tetrachloride. *Mol. Phys.* **45**, 521 (1982).
- [149] D. R. Lide (Editor). *CRC Handbook of Chemistry and Physics* (CRC Press, Boca Raton, 1994).
- [150] L. E. Chirlian and M. M. Franel. Atomic charges derived from electrostatic potentials: A detailed study. *J. Comp. Chem.* **8**, 894 (1987).
- [151] G. K. Paramonov, H. Naundorf and O. Kühn. Ultrafast multidimensional dynamics of hydrogen bonds. A cartesian reaction surface analysis. *Eur. Phys. J. D* **14**, 205 (2001).
- [152] W. Press, S. Teukolsky, W. Vetterling and B. Flannery. *Numerical Recipes in C* (Cambridge University Press, Cambridge, 1992), Second edition.
- [153] D. E. Makarov and H. Metiu. Fitting potential surfaces: A search in function space by directed genetic programming. *J. Chem. Phys.* **108**, 590 (1998).
- [154] L. Verlet. Computer experiments on classical fluids. I. Thermodynamical properties of Lennard-Jones molecules. *Phys. Rev.* **159**, 98 (1967).
- [155] G. King and A. Warshel. A surface constrained all-atom solvent model for effective simulations of polar solvents. *J. Chem. Phys.* **91**, 3647 (1989).
- [156] J. Tomasi and M. Persico. Molecular interaction in solution: An overview of methods based on continuous distribution of the solvent. *Chem. Rev.* **94**, 2027 (1994).
- [157] J.-P. Ryckaert, G. Ciccotti and J. C. Berendsen. Numerical integration of the Cartesian equations of motion of a system with constraints: Molecular dynamics of n-Alkenes. *J. Comp. Phys.* **23**, 327 (1977).
- [158] G. Ciccotti, M. Ferrario and J.-P. Ryckaert. Molecular dynamics of rigid systems in Cartesian coordinates. A general formulation. *Mol. Phys.* **47**, 1253 (1982).

- [159] J. P. Ryckaert. Special geometrical constraints in the molecular dynamics of chain molecules. *Mol. Phys.* **55**, 549 (1985).
- [160] G. Ciccotti and J. P. Ryckaert. Molecular dynamics simulation of rigid molecules. *Comp. Phys. Rep.* **4**, 345 (1986).
- [161] C. M. Breneman and K. B. Wiberg. Determining atom-centered monopoles from molecular electrostatic potentials. The need for high sampling density in Formamide conformational analysis. *J. Comp. Chem.* **11**, 361 (1990).

